nileWays

Project Documentation

Project Planning & Management
Literature Review
Requirements Gathering

Program	Digital Egypt Pioneers Initiative (DEPI)
Technical Track	React Front-End Development
Technical Instructor	Mohamed Mahmoud
Team Leader	Mahmoud Hatem Mahmoud
Team Members	Ahmed Waled Mohamed Tasbeeh Mahmoud Mohamed Nouran Ashraf Yassin Kirollos Ghobrial Fahim
Submission Date	17 October 2026

Project Documentation Guidelines

Item	DEPI Industry	DEPI
Project Planning & Management	2 Oct 2026	16 Oct 2026
Literature Review	9 Oct 2026	16 Oct 2026
Requirements Gathering	9 Oct 2026	16 Oct 2026
System Analysis & Design	9 Oct 2026	6 Nov 2026
Implementation (Source Code & Execution)	16 Oct 2026	30 Nov 2026
Final Presentation & Testing& Reports	16 Oct 2026	4 Dec 2026

Prepared as a planning and requirements baseline for a student React Front-End graduation project. Proposed assignments, dates, targets, and sample data are provisional and require team/instructor approval.

Document Control

Field	Details
Document title	nileWays Project Documentation
Version	1.0 — Initial planning baseline
Prepared for	DEPI React Front-End training project
Status	Proposed / for review; not an approval record
Prepared date	17 October 2026
Scope note	Front-End prototype unless the team and instructor approve additional integrations.

How to Read This Document

This document is a structured proposal built from the supplied project brief. It separates confirmed project context from assumptions and recommendations. The six-week schedule, preliminary team allocations, personas, KPIs, test cases, and requirements are planning artifacts—not evidence of completed work.

Table of Contents

1. Project Overview

Part One — Project Planning & Management

1.1 Background and Overview

1.2 Problem Statement

1.3 Vision and Objectives

1.4 Project Scope

1.5 Stakeholders

1.6 Project Methodology

1.7 Project Timeline

1.8 Team Structure and Task Allocation

1.9 Resources and Technologies

1.10 Risk Management

1.11 Success Criteria and KPIs

1.12 Deliverables

Part Two — Literature Review

2.1 Purpose and Research Approach

2.2 Related Platforms

2.3 Comparative Analysis

2.4 Research Findings and Design Implications

2.5 Research Gap and Differentiation

2.6 Literature Review Conclusion

2.7 References

Part Three — Requirements Gathering

3.1 Requirements Gathering Approach

3.2 Stakeholder Needs

3.3 User Personas and Scenarios3.4 Functional Requirements

3.5 Non-Functional Requirements

3.6 Business Rules and Constraints

3.7 Assumptions and Dependencies

3.8 Prioritization

3.9 Requirements Traceability Matrix

3.10 Acceptance and Testing Strategy

Appendix A — Glossary and Review Checklist

List of Abbreviations

Term	Meaning
API	Application Programming Interface
CSS	Cascading Style Sheets
FR / NFR	Functional Requirement / Non-Functional Requirement
KPI	Key Performance Indicator
MoSCoW	Must Have, Should Have, Could Have, Won't Have
RACI	Responsible, Accountable, Consulted, Informed
UI / UX	User Interface / User Experience
WCAG	Web Content Accessibility Guidelines
QA	Quality Assurance
SPA	Single-Page Application
DEPI	Digital Egypt Pioneers Initiative

1. Project Overview

1.1 Project Identity

nileWays is a proposed smart tourism planning interface for visitors to Egypt. The project is being developed as a React Front-End graduation project within DEPI. Its central idea is to bring practical trip-planning information into one navigable experience, from airport arrival to destinations, accommodation, suggested activities, and return planning.

1.2 Product Concept

The current concept contains six planned pages: Home, Transportation, Accommodation, Trips, Contact Us, and About Us. The interface should let visitors explore choices, compare alternatives when suitable data is available, and choose options according to their own interests and budget. Suggested itineraries are optional starting points, not mandatory routes or confirmed bookings.

1.3 Core Value Proposition

The proposed value is convenience and clarity: a visitor can discover transportation categories, accommodation types, Egyptian destinations, and suggested itineraries through a consistent Egypt-focused interface. The prototype should communicate the difference between verified information, estimates, and illustrative sample content.

1.4 Product Principles

- **User control:** visitors choose preferences; packages remain optional suggestions.
- **Transparency:** label indicative prices, estimated travel times, and sample records clearly.
- **Feasibility:** prioritize a polished and responsive Front-End over integrations outside the training scope.
- **Consistency:** shared navigation, reusable components, predictable interaction patterns, and coherent visual design.
- **Accessibility:** semantic structure, keyboard access, readable contrast, labels, and meaningful alternative text.
- **Honesty:** do not imply live availability, confirmed reservations, payment processing, or GPS tracking without real supporting services.

Scope baseline: React UI with locally maintained or clearly labelled sample content is the default assumption. A production backend, database, external API, and booking workflow are not confirmed.

PART ONE — PROJECT PLANNING & MANAGEMENT

1.1 Project Background and Overview

Tourists commonly need to make several connected decisions before and during a trip: how to travel from an airport, which accommodation category fits their budget, which destinations suit their interests, and how to arrange activities across available time. Information may be distributed across different services, with different formats and assumptions. This can make it harder to compare alternatives or understand how one decision affects the overall trip.

nileWays proposes a single, consistent interface that organizes these planning categories for Egypt. It is not intended to replace transport operators, accommodation providers, or specialist booking platforms. Rather, the student prototype demonstrates how a visitor might discover and compare options and then continue to a provider or use the information as a planning aid.

Egypt is a suitable focus for a tourism-oriented interface because visitors may combine historical and cultural destinations with city experiences, coastal areas, relaxation, or adventure. The design should avoid treating tourists as one homogeneous group: first-time international visitors, budget travellers, families, and experience-focused travellers may need different information.

1.2 Problem Statement

The project addresses the following problem hypothesis: a visitor planning a trip in Egypt may have to consult multiple services to understand transport alternatives, accommodation choices, destinations, and day-by-day itinerary ideas. These services may use different terminology, present information at different levels of detail, and distinguish estimates from confirmed details in different ways.

- Transportation options can be difficult to compare when cost, duration, convenience, and transport type are not shownconsistently.
- Accommodation searches may require visitors to compare different property categories, locations, facilities, and indicativecosts.
- Destination discovery may be fragmented by activity type, geography, or booking provider.
- Travellers who want a quick starting point may benefit from suggested itineraries, while travellers who prefer flexibility need toretain control.
- Information can be incomplete or change over time; an interface must not make stale or illustrative data appear current orguaranteed.

These statements are planning hypotheses, not findings from completed interviews or a quantified market study. They should be validated through instructor feedback and, if time permits, brief user interviews or usability sessions.

1.3 Project Vision and Objectives

Vision: Make planning a visit to Egypt clearer and more convenient by bringing key travel choices into one accessible, user-controlled interface.

General Objective

Design, implement, test, and document a responsive React Front-End prototype that demonstrates the core nileWays journey across six planned pages.

Specific Objectives

ID	Objective	Proposed measure / target
OBJ-01	Implement all six planned pages with consistent navigation.	6/6 pages reachable through primary navigation by the final review.
OBJ-02	Present transportation choices and comparison fields.	At least 3 illustrative transport categories with labels for estimate/sample status.

OBJ-03	Present accommodation categories and useful comparison attributes.	At least 3 accommodation types and consistent detail fields in the prototype dataset.
OBJ-04	Support destination discovery by interests.	At least 3 interest categories with functioning client-side filtering, if approved.
OBJ-05	Show optional suggested itinerary examples.	At least 2 clearly labelled sample itineraries or packages.
OBJ-06	Provide a responsive experience.	No critical horizontal overflow at agreed mobile, tablet, and desktop viewports.
OBJ-07	Validate key interactions and forms.	All Must Have acceptance tests executed and recorded before submission.
OBJ-08	Produce reproducible source and handover material.	Repository, documentation, test checklist, and presentation prepared for review.

Targets are proposed acceptance goals. They must be confirmed by the team and instructor, and must not be reported as achieved until evidence is recorded.

1.4 Project Scope

In Scope

• Six pages: Home, Transportation, Accommodation, Trips, Contact Us, and About Us.

• Responsive layouts for desktop, tablet, and mobile.

• Consistent navigation, reusable React components, page routing or equivalent navigation, and basic client-side state whereuseful.

• Transportation category cards and comparison interface using available, labelled data.

• Accommodation listings and comparison attributes such as category, location, facilities, and indicative price.

• Destination cards and interest-based filtering where feasible.

• Optional suggested itineraries/packages clearly marked as suggestions.

• Contact information and/or a front-end contact form with client-side validation and honest feedback.

• Basic accessibility checks, browser testing, performance checks, and project documentation.

Out of Scope for the Current Baseline

• Live booking, confirmed reservations, online payment processing, or refunds.

• Real-time provider inventory, live transportation schedules, guaranteed pricing, or live GPS tracking.

• Production backend, database, authentication, administrator dashboard, or secure account management unless separatelyapproved.

• Advanced AI recommendation engines, personalized prediction, or user profiling.

• Unapproved external API integrations, commercial contracts, and production support commitments.

Future enhancements can be reconsidered only after the Must Have Front-End scope is stable. If an external API is added, the team must check terms, keys, rate limits, reliability, data privacy, and instructor approval.

1.5 Stakeholders

Stakeholder	Interest / need	Proposed involvement

Tourists / potential users	Clear choices, easy navigation, useful destination and accommodation information, transparent estimates.	Primary user perspective; review sample flows and usability.
Project team	Clear scope, manageable tasks, shared standards, integration time, and a demonstrable outcome.	Build, review, test, document, and present the prototype.
Team leader — Mahmoud Hatem Mahmoud	Coordination, progress visibility, decisions, integration readiness.	Coordinate milestones and escalate blockers; not a substitute for shared ownership.
Technical instructor — Mohamed Mahmoud	Appropriate technical learning outcomes, realistic scope, quality, and evidence of work.	Confirm scope/timeline, give feedback, review deliverables.
Tourism service providers	Accurate representation of services and a clear distinction between discovery and actual booking.	Potential future information sources; no integration assumed.
Potential future partners / administrators	Maintainable content, data quality, and future extensibility.	Future stakeholder only; not a current system role.

1.6 Project Methodology

A lightweight Agile approach with short iterations is recommended. It supports early review of visible interface work, makes it easier to adjust priorities, and gives a five-person student team regular opportunities to integrate components rather than postponing integration until the end. The team can use a simple backlog, weekly goals, brief check-ins, and review/demo sessions.

Stage	Main activities	Exit condition
1. Requirements and research	Agree on Must Have features, identify assumptions, review similar platforms, define sample data needs.	Approved scope and prioritized backlog.
2. UI/UX design	Create sitemap, low-fidelity wireframes, visual tokens, responsive patterns, and key user flows.	Core page layouts reviewed by team/instructor.
3. React implementation	Set up project, build shared layout and reusable cards/forms, implement pages in small increments.	Pages and components available in the shared branch.
4. Integration	Connect navigation, page data, filtering, form states, and shared styling.	A coherent end-to-end prototype on the integration branch.
5. Testing and refinement	Run functional, responsive, accessibility, browser, and performance checks; fix defects.	Test evidence and prioritized defect list.
6. Documentation and presentation	Finalize requirements traceability, screenshots, repository README, demo script, and lessons learned.	Submission package ready for instructor review.

Working Cadence

• One short planning session at the start of each week.

• At least two asynchronous progress updates per week, using the team's chosen tool.

• Small pull requests or equivalent peer reviews for shared code.

• Integrate early and often; do not let page branches diverge for the full project.

• At the end of each week, demonstrate what works, list blockers, and re-plan without silently expanding scope.

1.7 Project Timeline

The six-week schedule below is an initial planning assumption only. The actual duration, start date, and deadlines must be confirmed with the instructor and all team members.

Week	Phase	Detailed tasks	Responsible role(s)	Expected deliverables	Dependencies / notes

1	Requirements & planning	Confirm Must Have scope; review platforms; define personas/scenarios; agree on repo conventions and provisional design direction.	Team leader coordinates; all members contribute.	Scope baseline, backlog, initial sitemap, research notes.	Depends on instructor/team approval.
2	UI/UX design & setup	Wireframes for six pages; responsive layout rules; visual tokens; repository and React setup; initial component plan.	Design/research roles with developer review.	Reviewed wireframes, component map, working project scaffold.	Do not block setup on polishing every visual detail.
Week	**Phase**	**Detailed tasks**	**Responsible role(s)**	**Expected deliverables**	**Dependencies / notes**
3	Core UI implementation	Build shared header/footer, Home, Transportation, Accommodation; create data structures and reusable cards.	Page owners (provisional); shared component owner.	First integrated versions of core pages and sample data.	Merge working components by mid-week.
4	Trips, forms & integration	Implement Trips filters/suggestions, Contact Us validation, About Us; connect routing/navigation and consistent styling.	Page owners; integration coordinator.	All six pages connected; primary flows demonstrable.	Keep contact form explicitly front-end only unless backend approved.
5	QA & refinement	Test mobile/tablet/desktop; keyboard and contrast review; test empty/error states; fix defects; verify content labels.	All members test; QA coordinator tracks findings.	Test log, defect fixes, accessibility/performance notes.	Prioritize critical navigation, layout, and form defects.
6	Documentation & presentation	Retest Must Have items; finalize README, requirement traceability, screenshots, demo script, and presentation; rehearse.	Team leader coordinates; each member owns evidence for contributions.	Final source repository, PDF documentation, test evidence, demo.	Final deadline depends on instructor confirmation.

Milestone Gates

Gate	Review question	Decision
End of Week 1	Is the scope achievable, clear, and approved?	Freeze Must Have scope or revise before design.
End of Week 2	Can the team implement the agreed design in React?	Approve page patterns and integration approach.
End of Week 4	Can a reviewer navigate all six pages and complete primary flows?	Stop adding features; prioritize quality.
End of Week 5	Are critical defects resolved and evidence recorded?	Accept remaining low-severity issues transparently.
End of Week 6	Can the team demonstrate the prototype and explain limitations?	Prepare final submission and lessons learned.

1.8 Team Structure and Task Allocation

The following distribution is provisional. Individual skills, availability, and preferences have not been supplied, so assignments must be reviewed and approved by the team. Each person should contribute to implementation and peer review rather than working in isolation.

Member	Provisional focus	Proposed responsibilities
Mahmoud Hatem Mahmoud	Team Leader (proposed)	Coordinate backlog and check-ins; support integration; maintain milestone visibility; co-own final demo and cross-page review.
Ahmed Walid Mohamed Gadalkareem	Requirements & research (proposed)	Maintain requirements/traceability; summarize verified platform features; review content labels and data sources; test user scenarios.
Tasabeeh Mahmoud Mohamed El-Khedry	UI/UX & responsive patterns (proposed)	Draft wireframes and visual tokens; define reusable layout patterns; review responsive behavior and consistency.
Nouran Ashraf Yassin El-Bary	Page implementation & content (proposed)	Implement an agreed page subset and destination/accommodation content structures; contribute reusable cards and empty states.
Kyrillos Gabriel Fahim	Page implementation & QA (proposed)	Implement an agreed page subset and interaction states; maintain test checklist; perform browser and keyboard checks.

The page ownership split should be agreed after checking each member's comfort with React, CSS, Git, and design. All members should review at least one teammate's work, test at least one flow outside their own page, and provide evidence for the final presentation.

Provisional RACI Matrix

R = Responsible for doing the work; A = Accountable for final coordination/decision; C = Consulted; I = Informed. The RACI below is a suggested coordination aid, not a statement of confirmed roles.

Work area	Mahmoud	Ahmed	Tasabeeh	Nouran	Kyrillos
Requirements baseline	A/R	R	C	C	C
Research / citations	A	R	C	C	C
UI/UX patterns	C	C	A/R	R	C
React shared layout	A/R	C	C	R	R
Page implementation	C	C	C	R	R
Integration & releases	A/R	C	C	R	R
Testing & QA	C	R	C	R	A/R
Work area	**Mahmoud**	**Ahmed**	**Tasabeeh**	**Nouran**	**Kyrillos**
Documentation & demo	A/R	R	C	R	R

1.9 Resources and Technologies

Category	Status	Recommendation / use
React	Confirmed learning track; exact project setup not yet confirmed.	Use React components for page composition and shared UI.
JavaScript, HTML5, CSS3	Suggested core implementation technologies; confirm actual stack with team.	Use semantic HTML and readable component logic; organize responsive styles.
Git and GitHub	Suggested collaboration/version-control tools.	Use shared repository, branches, descriptive commits, pull requests or peer review.
Figma	Suggested design tool; not confirmed as adopted.	Use for wireframes, design tokens, and responsive page references if team agrees.
Trello or GitHub Projects	Suggested task-management option; not confirmed.	Maintain backlog, owners, due dates, blockers, and definition of done.
Browser developer tools	Recommended for implementation and testing.	Inspect responsive layouts, console errors, network behavior, and accessibility.
Lighthouse / accessibility checks	Recommended tools, subject to setup.	Measure performance/accessibility as a diagnostic; manually verify findings.
External APIs	Optional only; not assumed.	Use only after feasibility, terms, keys, reliability, and scope are reviewed.

Suggested Repository Structure

src/
 components/ shared header, footer, cards, form controls
 pages/ Home, Transportation, Accommodation, Trips, Contact, About
 data/ clearly labelled sample content
 styles/ global styles, tokens, responsive rules
 utils/ reusable formatting and validation helpers
 App.jsx routes or page navigation
 main.jsx application entry

This is a recommendation, not a confirmed architecture. Keep components small enough to review, avoid duplicating the same card/layout logic across pages, and do not place private credentials in client-side code.

1.10 Risk Management

Risk rating scale: Probability and Impact are each scored 1 (Low) to 3 (High). Risk level = Probability × Impact: 1–2 Low, 3–4 Medium, 6–9 High. Ratings below are initial estimates and should be revisited during weekly planning.

ID	Risk	P	I	Level	Mitigation	Contingency	Owner

ID	Risk	P	I	Level	Mitigation	Contingency	Owner
R-01	Development delays	2	3	6 High	Keep Must Have scope small; set weekly demonstrable goals; identify blockers early.	Drop Could Have items and focus on six-page navigation and core interactions.	Team leader
R-02	Uneven workload	2	3	6 High	Visible task owners, estimates, check-ins, and peer review.	Rebalance work at weekly review; pair on blocked tasks.	Team leader + all
R-03	Integration conflicts	2	3	6 High	Agree on folder structure, naming, branches, and component contracts; merge frequently.	Freeze risky refactors; resolve conflicts together and restore last working build.	Integration coordinator
R-04	Inconsistent UI	2	2	4 Medium	Use shared tokens, spacing, typography, button/card patterns, and design review.	Prioritize shared header/footer and common components in final polish.	UI/UX coordinator
R-05	Responsive layout defects	2	3	6 High	Design mobile-first; test real target widths early; avoid fixed widths.	Simplify complex layouts and remove nonessential visual elements.	QA coordinator + page owners
R-06	Outdated/inaccurate travel info	2	3	6 High	Use trusted sources where feasible; show source/date; label estimates and sample data.	Remove or relabel unsupported data; link to provider for current details.	Research/content owner
R-07	External API unavailable	2	2	4 Medium	Do not make core flows depend on unapproved APIs; prepare local sample data.	Disable integration and use clearly labelled local content.	Technical lead / API owner
R-08	Scope creep	3	3	9 High	Use MoSCoW; require team/instructor approval for scope changes.	Move new features to future enhancements list.	Team leader + instructor
R-09	Limited React experience	3	2	6 High	Build a small vertical slice early; use official React learning materials; pair-program.	Simplify state and routing; prioritize familiar, maintainable patterns.	All developers
R-10	Privacy/security issue	1	3	3 Medium	Collect minimal data; no secrets in client bundle; avoid unnecessary storage.	Remove exposed data/keys, rotate compromised credentials if any, document issue.	All developers
R-11	Accessibility gaps	2	2	4 Medium	Semantic HTML, labels, keyboard testing, visible focus, contrast review.	Fix blocking keyboard/form issues; document known limitations.	QA + UI/UX
R-12	Unclear sample-data status	2	3	6 High	Add visible labels and source notes to every estimate/sample dataset.	Remove ambiguous prices/times until status can be stated accurately.	Research/content owner

1.11 Success Criteria and KPIs

ID	Indicator	Definition	Proposed target	Measurement	When
KPI-01	Page completeness	Pages implemented and reachable / 6	100% (6 of 6)	Navigation checklist and demo	End of Weeks 4 and 6
KPI-02	Must Have coverage	Implemented Must Have requirements / total Must Have requirements	100% target, or approved exception list	Traceability matrix + evidence	Weeks 5–6
KPI-03	Navigation integrity	Broken primary navigation links	0 known broken primary links	Manual click-through on each page	Weeks 4–6
KPI-04	Responsive usability	Critical overflow or unusable controls at target widths	0 critical issues at 375, 768, 1366 px (or agreed alternatives)	Browser responsive mode and device checks	Weeks 5–6
KPI-05	Defect readiness	Open critical/high-severity defects	0 open critical defects; high defects resolved or explicitly accepted	Defect log and team review	Before submission
KPI-06	Form validation	Required and invalid inputs show useful feedback	All agreed validation cases pass	Test cases TC-06 to TC-08	Week 5
KPI-07	Accessibility basics	Keyboard navigation, labels, focus, alt text checked	All checklist items reviewed; blockers fixed where feasible	Manual review plus automated audit	Week 5
KPI-08	Performance baseline	Lighthouse performance score on representative page	Target ≥ 80 as a diagnostic goal, not a guarantee	Record device/network and report score	Week 5

KPI-09	Milestone adherence	Milestones completed by team-approved dates	Review weekly; explain and re-plan missed dates	Backlog and milestone notes	Weekly
KPI-10	Demonstration readiness	Primary user journey can be shown end-to-end	One rehearsed demo with documented limitations	Rehearsal checklist	Week 6

Targets are proposed, not results. Lighthouse scores vary by device, network, browser, and content; use them as diagnostic indicators rather than proof of overall quality. Any target not met should be reported honestly with the cause and mitigation.

1.12 Deliverables

Deliverable	Expected content	Status at planning stage
Project documentation	Planning, literature review, requirements, assumptions, traceability, testing strategy.	Planned; this document is a baseline for review.
UI/UX artifacts	Sitemap, wireframes, visual tokens, responsive layouts, interaction states.	Planned.
React Front-End application	Six pages, shared components, navigation, client-side interactions, responsive styling.	Planned.
Source repository	Readable source, setup instructions, version history, and clear sample-data notes.	Planned.
Testing checklist and results	Functional, responsive, keyboard/accessibility, browser, and performance evidence.	Planned; no test is marked passed before execution.
Final presentation/demo	Problem, solution, user flow, implementation, limitations, and team contributions.	Planned.

PART TWO — LITERATURE REVIEW

2.1 Purpose and Research Approach

The literature review examines existing digital travel services to identify interaction patterns relevant to nileWays. It is a focused product review rather than a systematic academic review. The selected sources are official product pages or official help pages, consulted on 17 October 2026. Dynamic product pages can change, so the reviewed feature set should be rechecked before final academic submission.

Comparison criteria were selected from the project brief: transportation discovery and comparison, accommodation discovery, destination exploration, itinerary planning, ready-made packages, consolidated planning, and relevance to tourists exploring Egypt. The review records what is supported by the reviewed source. A missing feature mention is marked 'Not verified', not treated as proof that a platform lacks the feature.

2.2 Related Platforms and Existing Solutions

2.2.1 Visit A City

Purpose and relevant features. Visit A City presents destination guides and prebuilt travel itineraries. Its official site describes adjustable guides for planning details of a trip, and destination pages allow travellers to explore attractions and create itineraries with daily routes (Visit A City, n.d.-a, n.d.-b).

Strengths. It provides a clear planning model: discover a city, review attractions, organize activities into a schedule, and adjust a starting itinerary. This is relevant to the Trips page and optional suggested packages in nileWays.

Limitations relative to nileWays. The reviewed pages establish a strong itinerary and destination focus, but do not by themselves establish a unified Egypt-specific interface covering transportation categories, accommodation comparisons, and contact/about information. Those broader capabilities are therefore marked as not verified in this review rather than absent.

Implications for nileWays. Use day-based itinerary cards, visible activity categories, and editable/optional suggestions. Keep the interface simple enough that travellers can explore rather than being forced into one schedule.

2.2.2 GetYourGuide

Purpose and relevant features. GetYourGuide is an experiences marketplace. Its official site surfaces tours, activities, attractions, and destination-specific experiences, including experiences in Egyptian destinations such as Hurghada, Sharm el-Sheikh, and Luxor (GetYourGuide, n.d.). Its partner help material describes categories such as guided tours and outdoor activities (GetYourGuide Partner Resource Center, 2026).

Strengths. Experience-led discovery helps travellers search by destination and activity type. Product cards and category labels can make activities scannable and support a visitor's interests.

Limitations relative to nileWays. The reviewed evidence emphasizes experiences and activities. It does not establish that this platform provides the exact cross-category Egypt planning workflow proposed for the student project; other platform features may exist beyond the reviewed pages.

Implications for nileWays. Group destinations by themes such as history, culture, beaches, relaxation, and adventure. Make it clear whether an activity is informational, illustrative, or linked to an external provider.

2.2.3 Booking.com

Purpose and relevant features. Booking.com is a travel marketplace that includes accommodation discovery. Its official site describes property searches, guest reviews, multiple accommodation types, and customer support; its Egypt country page lists properties across Egyptian destinations (Booking.com, n.d.-a, n.d.-b).

Strengths. Accommodation discovery benefits from consistent listing attributes, location context, property categories, reviews where available, and filters aligned with user priorities.

Limitations relative to nileWays. The reviewed sources establish an accommodation marketplace and broader travel services, but not the precise student-prototype combination of editable itinerary suggestions, transport category comparisons, and project-specific contact/about pages. Booking.com also operates at a production marketplace scale beyond this project's scope.

Implications for nileWays. Use consistent listing cards and compare relevant attributes such as category, location, facilities, and indicative price. Do not reproduce ratings or property claims without a reliable source, and do not label sample listings as verified inventory.

2.2.4 Rome2Rio

Purpose and relevant features. Rome2Rio is a transport search and route-planning service. Its official about page describes searching between addresses, hotels, cities, and airports and comparing ways to travel by modes including trains, planes, ferries, and buses. It describes fare and journey-time estimates and routes users toward operators or booking services (Rome2Rio, n.d.-a, n.d.-b).

Strengths. The side-by-side comparison of transport modes, estimated costs, journey times, and route segments is directly relevant to nileWays' Transportation page. The service also illustrates the importance of labeling estimates and identifying the operator.

Limitations relative to nileWays. The reviewed pages establish transport discovery and itinerary-planning capabilities, but do not establish that every local Egyptian route or provider is represented. Rome2Rio's own help material notes that route or schedule data may be incomplete where providers do not share information (Rome2Rio, 2026). This is a reminder to communicate uncertainty rather than a general claim that its data is inaccurate.

Implications for nileWays. Use comparison rows or cards with transport mode, indicative cost, estimated duration, convenience notes, and a clear estimate/source label. For the student version, local sample data is acceptable only when marked as illustrative.

2.2.5 Summary of Platform Review

Platform	Primary reviewed strength	Relevant learning for nileWays	Evidence limitation
Visit A City	Destination guides and itinerary planning.	Optional day-by-day itinerary suggestions and activity organization.	Reviewed pages do not prove absence of broader services.
GetYourGuide	Tours and activity discovery by destination/type.	Interest-led discovery and clear activity cards.	Review focuses on experience discovery.
Booking.com	Accommodation discovery and listing ecosystem.	Consistent accommodation attributes and comparison patterns.	Review focuses on accommodation and general travel marketplace.
Rome2Rio	Multimodal transport discovery, cost/time estimates.	Transparent comparisons and distinction between estimates and booking.	Route and schedule coverage depends on available provider data.

2.3 Comparative Analysis

Evaluation legend: **Yes** = clearly supported by the reviewed official source; **Partial** = supported in a narrower or conditional form; **Not verified** = reviewed sources do not provide enough evidence. For nileWays, the entries describe the proposed scope, not completed implementation.

Criterion	nileWays	Visit A City	GetYourGuide	Booking.com	Rome2Rio
Transportation discovery/comparison	Planned	Not verified	Not verified	Not verified	Yes
Accommodation discovery	Planned	Not verified	Not verified	Yes	Partial
Destination / activity exploration	Planned	Yes	Yes	Partial	Partial
Interest-led itinerary planning	Planned	Yes	Partial	Not verified	Partial
Ready-made itinerary suggestions	Planned	Yes	Not verified	Not verified	Partial
All key planning categories in one interface	Proposed value	Not verified	Not verified	Partial	Partial
Egypt-specific destination content	Planned focus	Partial	Yes	Yes	Not verified
Live booking / confirmed availability	Out of scope	Partial / provider dependent	Provider booking features exist	Yes, accommodation marketplace	Provider-dependent ticketing

The comparison should not be interpreted as a definitive feature audit of each platform. 'Not verified' means the cited pages used for this focused review did not establish the feature. Features may vary by destination, account, market, and product version.

2.4 Research Findings and Design Implications

Finding from reviewed platforms	Design implication for nileWays
Itinerary tools make destination choices easier to organize into a sequence.	Offer optional sample itineraries with duration and activity grouping; do not force users into a fixed plan.
Experience marketplaces use destination and activity categories to support discovery.	Provide interest filters (history, culture, beaches, relaxation, adventure) with visible active-filter state.
Accommodation marketplaces rely on consistent listing attributes.	Keep card layouts comparable and avoid burying location, category, facilities, or indicative price.
Transport comparison tools present modes, journey times, and fare estimates side by side.	Use consistent comparison fields and explicitly label estimates and source/date where known.
Travel information depends on provider coverage and changing schedules.	Display a last-reviewed date/source when available; otherwise label content as illustrative and avoid live claims.
Multiple digital services have distinct purposes and information structures.	Use one predictable navigation system and a shared visual language across the six pages.

2.5 Research Gap and Project Differentiation

The proposed differentiation is an Egypt-focused planning interface that brings transportation choices, accommodation discovery, interest-based destinations, and suggested itineraries together in one coherent Front-End experience. This is a product hypothesis, not a verified claim that no competitor offers these capabilities. The reviewed platforms demonstrate strong individual patterns—transport comparison, accommodation search, activity discovery, and itinerary organization—that nileWays can adapt within a smaller student scope.

The project should differentiate through clear organization, transparent data status, responsive presentation, and user control rather than by promising a more complete inventory or better live data than established services.

2.6 Literature Review Conclusion

The reviewed platforms provide practical design references for four major areas: itinerary planning, experience discovery, accommodation listings, and transport comparison. For nileWays, the highest-value lessons are consistent comparison fields, interest-based discovery, optional itinerary suggestions, simple navigation, and honest communication about estimates and availability. The literature review supports the requirements defined in Part Three, while leaving all unverified integrations and production capabilities outside the current scope.

2.7 References

Booking.com. (n.d.-a). About Booking.com. Retrieved October 17, 2026, from https://www.booking.com/content/about.html

Booking.com. (n.d.-b). Hotels in Egypt. Retrieved October 17, 2026, from https://www.booking.com/country/eg.en-gb.html

GetYourGuide. (n.d.). Book things to do, attractions, and tours. Retrieved October 17, 2026, from https://www.getyourguide.com/

GetYourGuide Partner Resource Center. (2026, August 3). Where to discover GetYourGuide activities? https://partner.getyourguide.support/hc/en-us/articles/13920773737757-Where-to-discover-GetYourGuide-activities

React. (n.d.). Quick start. Retrieved October 17, 2026, from https://react.dev/learn

Rome2Rio. (n.d.-a). About Rome2Rio. Retrieved October 17, 2026, from https://www.rome2rio.com/about/

Rome2Rio. (n.d.-b). Rome2Rio: Discover how to get anywhere. Retrieved October 17, 2026, from https://www.rome2rio.com/

Rome2Rio Support. (2026, October 13). How to use Rome2Rio Trip Planner. https://help.rome2rio.com/en/support/solutions/articles/22000283386-how-to-use-rome2rio-trip-planner

Visit A City. (n.d.-a). Visit A City: Create your personal travel guide. Retrieved October 17, 2026, from https://www.visitacity.com/

Visit A City. (n.d.-b). Shanghai in one day packed itinerary. Retrieved October 17, 2026, from https://www.visitacity.com/en/shanghai/itineraries/shanghai-in-one-day-packed-itinerary-day-1

World Wide Web Consortium. (2024, December 12). Web Content Accessibility Guidelines (WCAG) 2.2. https://www.w3.org/TR/WCAG22/

World Wide Web Consortium. (n.d.). React: Quick start. Retrieved October 17, 2026, from https://react.dev/learn

Reference note: Official product pages are dynamic sources. The access date is included for pages without a stable publication date. Re-check pages and exact feature descriptions before formal submission. The React documentation is included as technical guidance for the implementation context, not as evidence about competitor features.

PART THREE — REQUIREMENTS GATHERING

3.1 Requirements Gathering Approach

Requirements gathering for nileWays should combine the supplied project concept, stakeholder analysis, review of comparable platforms, user scenarios, and instructor/team discussion. The activities below are proposed methods; no interviews, questionnaires, or formal user study are claimed to have been completed.

Method	How it can be used	Evidence to retain
Stakeholder analysis	Identify users, team, instructor, and possible provider needs and constraints.	Stakeholder table and reviewed assumptions.
Competitor/product review	Extract relevant patterns from official platform pages and record source links.	Comparison matrix and dated source notes.
User interviews or questionnaire (future)	Ask a small sample of potential travellers what they need when comparing transport, accommodation, and activities.	Consent-aware notes, questions, and summarized themes; do not overgeneralize from a small sample.
User scenarios	Walk through airport transport discovery, accommodation comparison, destination filtering, itinerary selection, and contact.	Scenario checklist and issues found.
Team discussion / instructor feedback	Prioritize scope, agree acceptance criteria, review design and technical feasibility.	Decision log, approved backlog, and change notes.

3.2 Stakeholder Needs

Group	Primary goal / expectation	Relevant features

First-time international tourists	Understand options and plan without knowing local providers in advance.	Clear navigation, transport categories, destination context, transparent labels.
Budget-conscious travellers	Compare lower-cost alternatives and avoid unclear indicative costs.	Budget-aware filters or labels; consistent cost fields and estimate disclaimers.
History and culture travellers	Discover museums, monuments, heritage sites, and cultural experiences.	Interest categories, destination details, sample cultural itinerary.
Beach / relaxation / adventure travellers	Find destinations that match desired activities.	Interest filters and descriptive destination cards.
Travellers preferring ready-made plans	Start from a convenient itinerary without losing choice.	Optional suggested packages with duration, interests, and limitations.
Project team	Understand what to build and how to test it.	Stable requirement IDs, priorities, reusable components, clear acceptance criteria.
Technical instructor	Evaluate learning outcomes, feasibility, implementation, and evidence.	Demonstrable user flows, documentation, test log, and explicit scope limits.

3.3 User Personas and Scenarios

The following personas are illustrative assumptions created to help design and test the interface. They are not real users and do not represent findings from interviews.

Persona A — Sofia, First-Time Visitor

Travel goal: Spend five days in Egypt and understand how to move between the airport, accommodation, and major cultural attractions. **Challenges:** unfamiliar transport options and uncertainty about which information is estimated. **Needs:** plain labels, comparison fields, and source/status notes. **How nileWays could help:** start on Home, compare airport transport categories, review accommodation options, and explore a sample cultural itinerary.

Persona B — Omar, Budget-Conscious Traveller

Travel goal: Explore Cairo and nearby destinations while controlling spending. **Challenges:** comparing different accommodation types and travel costs across separate services. **Needs:** visible indicative prices, simple filters, and affordable categories. **How nileWays could help:** compare illustrative hostel/budget/hotel options and transport categories while seeing clear disclaimers.

Persona C — Lina, Experience-Focused Traveller

Travel goal: Mix historical attractions with beaches and relaxation. **Challenges:** finding activities that match interests and arranging a sensible trip outline. **Needs:** interest-based discovery and flexible suggested packages. **How nileWays could help:** filter destinations by theme and use a suggested itinerary as an editable starting point.

User Scenarios

Scenario	User action	Expected system response
US-01 Airport transport	Visitor opens Transportation and reviews available categories.	Display transport options with comparable fields and labels for sample/estimated information.
US-02 Accommodation comparison	Visitor opens Accommodation and compares two or more listings.	Show consistent category, location, facilities, and indicative-price fields; identify sample data.
US-03 Interest discovery	Visitor chooses History or Beaches in Trips.	Show matching destinations or activities; provide a clear empty state if no matches exist.
US-04 Suggested itinerary	Visitor opens a sample package and reviews duration and activities.	Show it as optional guidance, not a reservation or guaranteed availability.
US-05 Contact	Visitor submits an incomplete or malformed contact form.	Prevent misleading success feedback; identify invalid fields and explain any front-end-only limitation.

3.4 Functional Requirements

Priority definitions: **Must Have** = necessary for a coherent demonstration; **Should Have** = important if time permits; **Could Have** = optional enhancement. Each requirement has a testable acceptance criterion and a suggested verification method. The exact final list should be approved by the instructor and team.

ID	Requirement	Priority	Page / feature	Acceptance criteria	Verification
FR-01	Display a consistent primary navigation across the site.	Must Have	All pages	Navigation is visible/usable at supported widths and links to the six planned pages.	Manual navigation test.
FR-02	Provide access to Home, Transportation, Accommodation, Trips, Contact Us, and About Us.	Must Have	Global	Each of the six destinations opens without a broken route or blank page.	Click-through test.
FR-03	Use consistent branding, typography, spacing, and shared layout elements.	Should Have	Global	Header/footer and shared controls follow the approved design tokens.	Visual review.
FR-04	Show a useful empty state when a list or filter has no results.	Should Have	Lists / Trips	Empty state explains that no matching items were found and how to reset/change filters.	Functional test.
FR-05	Show a useful error/fallback state if a data view cannot be rendered.	Should Have	Relevant pages	The user sees a readable message or fallback, not an unexplained blank section.	Simulated state / review.
FR-06	Introduce nileWays and its core value proposition.	Must Have	Home	Home states that the product helps plan travel in Egypt and identifies key service areas.	Content review.
FR-07	Provide clear links from Home to key service pages.	Must Have	Home	Primary service calls-to-action open the corresponding pages.	Click-through test.
FR-08	Display selected destinations or suggested trips on Home if included in approved design.	Could Have	Home	Any highlighted card opens a relevant details view/page or is clearly informational.	Manual review.
FR-09	Display transport categories such as private limousine, tourist bus, and metro where applicable.	Must Have	Transportation	Each approved category appears with a name and short description.	Content test.
FR-10	Present relevant attributes for each transport option.	Must Have	Transportation	Options use consistent fields such as mode, indicative cost, estimated time, and convenience notes where data exists.	Data/UI inspection.
FR-11	Allow users to compare transport options when comparison data is available.	Should Have	Transportation	At least two options can be compared using shared attributes or a clearly scannable layout.	Functional / visual test.
FR-12	Label transport prices and durations as estimates or sample values when not provider-verified.	Must Have	Transportation	No illustrative price/time is presented as a guaranteed current quote.	Content audit.
FR-13	Avoid implying live availability or real-time tracking without integration.	Must Have	Transportation	No live-status claim appears unless supported by an approved live data source.	Content audit.
FR-14	Display accommodation options across approved categories.	Must Have	Accommodation	At least the agreed categories appear with readable labels and descriptions.	Content test.
FR-15	Show relevant accommodation attributes such as category, location, facilities, and indicative price where available.	Must Have	Accommodation	Each listing uses a consistent card/detail structure and labels missing fields clearly.	UI/data inspection.
FR-16	Allow comparison of accommodation options using shared attributes.	Should Have	Accommodation	A user can scan or select at least two listings using common fields.	Functional / visual test.
FR-17	Distinguish sample accommodation content from verified provider data.	Must Have	Accommodation	Sample records are visibly labelled; unverified ratings/availability are not fabricated.	Content audit.
FR-18	Display destination and activity cards.	Must Have	Trips	Each item includes a title, useful summary, and any available relevant details.	Content test.

ID	Requirement	Priority	Page / feature	Acceptance criteria	Verification
FR-19	Organize or filter destinations by interest where feasible.	Should Have	Trips	Selecting an interest filters the list correctly and allows reset/clear.	Functional test.
FR-20	Display optional suggested itineraries or packages when included in approved scope.	Should Have	Trips	Each suggestion includes duration/interests and is marked as a suggestion.	Manual test.

FR-21	Avoid representing suggested packages as confirmed bookings or guaranteed live availability.	Must Have	Trips	Package copy explicitly distinguishes planning ideas from confirmed services.	Content audit.
FR-22	Display appropriate contact information and/or a contact form.	Must Have	Contact Us	Contact page contains the approved contact method or form fields.	Page review.
FR-23	Validate required contact fields and email format on the client side.	Must Have	Contact Us	Missing required values and malformed email receive actionable feedback.	Form tests.
FR-24	Show success feedback only when the front-end action has actually succeeded as designed.	Must Have	Contact Us	A demo-only form states that it does not transmit messages; no false delivery claim is made.	Form behavior/content test.
FR-25	Explain the project mission, vision, and value proposition.	Must Have	About Us	About page contains approved project description and scope-appropriate language.	Content review.
FR-26	Present project/team information where approved.	Could Have	About Us	Only supplied/approved names and roles are shown; no unconfirmed biographies are invented.	Content audit.
FR-27	Support desktop, tablet, and mobile page layouts.	Must Have	Global	Primary content and controls remain usable at agreed target viewport widths.	Responsive test.
FR-28	Provide accessible names/labels for interactive controls and meaningful alt text for informative images.	Must Have	Global	Controls have labels; informative images have appropriate text alternatives.	Accessibility inspection.
FR-29	Support keyboard navigation and visible focus indicators where feasible.	Must Have	Global	Primary links and form controls can be reached and operated using keyboard alone.	Keyboard test.
FR-30	Use reusable React components for repeated UI patterns.	Should Have	Architecture	Repeated cards/buttons/layouts use shared components where appropriate.	Code review.
FR-31	Use client-side filtering/state handling only where it supports an agreed user task.	Should Have	Trips / listings	User interaction updates the displayed state correctly without requiring an unapproved backend.	Functional test.
FR-32	Use a clear route/navigation strategy for the six pages.	Must Have	Global	Direct navigation or refresh behaves as expected in the chosen setup; no dead links.	Route test.
FR-33	Use consistent formatting for prices, durations, and missing values.	Should Have	Transportation / Accommodation / Trips	Units/currency assumptions are explicit; unknown values are not silently fabricated.	Content/code review.
FR-34	Provide a way to clear or reset filters when filtering is implemented.	Could Have	Trips / listings	Reset returns the full list or default state.	Functional test.

3.5 Non-Functional Requirements

ID	Quality attribute	Requirement / measurable criterion	Verification method
NFR-01	Performance	Representative primary page has a recorded Lighthouse audit; target score ≥80 as an initial diagnostic goal, with no severe avoidable asset issue.	Run Lighthouse under recorded browser/device/network conditions; note score and issues.
NFR-02	Usability	A reviewer can locate each of the six pages from primary navigation and identify the primary action on each page without instructions.	Moderated team walkthrough using a fixed checklist.
NFR-03	Responsive design	Test at mobile 375 px, tablet 768 px, and desktop 1366 px (or team-approved alternatives); no critical horizontal overflow or clipped primary controls.	Responsive browser tools plus at least one real-device spot check if available.
NFR-04	Accessibility	Target WCAG 2.2 Level AA where feasible; use semantic HTML, keyboard navigation, visible focus, labels, appropriate alt text, and contrast review. This is a target, not certification.	Automated audit plus manual keyboard and visual checks.
NFR-05	Security and privacy	No private API keys or secrets in client-side source; collect only necessary form fields; avoid storing sensitive personal data.	Repository/code review and form/storage inspection.
NFR-06	Maintainability	Use reusable components, readable naming, consistent folder conventions, and version control; avoid duplicated complex logic where a shared helper is appropriate.	Peer code review against checklist.
NFR-07	Compatibility	Test current stable Chrome and Edge on desktop, plus a mobile browser available to the team; record any unsupported behavior.	Cross-browser smoke test.

NFR-08	Reliability and data accuracy	Every illustrative or estimated price/time is labelled; each verified external fact has a source/date where feasible; unknown data is not fabricated.	Content and source audit.
NFR-09	Error handling	No critical user action ends in a silent failure; empty/error states explain the situation and next step.	Manual tests of empty, invalid, and fallback states.
NFR-10	Accessibility of imagery	Decorative images are treated as decorative; informative images have concise, relevant alternative text.	Markup review and screen-reader spot check where available.
NFR-11	Code quality	No unresolved build-breaking errors or critical console errors during primary flows at submission.	Build check and browser console review.
NFR-12	Content clarity	Users can distinguish sample, estimated, and provider-verified information from visible labels without relying only on color.	Content review and usability walkthrough.

Accessibility reference: WCAG 2.2 is a W3C Recommendation. The target above is an aspiration for project quality; the team must not claim conformance or certification without a complete evaluation of all relevant pages and states (World Wide Web Consortium, 2024).

3.6 Business Rules and Constraints

Business Rules

• BR-01: Users retain control over transport, accommodation, and destination choices.

• BR-02: Ready-made itineraries are optional suggestions, not required routes.

• BR-03: Each price must be identified as illustrative/sample, indicative/estimated, or verified from a named source; if status isunknown, do not present it as a fact.

• BR-04: Transport options must not imply guaranteed service availability without provider confirmation.

• BR-05: Accommodation cards must not imply confirmed reservations without a booking integration.

• BR-06: Contact form feedback must not imply a message was delivered if the form is only a front-end demonstration.

• BR-07: Features must remain within the instructor-approved React Front-End scope.

• BR-08: Team member names and roles must be represented accurately; proposed assignments must remain labelledprovisional until approved.

Constraints

Constraint type	Current constraint
Technical	React Front-End track; exact router, build tool, component libraries, and API use are not yet confirmed.
Time	Six-week schedule is a planning assumption and depends on instructor confirmation.
Team	Five named members; individual skills and availability are unknown.
Data	Travel prices, schedules, hotel facilities, and availability may change; sample content must be clearly labelled.
Integration	No backend, database, payment gateway, booking provider, or live transport API is confirmed.
Academic	Citations must be verifiable; proposed research must not be reported as completed research.

3.7 Assumptions and Dependencies

ID	Assumption / dependency	Impact if false	Action
AS-01	The initial product is a Front-End prototype.	Some interactions cannot persist or transmit data.	Use local state/sample data and explain limitations.

AS-02	Sample content can be used if clearly labelled.	The UI may otherwise appear empty while waiting for verified content.	Create a content source/status field and review labels.
AS-03	External APIs are optional and subject to approval.	Integration may consume time or be unavailable.	Keep core flows independent of external APIs.
AS-04	Final feature scope and schedule require team/instructor approval.	The six-week plan may need adjustment.	Confirm decisions at the first milestone.
DP-01	Approved wireframes and design tokens.	Page styling may diverge if implementation begins without shared patterns.	Agree on minimum design references before full page work.
DP-02	Repository access and collaboration conventions.	Integration can be delayed by conflicts or inconsistent structure.	Set up repository and permissions in Week 1–2.
DP-03	Prepared destination, transport, and accommodation content.	Cards and comparison layouts need consistent fields.	Define data shape and source/status fields early.
DP-04	Time for peer review and testing.	Defects may remain until submission.	Reserve Week 5 for QA and Week 6 for final retesting.

3.8 Prioritization — MoSCoW

Priority	Meaning	nileWays examples
Must Have	Essential for a coherent and assessable prototype.	Six navigable pages; core transport/accommodation/destination content; clear data labels; responsive baseline; form validation; no false live claims.
Should Have	Important and expected if time permits; simplify rather than jeopardize core quality.	Interest filters; side-by-side comparison; reusable shared cards; richer empty/error states; accessibility/performance refinement.
Could Have	Optional enhancements after Must Have scope is stable.	Home-page featured trips, reset filters, additional package examples, subtle animation.
Won't Have in current version	Explicitly excluded from this release unless scope is formally revised.	Live bookings, payment processing, production backend/database, real-time tracking, advanced AI recommendations.

3.9 Requirements Traceability Matrix

The matrix below connects representative functional/non-functional requirements to stakeholder needs and acceptance tests. IDs must remain stable when requirements are revised. For a compact document, related requirements are grouped where they share one verification path; the detailed requirements above remain the authoritative acceptance definitions.

Requirement IDs	Stakeholder need / objective	Page / feature	Priority	Acceptance test
FR-01–02	All user groups; consistent navigation	Global	Must Have	TC-01, TC-02
FR-06–08	Understand service and enter core flows	Home	Must Have / Could Have	TC-01, TC-02
FR-09–13	Compare transport and understand estimates	Transportation	Must Have / Should Have	TC-03, TC-04
FR-14–17	Compare accommodation without misleading data	Accommodation	Must Have / Should Have	TC-05
FR-18–21	Discover interests and optional itinerary ideas	Trips	Must Have / Should Have	TC-09, TC-10
Requirement IDs	**Stakeholder need / objective**	**Page / feature**	**Priority**	**Acceptance test**
FR-22–24	Contact the project and receive honest validation feedback	Contact Us	Must Have	TC-06, TC-07, TC-08
FR-25–26	Understand mission and team/project context	About Us	Must Have / Could Have	TC-01, content review
FR-27–29; NFR-02–04	Usable, responsive, accessible interface	Global	Must Have	TC-11, TC-12

FR-30–33; NFR-06, NFR-11	Maintainable, coherent implementation	Architecture / global	Should Have / Must Have	Code review, TC-13
NFR-01	Acceptable front-end performance baseline	Representative page	Should Have	TC-14
NFR-05; BR-06	Avoid exposed secrets and false delivery claims	Global / Contact Us	Must Have	TC-08, code review
NFR-08; BR-03–05	Accurate data-status presentation	Transport / Accommodation / Trips	Must Have	TC-04, TC-05, TC-10

3.10 Acceptance and Testing Strategy

Testing is planned for the end of implementation and should begin earlier as components are integrated. The project should record actual outcomes, evidence, date, browser/device, and defect IDs. No test is marked passed in this document because execution has not been reported.

Testing Types

Test type	What to check	Evidence
Functional	Core page content, filters, comparison views, form validation, feedback, and reset behavior.	Test case ID, steps, expected/actual result, status.
Navigation	All six pages, primary calls-to-action, back/refresh behavior in chosen route setup.	Navigation checklist and defect notes.
Responsive	Mobile/tablet/desktop layouts; text wrapping, card layout, menu, buttons, and form usability.	Viewport screenshots or checklist.
Accessibility	Keyboard-only operation, focus visibility, labels, alt text, semantic structure, contrast.	Manual checklist plus automated audit notes.
Cross-browser	Primary flows in current stable Chrome and Edge, plus a mobile browser available to the team.	Browser/version and observed differences.
Performance	Representative page via Lighthouse; note score, major opportunities, and test conditions.	Saved report or recorded metrics.
Usability	Ask a reviewer to complete the five main scenarios without step-by-step help.	Observed blockers and prioritized fixes.

Representative Test Cases

Test ID	Test objective	Preconditions	Steps	Expected result	Status
TC-01	Application available	App build is running.	Open each of the six pages using primary navigation.	Each page opens with its expected heading/content and no broken primary route.	Not run
TC-02	Primary navigation	Home is open.	Activate each primary nav link, then return Home.	All six pages are reachable; current page state is understandable.	Not run
TC-03	Transport options	Transportation page has sample data.	Review each transport card and compare available fields.	Approved categories and consistent attributes display; sample/estimate labels are visible.	Not run
TC-04	Transport estimate labels	Transport records include sample cost/time.	Inspect price/time text and any source notes.	Unverified data is not presented as guaranteed or live.	Not run
TC-05	Accommodation listing	Accommodation page has sample listings.	Compare at least two cards; inspect category, location, facilities, price label.	Shared fields are readable; sample listings are labelled; unsupported ratings are absent.	Not run
TC-06	Contact required fields	Contact form is visible.	Submit with one or more required fields empty.	Submission is blocked or marked invalid and the missing field is identified.	Not run
TC-07	Contact email format	Contact form is visible.	Enter malformed email, complete other required fields, submit.	Email format error is shown and no success state is displayed.	Not run
TC-08	Contact demo limitation	Contact form has no backend integration.	Submit valid fields using the agreed demo behavior.	UI does not claim message delivery; it clearly states if no message is transmitted.	Not run
TC-09	Interest filter	Trips has at least two interest categories and sample items.	Select a category, inspect results, then clear/reset if supported.	Only matching items are shown; reset restores the default list if implemented.	Not run

TC-10	Suggested itinerary	At least one sample package is visible.	Open/review the package and inspect booking/availability language.	Itinerary is labelled as a suggestion; no confirmed booking/live availability is implied.	Not run
TC-11	Responsive layouts	App is available in browser dev tools.	Test at 375 px, 768 px, and 1366 px; inspect all primary pages.	No critical horizontal overflow, clipped primary action, or unreadable core content.	Not run
TC-12	Keyboard and focus	App is open.	Use Tab/Shift+Tab/Enter/Space through navigation and form controls.	Interactive elements are reachable, focus is visible, and labels communicate purpose.	Not run
TC-13	Build and console	Source is checked out and dependencies installed.	Run the agreed build/start commands and exercise main flows while watching console.	Build succeeds and no critical runtime errors block core flows.	Not run
TC-14	Performance baseline	Representative page is deployed or locally served under recorded conditions.	Run Lighthouse and record performance/accessibility observations.	Score and issues are recorded; severe avoidable assets are addressed or documented.	Not run
TC-15	Content source/status	Content pages are populated.	Check each displayed price, duration, property claim, and destination detail.	Each factual claim has support or is clearly labelled illustrative/estimated.	Not run

Status field options after execution: Pass, Fail, Blocked, or Not Run. Record the tester, execution date, environment, actual result, and defect reference for each failure. A test should only be marked Pass when the expected result is observed.

Definition of Done

• Acceptance criteria for the requirement are met and reviewed.

• Changes are integrated into the shared branch and do not break core navigation.

• Responsive behavior has been checked at the agreed widths for affected pages.

• Relevant labels, empty/error states, and estimate/sample disclaimers are present.

• Peer review has been completed for significant code changes.

• Test evidence is recorded, and any remaining issue has a severity and owner.

• Documentation and demo notes reflect the implemented behavior and known limitations.

APPENDIX A — GLOSSARY AND REVIEW CHECKLIST

A.1 Glossary

Term	Definition in this project
Illustrative/sample data	Example content used to demonstrate the interface; not verified provider inventory.
Indicative / estimated price	A non-guaranteed value that may vary by date, provider, route, or conditions.
Verified provider data	Information checked against an identified, reliable source at a recorded time; it can still become outdated.
Acceptance criterion	A testable condition that determines whether a requirement is satisfied.
Traceability	The mapping between a requirement, a stakeholder need/objective, and a verification activity.
Front-End prototype	A user-facing interface demonstrating flows and interactions; it is not automatically a production service.
Empty state	A helpful UI state shown when no items match or content is unavailable.
Responsive design	Layouts and controls adapt to different screen sizes and input methods.

A.2 Team Review Checklist Before Submission

■ Confirm the six-page scope and the six-week timeline with the instructor.

■ Review and approve provisional team responsibilities based on actual skills and availability.

■ Confirm the chosen React setup, routing approach, repository conventions, and task-management tool.

■ Audit every transport price, travel time, accommodation attribute, and destination claim for source/status labels.

■ Confirm that no UI implies live booking, payment, confirmed availability, or real-time tracking unless truly implemented and approved.

■ Run all Must Have test cases and record actual outcomes; do not leave the status field at Not Run if the test has been executed.

■ Check mobile, tablet, and desktop views for each primary page.

■ Perform keyboard navigation, focus, form-label, alt-text, and contrast checks.

■ Recheck external research references and URLs before final submission.

■ Make the final presentation show a realistic user journey and openly state limitations and future enhancements.

A.3 Limitations and Future Work

The current plan intentionally prioritizes a feasible student Front-End deliverable. Future versions could explore a backend and content-management workflow, verified provider integrations, booking links, multilingual support, maps, improved route data, saved itineraries, or personalization. Each enhancement would require a separate feasibility review, source/data policy, privacy assessment, and scope approval.

The current document is a planning baseline. It should be updated as requirements are approved, implementation decisions are made, sources are refreshed, and test evidence becomes available.

GitHub link:

[https://github.com/Mahmoud72207/nileways-project.git]