

PhD. Oral Examination

Spatial-Temporal Indoor Environmental Satisfaction Prediction Using
Graph Neural Networks

PhD. Candidate:

Mahmoud Abdelrahman

Supervisors:

Dr. Clayton Miller

Dr. Adrian Chong

References:

- [1] Kallio, J., Vildjiounaite, E., Koivusaari, J., Räsänen, P., Similä, H., Kyllönen, V., Muuraiskangas, S., Ronkainen, J., Rehu, J., & Vehmas, K. (2020). Assessment of perceived indoor environmental quality, stress and productivity based on environmental sensor data and personality categorization. *Building and Environment*, 175. <https://doi.org/10.1016/j.buildenv.2020.106787>
- [2] L. Pérez-Lombard, J. Ortiz, and C. Pout, "A review on buildings energy consumption information," *Energy Build.*, vol. 40, no. 3, pp. 394–398, 2008, doi: 10.1016/j.enbuild.2007.03.007.
- [3] S. K. Wong, L. Wai-Chung Lai, D. C. W. Ho, K. W. Chau, C. Lo-Kuen Lam, and C. Hung-Fai Ng, "Sick building syndrome and perceived indoor environmental quality: A survey of apartment buildings in Hong Kong," *Habitat Int.*, vol. 33, no. 4, pp. 463–471, 2009, doi: 10.1016/j.habitatint.2009.03.001.
- [4] Y. Al horr, M. Arif, M. Katafygiotou, A. Mazroei, A. Kaushik, and E. Elsarrag, "Impact of indoor environmental quality on occupant well-being and comfort: A review of the literature," *Int. J. Sustain. Built Environ.*, vol. 5, no. 1, pp. 1–11, 2016, doi: 10.1016/j.ijbe.2016.03.006.

- [5] Z. Gou and S. S. Y. Lau, "A survey of sick building syndrome: Workplace design elements and perceived indoor environmental quality," in *10th International Conference on Healthy Buildings 2012*, 2012, vol. 1, pp. 658–663.
- [6] P. S. Burge, "Sick building syndrome," *Occup. Environ. Med.*, vol. 61, no. 2, pp. 185–190, 2004, doi: 10.1136/oem.2003.008813.
- [7] K. Chau, C. Wing, S. Wong, C. Lam, C. Ng, and C. Ng, "Sick building syndrome and perceived indoor environmental quality: A survey of apartment buildings in Hong Kong," *Habitat Int.*, 2015.
- [8] D. Enescu, "A review of thermal comfort models and indicators for indoor environments," *Renew. Sustain. Energy Rev.*, vol. 79, no. February, pp. 1353–1379, 2017, doi: 10.1016/j.rser.2017.05.175.
- [9] K. W. Mui and W. T. Chan, "A new indoor environmental quality equation for air-conditioned buildings," *Archit. Sci. Rev.*, vol. 48, no. 1, pp. 41–46, 2005, doi: 10.3763/asre.2005.4806.
- [10] M. Ncube and S. Riffat, "Developing an indoor environment quality tool for assessment of mechanically ventilated office buildings in the UK - A preliminary study," *Build. Environ.*, vol. 53, pp. 26–33, Jul. 2012, doi: 10.1016/j.buildenv.2012.01.003.
- [11] B. Cao, Q. Ouyang, Y. Zhu, L. Huang, H. Hu, and G. Deng, "Development of a multivariate regression model for overall satisfaction in public buildings based on field studies in Beijing and Shanghai," *Build. Environ.*, vol. 47, no. 1, pp. 394–399, Jan. 2012, doi: 10.1016/j.buildenv.2011.06.022.
- [12] P. Jayathissa, M. Quintana, M. Abdelrahman, and C. Miller, "Humans-as-sensor for buildings: Intensive longitudinal indoor comfort models," no. July, 2020.
- [13] A. C. K. Lai, K. W. Mui, L. T. Wong, and L. Y. Law, "An evaluation model for indoor environmental quality (IEQ) acceptance in residential buildings," *Energy Build.*, vol. 41, no. 9, pp. 930–936, Sep. 2009, doi: 10.1016/j.enbuild.2009.03.016.

- [14] L. T. Wong, K. W. Mui, and P. S. Hui, "A multivariate-logistic model for acceptance of indoor environmental quality (IEQ) in offices," *Build. Environ.*, vol. 43, no. 1, pp. 1–6, Jan. 2008, doi: 10.1016/j.buildenv.2007.01.001.
- [15] Y. H. Yau and B. T. Chew, "A review on predicted mean vote and adaptive thermal comfort models," *journals.sagepub.com*, vol. 35, no. 1, pp. 23–35, Jan. 2014, doi: 10.1177/0143624412465200.
- [16] P. O. Fanger, "Thermal comfort: Analysis and applications in environmental engineering," *Appl. Ergon.*, vol. 3, no. 3, p. 181, 1972, doi: 10.1016/s00036870(72)80074-7.
- [17] J. Van Hoof, "Forty years of Fanger's model of thermal comfort: Comfort for all?," *Indoor Air*, vol. 18, no. 3, pp. 182–201, Jun. 2008, doi: 10.1111/j.16000668.2007.00516.x.
- [18] T. Cheung, S. Schiavon, T. Parkinson, P. Li, and G. Brager, "Analysis of the accuracy on PMV – PPD model using the ASHRAE Global Thermal Comfort Database II," *Build. Environ.*, vol. 153, pp. 205–217, Apr. 2019, doi: 10.1016/j.buildenv.2019.01.055.
- [19] D. Heinzerling, S. Schiavon, T. Webster, and E. Arens, "Indoor environmental quality assessment models: A literature review and a proposed weighting and classification scheme," *Build. Environ.*, vol. 70, pp. 210–222, 2013, doi: 10.1016/j.buildenv.2013.08.027.
- [20] I. Asadi, N. Mahyuddin, and P. Shafigh, "A review on indoor environmental quality (IEQ) and energy consumption in building based on occupant behavior," *Facilities*, vol. 35, no. 11–12, pp. 684–695, 2017, doi: 10.1108/F-062016-0062.
- [21] J. F. Nicol and M. Wilson, "A critique of European Standard EN 15251: Strengths, weaknesses and lessons for future standards," *Build. Res. Inf.*, vol. 39, no. 2, pp. 183–193, Mar. 2011, doi: 10.1080/09613218.2011.556824.
- [22] T. Parkinson, A. Parkinson, and R. de Dear, "Continuous IEQ monitoring system: Performance specifications and thermal comfort classification," *Build. Environ.*, vol. 149, no. February, pp. 241–252, Feb. 2019, doi:

10.1016/j.buildenv.2018.12.016.

- [23] M. Jin, S. Liu, S. Schiavon, and C. Spanos, “Automated mobile sensing: Towards high-granularity agile indoor environmental quality monitoring,” *Build. Environ.*, vol. 127, no. November, pp. 268–276, 2018, doi: 10.1016/j.buildenv.2017.11.003.
- [24] C. Peretti and S. Schiavon, “Indoor environmental quality surveys. A brief literature review,” *12th Int. Conf. Indoor Air Qual. Clim. 2011*, vol. 2, pp. 1331–1336, 2011.
- [25] S. Altomonte, S. Schiavon, M. G. Kent, and G. Brager, “Indoor environmental quality and occupant satisfaction in green-certified buildings,” *Build. Res. Inf.*, vol. 47, no. 3, pp. 255–274, Apr. 2019, doi: 10.1080/09613218.2018.1383715.
- [26] J. H. Choi, V. Loftness, and A. Aziz, “Post-occupancy evaluation of 20 office buildings as basis for future IEQ standards and guidelines,” in *Energy and Buildings*, 2012, vol. 46, pp. 167–175, doi: 10.1016/j.enbuild.2011.08.009.
- [27] S. R. Porter, M. E. Whitcomb, and W. H. Weitzer, “Multiple surveys of students and survey fatigue,” *New Dir. Institutional Res.*, vol. 2004, no. 121, pp. 63–73, 2004, doi: 10.1002/ir.101.
- [28] N. Andrews *et al.*, “Recall bias, MMR, and autism,” *Arch. Dis. Child.*, vol. 87, no. 6, pp. 493–494, Dec. 2002, doi: 10.1136/adc.87.6.493.
- [29] D. Boone, S. Halligan, S. Mallett, S. A. Taylor, and D. G. Altman, “Systematic review: Bias in imaging studies - The effect of manipulating clinical context, recall bias and reporting intensity,” *European Radiology*, vol. 22, no. 3. pp. 495–505, Mar-2012, doi: 10.1007/s00330-011-2294-0.
- [30] M. Vrijheid *et al.*, “Recall bias in the assessment of exposure to mobile phones,” *J. Expo. Sci. Environ. Epidemiol.*, vol. 19, no. 4, pp. 369–381, May 2009, doi: 10.1038/jes.2008.27.
- [31] J. Brennan and E. Martin, “Spatial proximity is more than just a distance measure,” *Int. J. Hum. Comput. Stud.*, vol. 70, no. 1, pp. 88–106, 2012, doi: 10.1016/j.ijhcs.2011.08.006.

- [32] P. Wargocki, M. Frontczak, S. Schiavon, J. Goins, E. Arens, and H. Zhang, "Satisfaction and self-estimated performance in relation to indoor environmental parameters and building features," *10th Int. Conf. Heal. Build. 2012*, vol. 3, pp. 2062–2067, 2012.
- [33] J. Kim, S. Schiavon, and G. Brager, "Personal comfort models - New paradigm in thermal comfort for occupant-centric environmental control," *Proc. 10th Wind. Conf. Rethink. Comf.*, pp. 419–430, 2018.
- [34] A. Ghahramani, C. Tang, and B. Becerik-Gerber, "An online learning approach for quantifying personalized thermal comfort via adaptive stochastic modeling," *Build. Environ.*, vol. 92, pp. 86–96, 2015, doi: 10.1016/j.buildenv.2015.04.017.
- [35] Z. Wang *et al.*, "Individual difference in thermal comfort: A literature review," *Build. Environ.*, vol. 138, pp. 181–193, 2018, doi: 10.1016/j.buildenv.2018.04.040.
- [36] A. A. Stone *et al.*, "Historical roots and rationale of ecological momentary assessment (EMA)," *Sci. real-time data capture Self-reports Heal. Res.*, pp. 3–10, 2007.
- [37] S. Shiffman, A. A. Stone, and M. R. Hufford, "Ecological Momentary Assessment," *Annu. Rev. Clin. Psychol.*, vol. 4, no. 1, pp. 1–32, 2008, doi: 10.1146/annurev.clinpsy.3.022806.091415.
- [38] L. Engelen and F. Held, "Understanding the office: Using ecological momentary assessment to measure activities, posture, social interactions, mood, and work performance at the workplace," *Buildings*, vol. 9, no. 2, p. 54, 2019.
- [39] P. Jayathissa *et al.*, "Is your clock-face cozie? A smartwatch methodology for the in-situ collection of occupant comfort data," *CISBAT - Clim. Resilient Cities - Energy Effic. Renewables Digit. Era*, vol. 1343, no. 1, Nov. 2019, doi: 10.1088/1742-6596/1343/1/012145.
- [40] C. Benton, F. Bauman, and U. Fountain, M., "A Field Measurement System for the Study of Thermal Comfort," *ASHRARE Trans.*, vol. 96, no. 1, pp. 623–633, 1990.

- [41] K. Cena and R. J. de Dear, "Field study of occupant comfort and office thermal environments in a hot, arid climate," *ASHRAE Trans.*, vol. 105, 1999.
- [42] C. M. Chiang, P. C. Chou, C. M. Lai, and Y. Y. Li, "A methodology to assess the indoor environment in care centers for senior citizens," *Build. Environ.*, vol. 36, no. 4, pp. 561–568, May 2001, doi: 10.1016/S0360-1323(00)00024-X.
- [43] H. Kim and J. S. Haberl, "Field-test of the new ASHRAE/CIBSE/USGBC performance measurement protocols for commercial buildings: Basic level," *ASHRAE Trans.*, vol. 118, no. PART 1, pp. 135–142, 2012.
- [44] H. Kim and J. S. Haberl, "Field-test of the new ASHRAE/CIBSE/USGBC performance measurement protocols: Intermediate and advanced level indoor environmental quality protocols," *ASHRAE Trans.*, vol. 118, no. PART 2, pp. 58–65, 2012.
- [45] T. Parkinson, A. Parkinson, and R. de Dear, "Continuous IEQ monitoring system: Context and development," *Build. Environ.*, vol. 149, no. February, pp. 15–25, 2019, doi: 10.1016/j.buildenv.2018.12.010.
- [46] R. De Dear, T. Parkinson, and A. Parkinson, "Pervasive and real-time Indoor Environmental Quality (IEQ) monitors," *Proc. - 9th Int. Wind. Conf. 2016 Mak. Comf. Relev.*, no. April, pp. 351–360, 2016.
- [47] buildingSMART, "Industry Foundation Classes (IFC) - buildingSMART Technical," 2020.
- [48] A. D. Cliff and P. Haggett, "Graph theory.," *Quant. Geogr. a Br. view*, pp. 225–234, 1981, doi: 10.2307/2317690.
- [49] D. B. West, "Introduction to graph theory," *Introduction to Graph Theory*. pp. 1–144, 2009.
- [50] J. Gross and J. Yellen, *Handbook of graph theory*. 2004.
- [51] J. Li, L. Wu, K. Cheng, and H. Liu, "Streaming link prediction on dynamic attributed networks," *WSDM 2018 - Proc. 11th ACM Int. Conf. Web Search Data Min.*, vol. 2018-Febua, pp. 369–377, 2018, doi: 10.1145/3159652.3159674.

- [52] H. Cai, V. W. Zheng, and K. C. C. Chang, “A Comprehensive Survey of Graph Embedding: Problems, Techniques, and Applications,” *IEEE Trans. Knowl. Data Eng.*, vol. 30, no. 9, pp. 1616–1637, 2018, doi: 10.1109/TKDE.2018.2807452.
- [53] P. Goyal and E. Ferrara, “Graph embedding techniques, applications, and performance: A survey,” *Knowledge-Based Syst.*, vol. 151, pp. 78–94, 2018, doi: 10.1016/j.knosys.2018.03.022.
- [54] V. Kostakos, “Temporal graphs,” *Phys. A Stat. Mech. its Appl.*, vol. 388, no. 6, pp. 1007–1023, 2009, doi: 10.1016/j.physa.2008.11.021.
- [55] P. Holme and J. Saramäki, “Temporal networks,” *Phys. Rep.*, vol. 519, no. 3, pp. 97–125, 2012, doi: 10.1016/j.physrep.2012.03.001.
- [56] A. Casteigts, P. Flocchini, W. Quattrociocchi, and N. Santoro, “Time-Varying Graphs and Dynamic Networks,” *Int. J. Parallel, Emergent Distrib. Syst.*, vol. 27, no. 5, pp. 387–408, Nov. 2010.
- [57] Y. Li, R. Yu, C. Shahabi, and Y. Liu, “Diffusion convolutional recurrent neural network: Data-driven traffic forecasting,” *6th Int. Conf. Learn. Represent. ICLR 2018 - Conf. Track Proc.*, no. July, 2018.
- [58] C. Fischer, G. Nanz, and S. Selberherr, “Finite difference, boundary-fitted grid generation for arbitrarily shaped two-dimensional simulation areas,” *Comput. Methods Appl. Mech. Eng.*, vol. 110, no. 1–2, pp. 17–24, 1993, doi: 10.1016/0045-7825(93)90016-Q.
- [59] M. J. Gander and R. D. Haynes, “Domain decomposition approaches for mesh generation via the equidistribution principle,” *SIAM J. Numer. Anal.*, vol. 50, no. 4, pp. 2111–2135, 2012, doi: 10.1137/110849936.
- [60] V. D. Liseikin, *Grid Generation Methods*, vol. 10, 2010.
- [61] R. Lhner, *Applied Computational Fluid Dynamics Techniques*. Chichester, UK: John Wiley & Sons, Ltd, 2008.
- [62] F. Scarselli and M. Gori, “The graph neural network model,” vol. 27, no. 8, pp. 61–80, 1998.

- [63] Z. Zhang, P. Cui, and W. Zhu, “Deep Learning on Graphs: A Survey,” vol. 14, no. 8, pp. 1–23, 2018.
- [64] J. Zhou *et al.*, “Graph Neural Networks: A Review of Methods and Applications,” pp. 1–20, 2018.
- [65] R. Ying, R. He, K. Chen, P. Eksombatchai, W. L. Hamilton, and J. Leskovec, “Graph convolutional neural networks for web-scale recommender systems,” *Proc. ACM SIGKDD Int. Conf. Knowl. Discov. Data Min.*, pp. 974–983, 2018, doi: 10.1145/3219819.3219890.
- [66] W. C.-S. techniques and undefined 1977, “The estimation of sample size,” *John Wiley New York*.
- [67] W. G. Cochran, *Sampling techniques*. New York, New York, USA: Wiley, 1977.
- [68] D. Xu, W. Cheng, D. Luo, X. Liu, and X. Zhang, “Spatio-Temporal Attentive RNN for Node Classification in Temporal Attributed Graphs,” 2019.
- [69] A. Grover and J. Leskovec, “node2vec: Scalable Feature Learning for Networks,” doi: 10.1145/2939672.2939754.
- [70] B. Perozzi, R. Al-Rfou, and S. Skiena, “DeepWalk: Online learning of social representations,” *Proc. ACM SIGKDD Int. Conf. Knowl. Discov. Data Min.*, pp. 701–710, 2014, doi: 10.1145/2623330.2623732.
- [71] J. Zhang, X. Shi, J. Xie, H. Ma, I. King, and D. Y. Yeung, “GaAN: Gated attention networks for learning on large and spatiotemporal graphs,” *34th Conf. Uncertain. Artif. Intell. 2018, UAI 2018*, vol. 1, pp. 339–349, 2018.
- [72] U. Singer and K. Radinsky, “Node Embedding over Temporal Graphs,” 2019.
- [73] S. Daya, “Paired t-test,” *Evidence-based Obstet. Gynecol.*, vol. 5, no. 3, pp. 105–106, 2003, doi: 10.1016/j.ebobgyn.2003.09.001.
- [74] F. C. Lam and M. T. Longnecker, “A Modified Wilcoxon Rank Sum Test for Paired Data,” *Biometrika*, vol. 70, no. 2, p. 510, 1983, doi: 10.2307/2335570.
- [75] F. Wilcoxon, “Individual Comparisons by Ranking Methods,” 1945.

- [76] J. Torres-Solis, T. H. Falk, and T. Chau, “A review of indoor localization technologies: towards navigational assistance for topographical disorientation
51 X A review of indoor localization technologies: towards navigational assistance for topographical disorientation.”
- [77] M. M. Abdelrahman, A. Chong, and C. Miller, “Build2Vec: Building Representation in Vector Space,” in *SimAUD 2020*, 2020, no. May, pp. 101–104.
- [78] M. M. Abdelrahman, P. Jayathissa, and C. Miller, “YAK: An Indoor Positioning App for Spatial-Temporal Indoor Environmental Quality Research.” 2019.
- [79] T. Sood, M. Quintana, P. Jayathissa, M. AbdelRahman, and C. Miller, “The {SDE4} Learning Trail: Crowdsourcing occupant comfort feedback at a netzero energy building,” *J. Phys. Conf. Ser.*, vol. 1343, no. 1, p. 12141, Nov. 2019.
- [80] M Stone, “Cross-validatory Choice and Assessment of Statistical Predictions,” *J. R. Stat. Soc. Ser. B*, vol. 36, no. 2, pp. 111–147, 1974.