



IMPLEMENTATION-READY MOBILE UI

Linus AI - Screen-by-Screen Design Handoff


One implementation page per approved mobile screen, with light/dark designs, control behavior, route ownership, backend dependencies, and acceptance checks.

8 approved screens

2 theme variants

1 physical-left drawer

10 guest prompts



BINDING PRODUCT DECISION

- Chat opens first. Guests can complete 10 server-accepted prompts; unique attempt 11 is gated before send and resumes after authentication.
- Linus controls the AI that answers Facebook/Instagram DMs and comments. There is no post, Story, Reel, video, generated-media, scheduling, queue, or publishing workflow.
- One physical-left drawer contains all modules and chat history. There are no bottom tabs or right-side navigation.
- Mobile and web use the same canonical authentication, tenant/RBAC, configuration, Meta, conversation, billing, usage, and settings services.
- The star is the only assistant brand object. No mascot, face, robot avatar, or copied OpenAI/ChatGPT identity asset is permitted.

Cursor implementation rule: Treat each following page as the visual contract for that representative screen. The full 83-screen registry and 530-control matrix in the master specification remain the normative route and edge-state source of truth.


AI EXECUTION

Keep provider keys and model names in a server-side registry. Select the strongest evaluated model per task, and require typed deterministic tools plus dedicated review/confirmation for every protected mutation.


01 Guest Chat

ROUTE GCH-01	ACCESS Public root	THEMES Light + Dark parity	SOURCE Approved mobile visual set
--------------	--------------------	----------------------------	-----------------------------------

APPROVED VISUAL



LIGHT - PRIMARY REFERENCE



DARK
PARITY

STATE SHOWN

Signed out; new guest thread; empty composer; no tenant data; no active stream.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.

PURPOSE

Let a visitor understand and try Linas immediately. This is the default post-launch route unless a valid authenticated session can be restored. The experience is useful before account creation without pretending to know protected business data.

SCREEN ANATOMY

Header	Physical-left Menu, labeled Linas micro mark, and Sign in on the physical right.
Empty state	Primary star-and-signal mark, clear value statement, and three public-safe starter cards.
Composer	Plus, Message Linas input, Mic while empty, and the standard accuracy disclaimer.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Menu	Open the single full navigation and history drawer.	DRW-01
Sign in	Open the gate, then start authentication while preserving the current guest thread and draft.	AGT-01 -> AUT-01
Starter cards	Send the exact public-safe explanation prompt; never infer tenant context.	Stay in GCH-01
Plus	Open only registered guest-safe tools or supported attachments.	CMP-02
Composer / Send	Use a unique request ID. ArrowUp appears only when sendable; Square replaces it while streaming.	GCH-01 response stream
Mic	Capture voice, show transcription review, and return the transcript to the same draft.	CMP-01

BACKEND AND STATE CONTRACT

Canonical behavior: The server atomically accepts and counts exactly 10 unique guest prompts. Prompt 10 completes normally. Unique attempt 11 is not accepted and opens AGT-01 with the exact draft preserved. Retries reuse the same idempotency key; offline or recoverable errors never consume another prompt.


ACCEPTANCE CHECKS

- No mascot, character, fake tenant knowledge, bottom tabs, or right-side navigation.
- All controls expose 48 x 48 minimum targets, accessible names, keyboard safety, and RTL-correct layout.
- Successful authentication resumes this exact thread, draft, and pending intent after workspace resolution.

02 Guest Limit and Authentication Gate

ROUTE AGT-01	ACCESS Public hard gate	THEMES Light + Dark parity	SOURCE Approved mobile visual set
--------------	-------------------------	----------------------------	-----------------------------------

APPROVED VISUAL



PURPOSE

Gate the eleventh unique guest send attempt without losing context. The sheet explains the limit, offers login and account creation, and guarantees a secure return to the same conversation.

SCREEN ANATOMY

Preserved context	The dimmed chat remains visible so the user understands what will resume.
Hard-limit sheet	Close, labeled Linas mark, exact quota copy, and two 48 px email actions.
Trust links	Independent Privacy and Terms links plus explicit resume and protected-data copy.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Close	Return to the preserved draft without sending it; the hard limit remains enforced.	GCH-01
Log in with email	Authenticate using the signed resume token.	AUT-01
Create account with email	Create the account using the same signed resume token.	AUT-02
Configured provider	Render only when enabled by server auth configuration and only with the approved provider asset.	Configured AUT route
Privacy	Open the trusted current policy, then return to the intact gate.	ST-11#privacy
Terms	Open the trusted current terms, then return to the intact gate.	ST-11#terms

BACKEND AND STATE CONTRACT

Canonical behavior: After authentication, resolve the active business in WSP-01 when required, restore the exact guest thread and draft, then submit the pending prompt once. Platform Back or the scrim cannot bypass a true hard limit. Protected workspace data stays hidden until authentication and authorization finish.

ACCEPTANCE CHECKS


- The user-facing title stays Keep chatting with Linas AI and states that 10 guest prompts were used.
- No unavailable provider is hard-coded or shown with a generic unofficial mark.
- Login, account creation, legal detours, cancellation, and retry all preserve the exact draft.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.

03 Authenticated Owner Copilot Proposal

ROUTE CHT-01 + CRD-01	ACCESS Authenticated owner	THEMES Light + Dark parity	SOURCE Approved mobile visual set
-----------------------	----------------------------	----------------------------	-----------------------------------

APPROVED VISUAL




LIGHT - PRIMARY REFERENCE

STATE SHOWN

Sample Studio is active; a greeting proposal exists as Draft for two channels; nothing is applied.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.



DARK
PARITY

PURPOSE

Show how natural-language owner work becomes a controlled, reviewable business change. Linas may prepare a proposal, but prose alone never authorizes a protected write.

SCREEN ANATOMY

Chat shell	Menu, labeled Linas mark, workspace chip, New chat, message thread, and composer.
Proposal card	Object name, Draft state, affected channels, proposed customer text, and not-applied status.
Decision actions	Review in Content Management and Discard are visually distinct and explicit.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Menu	Open the only navigation and history drawer.	DRW-01
Workspace / title	Open authorized workspace selection. Preserve this chat and Draft, and never switch tenant silently.	WSP-01
New chat	Create a clean authenticated Owner Copilot conversation.	New CHT-01
Review in Content Management	Open CRD-01 typed review without writing. Only the explicit Save to Draft inside CRD-01 versions the Draft, then continues to Content Management; it never activates.	CRD-01 -> CM-02 after Save to Draft
Discard	Remove the proposed card without changing Active configuration.	Return to CHT-01
Plus	Open registered analysis tools and supported owner attachments.	CMP-02
Composer / Send	Send another owner request with one idempotency key; show ArrowUp only when sendable and Square while streaming.	CHT-01
Mic	Capture voice, require transcription review, and return the transcript to this same draft.	CMP-01

BACKEND AND STATE CONTRACT

Canonical behavior: The server model router selects the strongest evaluated model for the task; model names and keys never ship in the app. Typed deterministic tools supply IDs, permissions, channel state, and revisions. Save uses an idempotent versioned Draft; only CM-02 can activate after fresh validation and explicit owner action.


ACCEPTANCE CHECKS

- The card always keeps Draft, affected channels, proposed text, and not applied yet visible together.
- Active state is shown only after authoritative backend confirmation; conflicts show comparison, not false success.
- Owner chat remains separate from customer conversation/audit storage and permissions.


04 Single Left Navigation and Chat History Drawer

ROUTE DRW-01	ACCESS Guest and authenticated variants	THEMES Light + Dark parity	SOURCE Approved mobile visual set
--------------	---	----------------------------	-----------------------------------

APPROVED VISUAL



LIGHT - PRIMARY REFERENCE



DARK
PARITY

STATE SHOWN
Authenticated Owner; Sample Studio; Update greeting selected; three notifications.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.

PURPOSE

Provide the complete mobile sitemap and conversation history in one physical-left drawer. It replaces bottom tabs, a right drawer, and any duplicated module launcher.

SCREEN ANATOMY

Navigation first	Linus identity, Close, and the eight-module two-column grid.
Chat tools	New chat, Search, Pinned, Recent, active-row treatment, timestamps, and row overflow.
Account footer	Workspace/account, Notifications, and Log out stay below the scrollable history.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Close	Dismiss and restore focus to the Menu opener.	Retained GCH-01 or CHT-01
Module grid	Dashboard -> DSH-01; Content Management -> CM-01; Integrations -> IN-01; Live Chat -> LC-01; Team -> TM-01; Subscription -> SB-01; Usage & Credits -> US-01; Settings -> ST-01.	Canonical module roots
New chat	Start a clean chat for the current access state.	GCH-01 or CHT-01
Search	Search only the current authorized owner-chat scope.	SCH-01
Pinned / Recent row	Open the chosen conversation and restore its last authoritative state.	GCH-01 or CHT-01
Row overflow	Open an anchored menu for that exact thread: Pin/unpin and supported Archive stay in DRW-01; Rename opens an inline field; Delete opens a named guarded confirmation. Opening the menu changes nothing.	DRW-01 inline actions
Account / workspace	Open profile and authorized workspace switching.	WSP-01
Notifications	Open the operational notification inbox.	NTF-01
Log out	Open explicit logout confirmation; successful logout returns signed out.	ST-12 -> GCH-01
Signed-out footer variant	Log in -> AUT-01; Create account -> AUT-02; Help -> ST-10; About -> ST-11; Privacy -> ST-11#privacy; Terms -> ST-11#terms. Preserve the current guest chat and draft through every detour.	Exact guest routes

BACKEND AND STATE CONTRACT

Canonical behavior: Guests see the same eight module names, but protected taps gate before tenant data is read. Guest history is session-scoped; authenticated history is server-backed and tenant-safe. Search, pagination, row mutations, workspace switch, and notification count all reload from the canonical web-backed services.


ACCEPTANCE CHECKS

- Stable order: modules, New chat/Search, Pinned/Recent, then account actions.
- Every history row owns an overflow control; the active row has text plus teal indicator, not color alone.
- No bottom tab bar, physical-right drawer, Control Center, sliders trigger, or second navigation surface.

05 Content Management

ROUTE CM-01	ACCESS Authenticated and authorized	THEMES Light + Dark parity	SOURCE Approved mobile visual set
-------------	-------------------------------------	----------------------------	-----------------------------------

APPROVED VISUAL




LIGHT - PRIMARY REFERENCE

STATE SHOWN

Active configuration is 14 of 16 ready; two sections need review; pending Draft work exists.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.



DARK
PARITY

PURPOSE

Provide the precise configuration surface for the AI that answers Facebook and Instagram DMs and comments. It configures replies; it does not create or schedule social content.

SCREEN ANATOMY

Readiness	Authoritative Active badge, exact section readiness, progress, and issue state.
Guided setup	Continue setup with Linas AI passes incomplete-section references to Owner Copilot.
Configuration list	Stateful section rows and a sticky Review & Activate action only when Draft work exists.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Menu	Open the single navigation and history drawer.	DRW-01
Search	Search only authorized AI configuration sections and items.	CM-01
Help	Open contextual Content Management support without copying protected field values.	ST-10
View 2 issues	Filter this overview to the two authoritative blocking issues or warnings.	CM-01
Continue setup with Linas AI	Resume owner chat with opaque references to incomplete sections. Suggestions remain proposals.	CHT-01
AI Basics	Open the versioned business identity and core-facts editor.	CM-03
Languages	Open the supported customer-reply language configuration.	CM-04
Style and tone	Open the versioned customer-facing voice configuration.	CM-05
Dynamic Messages	Open versioned greeting, absence, and fallback messages.	CM-06
Services	Open the independently persisted services list.	CM-07
Locations	Open the independently persisted locations list.	CM-09
Prices	Open price rules and validated customer-facing price facts.	CM-11
Care	Open safety and care instructions.	CM-13
Knowledge	Open indexed knowledge sources and health.	CM-15
FAQ & Smart Answers	Open versioned questions, variants, and smart answers.	CM-17
Review & Activate AI Configuration	Load exact Draft and Active revisions, validate, confirm, then run one idempotent activation job.	CM-02

BACKEND AND STATE CONTRACT

Canonical behavior: Readiness, counts, locks, dependencies, Draft revision, and Active revision come from the canonical backend. The reference viewport shows ten independently wired rows; production exposes all 16 independently wired configuration sections. Lifecycle is Draft -> Review & Activate AI Configuration -> Active.


ACCEPTANCE CHECKS

- The existing Active configuration and pending Draft are never visually conflated.
- The sticky activation CTA is absent or disabled with an exact reason when there is no activatable Draft.
- No post, Story, Reel, caption, generated media, calendar, scheduling, queue, or publishing control exists.

06 Meta Integration Details

ROUTE IN-02	ACCESS Authenticated and authorized	THEMES Light + Dark parity	SOURCE Approved mobile visual set
-------------	-------------------------------------	----------------------------	-----------------------------------

APPROVED VISUAL




LIGHT - PRIMARY REFERENCE

STATE SHOWN

Two connected assets; one needs attention; DMs active; comments independently Off.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.



DARK
PARITY

PURPOSE

Show the verified Meta connection, authorized assets, and DM/comment capability health without ever exposing tokens or credentials.

SCREEN ANATOMY

Canonical header	Back returns to the Integrations root; Help opens contextual support.
Connection card	Meta Business identity, Connected state, last verified time, Test connection, and Connection activity.
Channel cards	Facebook Messenger and Instagram show Direct messages and Comments independently.
Safety states	Actionable warning plus an explicit credentials-are-never-shown statement.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Back	Return to the Integrations catalog without changing connection state.	IN-01
Help	Open contextual integration support without copying protected data.	ST-10
Test connection	Run one idempotent server refresh/reconciliation and reload authoritative connection state; do not imply connection.	IN-02
Activity	Open the redacted, tenant-scoped connection activity when the role permits it.	IN-02
Facebook Messenger row	Open the exact authorized Page and its independent capability controls.	IN-05
Instagram row	Open the exact authorized professional account and its independent capability controls.	IN-05
Review warning	Open the affected capability and its dedicated safe setup or repair flow.	IN-06

BACKEND AND STATE CONTRACT

Canonical behavior: OAuth state, PKCE, token exchange, secrets, raw permission payloads, webhook validation, and refresh stay server-side. Connected is displayed only after provider/server verification. App resume from OAuth or device settings triggers a refresh; DM and comment capabilities are enabled and audited separately. IN-02 owns the Back, Help, refresh, activity, and asset-list surface; an asset opens IN-05 and a capability issue opens IN-06.


ACCEPTANCE CHECKS

- IN-02 uses Back to IN-01; it never shows the module-root Menu control.
- No raw token, secret, verify token, internal app choice, or optimistic Connected state renders.
- Production uses current approved Meta/Facebook/Instagram identity assets; mockup monograms are placeholders only.
- Disconnect is available only through IN-08 after a tested reconnect path and explicit impact confirmation.

07 Live Chat Read-only Audit

ROUTE LC-01 + LC-02	ACCESS Authorized audit roles	THEMES Light + Dark parity	SOURCE Approved mobile visual set
---------------------	-------------------------------	----------------------------	-----------------------------------

APPROVED VISUAL




LIGHT - PRIMARY REFERENCE

STATE SHOWN

Maya thread selected; Instagram AI handled; branch clarification sent; no handoff sent.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.



DARK
PARITY

PURPOSE

Let an authorized owner inspect customer DMs/comments, Linas replies, activity events, and delivery problems. This is an audit surface, not a human reply or takeover product.

SCREEN ANATOMY

Inbox context	Search, filter, open count, channel-safe identity, preview, time, unread and selected state.
Selected thread	Customer message, labeled Linas reply, channel identity, timestamps, and Audit mode.
Activity and privacy	Structured AI activity row and explicit read-only, authorized-team footer.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Menu	Open the one navigation drawer without changing the selected audit thread.	DRW-01
Search	Debounce search across the active tenant's authorized conversation ledger.	LC-01
Filter	Apply channel, asset, state, and bounded date filters.	LC-01
Conversation row	Open the authorized chronological read-only thread.	LC-02
AI activity row	Open authorized conversation and event information without exposing hidden metadata.	LC-03
Copy message	Long press and copy only the visible message text; remain in the selected audit thread.	LC-02
Report message issue	Open contextual support with an opaque event reference; never auto-attach message bodies.	ST-10

BACKEND AND STATE CONTRACT

Canonical behavior: Use the same tenant-scoped conversation ledger, message delivery events, and capability health as web. Enforce membership, role, object scope, retention, redaction, and attachment scanning on the server. Pagination and search must not leak deleted or unauthorized thread metadata. The reference visual combines inbox and selected thread context; production phone navigation preserves LC-01 and LC-02 as separate canonical routes.


ACCEPTANCE CHECKS

- Render no composer, Send, attachment upload, microphone, pause-AI, takeover, or disabled composer shell.
- Owner Copilot chat data and customer Live Chat data remain separate stores and search scopes.
- Audit mode, channel, identity, event state, and privacy are announced to assistive technology.

08 Settings and Account

ROUTE ST-01	ACCESS Authenticated root	THEMES Light + Dark parity	SOURCE Approved mobile visual set
-------------	---------------------------	----------------------------	-----------------------------------


APPROVED VISUAL



LIGHT - PRIMARY REFERENCE

STATE SHOWN

Active Owner account in Sample Studio; English locale; Appearance follows System.



DARK
PARITY

PURPOSE

Group personal, business, preference, security, support, and logout controls without turning Settings into a duplicate product home.

SCREEN ANATOMY

Identity	Signed-in profile and workspace card with active-account state.
Groups	Account, Preferences, and Security & Support use consistent labeled rows and chevrons.
Session footer	Separated red Log out action and visible build version.

CONTROL AND ROUTE CONTRACT

Control	Required behavior	Route / result
Menu	Open the single navigation and history drawer.	DRW-01
Signed-in profile card	Open the authenticated personal profile.	ST-02
Business profile	Open authoritative business profile fields.	ST-03
Notifications	Open app and operating-system notification preferences.	ST-04
App Language & Appearance	Open local UI language and theme preference; never alter customer-AI language.	ST-05
Privacy & Data	Open retention, export, and guarded destructive-action hub.	ST-08
Security	Open implemented MFA, passkey, recovery, and session lifecycle.	ST-06
Help & Support	Open contextual support without copying protected data.	ST-10
About & Legal	Open product information and the legal-document index.	ST-11
Terms	Open the exact Terms anchor on a validated trusted host.	ST-11#terms
Privacy Policy	Open the exact Privacy anchor on a validated trusted host.	ST-11#privacy
Data Deletion Instructions	Open public deletion instructions; deletion itself remains guarded.	ST-11#data-deletion
Log out	Open explicit confirmation; on success clear protected cache and return signed out.	ST-12 -> GCH-01

BACKEND AND STATE CONTRACT

Canonical behavior: Server settings, identity, business membership, security, and notification registration remain canonical; theme and UI language may also persist locally. Logout revokes the session as supported, purges tenant-scoped caches and push association, and never lands on an authenticated route.

ACCEPTANCE CHECKS

- Use exact Log out wording; account deletion remains a separate, recently authenticated destructive flow.
- Team, Integrations, Subscription, and Usage & Credits remain first-class drawer modules and are not duplicated.
- Privacy policy, Terms, data export, and deletion instructions stay reachable and use validated trusted hosts.

THEME CONTRACT Light and dark use identical content, layout, state, routes, and accessibility. Only approved theme tokens change.