File Edit Selection View Go Run Terminal Help

Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More

Students SQLQuery1.sql

C: > Users > LOQ > Desktop > INSTANT > Material > 2 SQL > Session 13 > task_12 > Students SQLQuery1.sql

```sql

-- 1. Select the rows
select * from [Students - Students]

-- 2. Insert multiple rows into Employees in one query.
INSERT INTO [Students - Students] values(5001,36,'Male','High School',7.5,2.3,3,3.5,5,7,7.5,84,38,1,0,'good',10,43.9,37.1,73.6,50)

--3. Update the age of the employee with student_id = 3 to 100.
update [Students - Students] set age = 100 where student_id = 3

--4. Write a query to sort students by age ascending
select age from [Students - Students]
order by age asc

--5. Write a query to display the average self_study_hours grouped by age
select age ,avg(self_study_hours) from [Students - Students]
group by age

--6. Create a new column "Total_leisure_time" which is the result of adding (social_media_hours + gaming_hours + screen_time_hours)
select (social_media_hours + gaming_hours + screen_time_hours)  as Total_leisure_time from [Students - Students]

```

CamScanner

Run All Code

[16]:

	sleep_hours	exam_score
sleep_hours	1.00000	0.23471
exam_score	0.23471	1.00000

[17]:

```
plt.figure(figsize=(6,4))
sns.heatmap(sleep_hours_score,annot=True,cmap="coolwarm")
plt.title("How does sleep affect exam performance?")
plt.show()
```



+ Code + Markdown

[18]:

```
plt.figure(figsize=(8, 6))
```

CamScanner


mental_health_score vs burnout_level
burnout_level
mental_health_score
100
80
60
40
20
0
2
4
6
8
10

CamScanner

```
plt.title=("study hours category vs exam_score")
plt.ylabel("count of exam score")
for container in xyz.containers:
    xyz.bar_label(container)
plt.show()
```



CamScanner