1. The probability of a leap year selected at random contain 53						
Sunday is:						
(a) 53/ 366 (b) 1/7 (c) 2/7 (d) 53/365						
2. A bag contains 3 red and 2 blue marbles. A marble is drawn at						
random. The probability of drawing a black ball is:						
(a) 3/5 (b) 2/5 (c) 0/5 (d) 1/5						
3. The probability that it will rain tomorrow is 0.85. What is the						
probability that it will not rain tomorrow						
(a) 0.25 (b) 0.145 (c) 3/20 (d) none of these						
4. What is the probability that a number selected from the numbers						
(1, 2, 3,,15) is a multiple of 4?						
(a) 1/5 (b) 4/5 (c) 2/15 (d) 1/3						
5. What are the total outcomes when we throw three coins?						
(a) 4 (b) 5 (c) 8 (d) 7						
6. The probability that a prime number selected at random from the						
numbers (1,2,3,35) is :						
(a) 12/35 (b) 11/35 (c) 13/35 (d) none of these						
7. The sum of the probability of an event and non event is:						
(a) 2 (b) 1 (c) 0 (d) none of these.						
8. The following probabilities are given; choose the correct answer						
for that which is not possible.						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these.						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is:						
for that which is not possible. (a) 0.15 (b) $2/7$ (c) $7/5$ (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) $1/4$ (b) $3/8$ (c) $\frac{1}{2}$ (d) $1/8$						
for that which is not possible. (a) 0.15 (b) $2/7$ (c) $7/5$ (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) $1/4$ (b) $3/8$ (c) $\frac{1}{2}$ (d) $1/8$ 10. A letter is chosen at random from the letters of the word						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has:						
for that which is not possible. (a) 0.15 (b) $2/7$ (c) $7/5$ (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) $1/4$ (b) $3/8$ (c) $\frac{1}{2}$ (d) $1/8$ 10. A letter is chosen at random from the letters of the word						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these.						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these. 11. A dice is thrown. Find the probability of getting an even number.						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these.						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these. 11. A dice is thrown. Find the probability of getting an even number. (A) 2/3 (B) 1 (C) 5/6 (D) 1/2						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these. 11. A dice is thrown. Find the probability of getting an even number. (A) 2/3 (B) 1 (C) 5/6 (D) 1/2 12. Two coins are thrown at the same time. Find the probability of						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these. 11. A dice is thrown. Find the probability of getting an even number. (A) 2/3 (B) 1 (C) 5/6 (D) 1/2 12. Two coins are thrown at the same time. Find the probability of getting both heads.						
for that which is not possible. (a) 0.15 (b) 2/7 (c) 7/5 (d) none of these. 9. If three coins are tossed simultaneously, than the probability of getting at least two heads, is: (a) 1/4 (b) 3/8 (c) ½ (d) 1/8 10. A letter is chosen at random from the letters of the word ASSASSINATION. The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these. 11. A dice is thrown. Find the probability of getting an even number. (A) 2/3 (B) 1 (C) 5/6 (D) 1/2 12. Two coins are thrown at the same time. Find the probability of						

13. Two dice are thrown simultaneously. The probability of getting a sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1	<mark>/9</mark> (D) 4/9	
, ,	, ,			•	
	rds are numbere rime number.	ea trom 1	to 100. Find	tne propability	ОТ
(A) 3/4		(C) 1/	4	(D) 29/100	
_				-	-
taken out a non-defect	of 600 bulbs con at random from the cive bulb is:	this box. 7	hen the prol		
(A) 143/13	(B) 1477	130	(0) 1/23	(D) 1/30	
mixed thor the probab	marked with nur oughly. One car ility that the nur (B) 1/10	d is drawr nber on c	n from this board is a perfe	ox randomly, thect square.	
18. What i (A) 1/7	s the probability (B) 53/366	_	•	ys in a leap year D) 7/366	r?
	is drawn from a			52 cards. Find	the
-	of getting a kin (B) 3/26 (C	~			
equally like 1,2,312	e of chance conely to come to retail the proba	est pointing bility that	g to one of t it will point t	he number	er is:
its outcom result i.e. t probability	e consists of tos e each time. Ary hree heads or th that Aryan will	yan wins it nree tails a lose the g	fall the tosso and loses oth ame.	es give the sam	ie .
(A) 3/4	(B) 1/2 (C) 1	(D)	1/4		

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:							
(A) 364/365	(B) 31/365	5 (C) 1/365	(D) 1/133225				
23. A number x is chosen at random from the numbers -2, -1, 0, 1, 2. Then the probability that $x^2 < 2$ is? (A) $1/5$ (B) $2/5$ (C) $3/5$ (D) $4/5$							
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is: (A) 10 (B) 6 (C) 8 (D) 7							
25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) $7/50$ (B) $4/25$ (C) $1/25$ (D) $2/25$							
26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?							
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) $\frac{4}{21}$				
27. Runs scored by batsman in 5 one day matches are 50, 70, 82,							
	the standard devi b) 25.49	c) 25.29	d) 25.69				
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.							
	b) 13, 18		d) 13, 16				
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is							
a) $\frac{1}{2}$	b) $^1/_3$	c) $^{1}/_{4}$	d) $^{1}/_{6}$				
	iate between 0 a b) 7		of E(X ²) is				
31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?							

32.Out of the following values, which one is not possible in probability?							
a) $P(x) = 1$ b) $\sum x P(x) = 3$							
c) $P(x) = 0.5$	d) P((x) = -0.5					
33.If E(x) =	: 2 and E(z) =	4, then E(z −)	κ) =?				
a) 2	b) 6	c) 0	•	ufficient data			
34.The cov	ariance of two	o independent	t random variab	le is			
a) 1	b) 0	c) - 1	d) Un	defined			
35.If $\Sigma P(x) = k^2 - 8$ then, the value of k is? a) 0 b) 1 c) 3 d) Insufficient data							
36.If P(x) = 0.5 and x = 4, then E(x) = ? a) 1 b) 0.5 c) 4 d) 2							
37.In a discrete probability distribution, the sum of all probabilities is always?							
a) 0	b) Infinite	c) 1	d) Unc	lefined			
38.If the probability of hitting the target is 0.4, find mean and variance.							
	b) 0.6	, 0.24	c) 0.4, 0.16	d) 0.6, 0.16			
39.If the probability that a bomb dropped from a place will strike the target is 60% and if 10 bombs are dropped, find mean and variance? a) 0.6, 0.24 b) 6, 2.4 c) 0.4, 0.16 d) 4, 1.6							
40. Find the mean of tossing 8 coins. a) 2 b) 4 c) 8 d) 1 41. What is the mean and variance for standard normal distribution?							

c) 5

b) 4

d) 7

a) 3

	a) Mean is 0 and variance is 1 b) Mean is 1 and variance is c) Mean is 0 and variance is ∞ d) Mean is ∞ and variance							
	42.Variance of a random variable X is given by a) E(X) b) E(X2) c) E(X2) - (E(X))2						- · d) (E(X))2	
43.Mean of a random variable X is given by a) E(X) b) E(X2) c) E(X2) - (E(X))2 d) (E(X								
44.Mean of a constant 'a' is a) 0								
	45.Variance of a constant 'a' is . a) 0 b) a c) a/2 d) 1							
46.Find the mean and variance of X?								
	Х	0	1	2	3	4		
	f(x)	1/9	2/9	3/9	2/9	1/9		
a) 2	, 4/3	b) 3	3, 4/3		c) 2, 2/3		d) 3, 2/3	

47. Find the expectation of a random variable X?

	х	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) ().5		b) 1.5		c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**
- a) \sqrt{np}

- b) \sqrt{pq} c) (np)2 d) \sqrt{npq}