

main.c [mahmoud] - Code::Blocks 20.03

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

<global> main(): int

main.c

Projects Files FSy  
Workspace  
mahmoud  
Sources  
main.c

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main()
5 {
6     int number, root;
7
8     printf("enter number");
9     scanf("%d", &number);
10
11     root=sqrt(number);
12     printf("root=%d", root);
13
14
15
16
17
18     return 0;
19
20 }
21
```

"D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe"

```
enter number25
root=5
Process returned 0 (0x0)   execution time : 11.391 s
Press any key to continue.
```

Logs & others

Cccc x Build log x Build messages x CppCheck/Vera++ x CppCheck/Vera++ messages x Cscope x Debugger x DoxyBlocks x Fortran info x Closed files list x Thread search x

Checking for existence: D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe  
Set variable: PATH=.;C:\Program Files\CodeBlocks\MinGW\bin;C:\Program Files\CodeBlocks\MinGW\mingw64\bin;C:\Windows\System32;C:\Windows;C:\Windows\System32\wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\System32\OpenSSH;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\NVIDIA Corporation\NVIDIA NVDLISR;C:\Program Files\Git\cmd;C:\Users\hemaj\AppData\Local\Microsoft\WindowsApps;C:\Users\hemaj\AppData\Local\GitHubDesktop\bin  
Executing: "C:\Program Files\CodeBlocks\cb\_console\_runner.exe" "D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe" (in D:\New folder (2)\mahmoud\.)

D:\New folder (2)\mahmoud\main.c

C/C++

Windows (CR+LF)

WINDOWS-1256

Line 11, Col 10, Pos 136

Insert

Read/Write default

Type here to search

55%

العروب قريپ

ENG 7:13 PM 7/20/2023

main.c [mahmoud] - Code::Blocks 20.03

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

<global> main(): int

main.c

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main()
5 {
6     float arabic,english,maths,french,chemistry;
7     float total,average,percentage;
8
9     printf("enter marks of five subjects");
10    scanf("%f%f%f%f%f",&arabic,&english,&maths,&french,&chemistry);
11
12    total=arabic+english+maths+french+chemistry;
13    printf("total=%f",total);
14
15    average=total/5.0;
16    printf("average=%f",average);
17
18    percentage=(total/500.0)*100;
19    printf("percentage=%f",percentage);
20
21
22    return 0;
23
24 }
25
```

"D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe"


enter marks of five subjects75 80 92 96 100  
total=443.000000average=88.599998percentage=88.599998  
Process returned 0 (0x0) execution time : 21.340 s  
Press any key to continue.

Logs & others

Cccc x Build log x Build messages x CppCheck/Vera++ x CppCheck/Vera++ messages x Cscope x Debugger x DoxyBlocks x Fortran info x Closed files list x Thread search x

Checking for existence: D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe  
Set variable: PATH=.;C:\Program Files\CodeBlocks\MinGW\bin;C:\Program Files\CodeBlocks\MinGW\mingw64\bin;C:\Windows\System32;C:\Windows;C:\Windows\System32\wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\System32\OpenSSH;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\NVIDIA Corporation\NVIDIA NvDLISR;C:\Program Files\Git\cmd;C:\Users\hemaj\AppData\Local\Microsoft\WindowsApps;C:\Users\hemaj\AppData\Local\GitHubDesktop\bin  
Executing: "C:\Program Files\CodeBlocks\cb\_console\_runner.exe" "D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe" (in D:\New folder (2)\mahmoud\.)

New folder (2)\mahmoud\main.c C/C++ Windows (CR+LF) WINDOWS-1256 Line 10, Col 14, Pos 194 Insert Read/Write default ENG 7:43 PM 7/20/2023





main.c [mahmoud] - Code::Blocks 20.03

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

<global> main(): int

main.c

management

Projects Files FSy

Workspace

mahmoud

Sources

main.c

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main()
5 {
6     float cm,m,km;
7
8     printf("enter length in cm");
9     scanf("%f",&cm);
10
11
12     m=cm/100;
13     printf("length in meter=%f",m);
14
15     km=cm/100000;
16     printf("length in km=%f",km);
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
```

"D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe"

```
enter length in cm1000
length in meter=10.000000length in km=0.010000
Process returned 0 (0x0)   execution time : 9.941 s
Press any key to continue.
```

Logs & others

Cccc x Build log x Build messages x CppCheck/Vera++ x CppCheck/Vera++ messages x Cscope x Debugger x DoxyBlocks x Fortran info x Closed files list x Thread search x

Checking for existence: D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe  
Set variable: PATH=.;C:\Program Files\CodeBlocks\MinGW\bin;C:\Program Files\CodeBlocks\MinGW\mingw64\bin;mingw64;C:\Windows\System32;C:\Windows;C:\Windows\System32\wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\System32\OpenSSH;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\NVIDIA Corporation\NVIDIA NVDLISR;C:\Program Files\Git\cmd;C:\Users\hemaj\AppData\Local\Microsoft\WindowsApps;C:\Users\hemaj\AppData\Local\GitHubDesktop\bin  
Executing: "C:\Program Files\CodeBlocks\cb\_console\_runner.exe" "D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe" (in D:\New folder (2)\mahmoud\.)

\New folder (2)\mahmoud\main.c

C/C++

Windows (CR+LF)

WINDOWS-1256

Line 6, Col 6, Pos 63

Insert

Read/Write default

Type here to search

55%

34°C

مشمس

ENG

6:36 PM

7/20/2023

main.c [mahmoud] - Code::Blocks 20.03

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

<global> main(): int

Management

Projects Files FSy  
Workspace  
mahmoud  
Sources  
main.c

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main()
5 {
6     int length,width,area;
7
8     printf("enter length of rectangle");
9     scanf("%d",&length);
10
11     printf("enter width of rectangle");
12     scanf("%d",&width);
13
14     area=length*width;
15     printf("area=%d",area);
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
```

"D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe"

```
enter length of rectangle6
enter width of rectangle7
area=42
Process returned 0 (0x0)   execution time : 16.734 s
Press any key to continue.
```

Logs & others

Cccc x Build log x Build messages x CppCheck/Ver++ x CppCheck/Ver++ messages x Cscope x Debugger x DoxyBlocks x Fortran info x Closed files list x Thread search x

Checking for existence: D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe  
Set variable: PATH=.;C:\Program Files\CodeBlocks\MinGW\bin;C:\Program Files\CodeBlocks\MinGW\mingw64\bin;C:\Windows\System32;C:\Windows;C:\Windows\System32\wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\System32\OpenSSH;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\NVIDIA Corporation\NVIDIA NvDLISR;C:\Program Files\Git\cmd;C:\Users\hemaj\AppData\Local\Microsoft\WindowsApps;C:\Users\hemaj\AppData\Local\GitHubDesktop\bin  
Executing: "C:\Program Files\CodeBlocks\cb\_console\_runner.exe" "D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe" (in D:\New folder (2)\mahmoud\.)

New folder (2)\mahmoud\main.c

C/C++

Windows (CR+LF)

WINDOWS-1256


Line 15, Col 24, Pos 249

Insert

Read/Write default

Type here to search

6:11 PM 7/20/2023



main.c [mahmoud] - Code::Blocks 20.03

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

<global> main():int

main.c X

Projects Files FSy  
Workspace  
mahmoud  
Sources  
main.c

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main()
5 {
6     int n1,n2;
7     int sum,sub,multi,div;
8
9     printf("enter any two numbers");
10    scanf("%d%d",&n1,&n2);
11
12    sum=n1+n2;
13    printf("sum=%d",sum);
14
15    sub=n1-n2;
16    printf("sub=%d",sub);
17
18    multi=n1*n2;
19    printf("multi=%d",multi);
20
21    div=n1/n2;
22    printf("div=%d",div);
23    return 0;
24
25 }
26
```

"D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe"  
enter any two numbers4  
2  
sum=6sub=2multi=8div=2  
Process returned 0 (0x0) execution time : 5.417 s  
Press any key to continue.

Logs & others

Code::Blocks Search results Cccc Build log Build messages CppCheck/Vera++ CppCheck/Vera++ messages Cscope Debugger DoxyBlocks Fortran info Close  
Checking for existence: D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe  
Set variable: PATH=.;C:\Program Files\CodeBlocks\MinGW\bin;C:\Program Files\CodeBlocks\MinGW\mingw64\bin;C:\Windows\System32;C:\Windows;C:\Windows\System32\wbem;C:\Windows\System32\WindowsPowerShell  
\v1.0;C:\Windows\System32\OpenSSH;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\NVIDIA Corporation\NVIDIA NVDLISR;C:\Program Files\Git\cmd;C:\Users\hemaj\AppData\Local\Microsoft  
\WindowsApps;C:\Users\hemaj\AppData\Local\GitHubDesktop\bin  
Executing: "C:\Program Files\CodeBlocks\cb\_console\_runner.exe" "D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe" (in D:\New folder (2)\mahmoud\.)

D:\New folder (2)\mahmoud\main.c

C/C++

Windows (CR+LF)

WINDOWS-1256

Line 24, Col 1, Pos 327

Insert

Read/Write default


Type here to search


55%

34°C مشمس

ENG 5:44 PM 7/20/2023







main.c [mahmoud] - Code::Blocks 20.03

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

Debug

<global> main() : int

main.c

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main()
5 {
6
7     int n;
8
9     printf("enter any number");
10    scanf("%d", &n);
11
12    if(n&1)
13        printf("LSB of %d is set (true)", n);
14
15    else
16        printf("LSB of %d is unset (false)", n);
17
18
19
20
21    return 0;
22
23
24
25
26
27
```

"D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe"

enter any number11  
LSB of 11 is set (true)  
Process returned 0 (0x0) execution time : 6.200 s  
Press any key to continue.

Logs & others

Code::Blocks Search results Cccc Build log Build messages CppCheck/Vera++ CppCheck/Vera++ messages Cscope Debugger DoxyBlocks Fortran info Close

Checking for existence: D:\New folder (2)\mahmoud\bin\Debug\mahmoud.exe  
Set variable: PATH=.;C:\Program Files\CodeBlocks\MinGW\bin;C:\Program Files\CodeBlocks\MinGW\bin\Windows\System32;C:\Windows\System32\wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\System32\OpenSSH;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\NVIDIA Corporation\NVIDIA NVDLISR\mingw64\bin;C:\Program Files\Git\cmd;C:\Users\hemaj\AppData\Local\Microsoft\WindowsApps;C:\Users\hemaj\AppData\Local\GitHubDesktop\bin  
Executing: "C:\Program Files\CodeBlocks\cb\_console\_runner.exe" "D:\New Folder (2)\mahmoud\bin\Debug\mahmoud.exe" (in D:\New folder (2)\mahmoud\.)

New folder (2)\mahmoud\main.c C/C++ Windows (CR+LF) WINDOWS-1256 Line 16, Col 40, Pos 213 Insert Read/Write default

Type here to search 60% 24°C عائم جزئيًا 4:01 AM 8/2/2023

