Module 2 Cheat Sheet: Data Wrangling

Data Analysis with Python

Cheat Sheet: Data Wrangling

Package/Method	Description	Code Example
Replace missing data with frequency	Replace the missing values of the data set attribute with the mode common occurring entry in the column.	1. `MostFrequentEntry = df['attribute_name'].value_counts().idxmax()` 2. `df['attribute_name'].replace(np.nan,MostFrequentEntry,inplace=True)`
Replace missing data with mean	Replace the missing values of the data set attribute with	1. `AverageValue=df['attribute_name'].astype(<data_type>).mean(axis=0)` 2. `df['attribute_name'].replace(np.nan, AverageValue, inplace=True)`

Package/Method	Description	Code Example
	the mean of all the entries in the column.	
Fix the data types	Fix the data types of the columns in the dataframe.	1. `df[['attribute1_name', 'attribute2_name', ...]] =` 2. `df[['attribute1_name', 'attribute2_name', ...]].astype('data_type')` 3. `#data_type is int, float, char, etc.`
Data Normalization	Normalize the data in a column such that the values are restricted between 0 and 1.	`1. df['attribute_name'] =` `df['attribute_name']/df['attribute_name'].max()`
Binning	Create bins of data for better analysis and visualization.	1. `bins = np.linspace(min(df['attribute_name']),` 2. `max(df['attribute_name'],n)` 3. `# n is the number of bins needed`

Package/Method	Description	Code Example
		4. `GroupNames = ['Group1','Group2','Group3,...]` 5. `df['binned_attribute_name'] =` 6. `pd.cut(df['attribute_name'], bins, labels=GroupNames, include_lowest=True)`
Change column name	Change the label name of a dataframe column.	1. `df.rename(columns={'old_name':\'new_name'}, inplace=True)`
Indicator Variables	Create indicator variables for categorical data.	1. `dummy_variable = pd.get_dummies(df['attribute_name'])` 2. `df = pd.concat([df, dummy_variable],axis = 1)`

Skills Network

IBM