

Cheat Sheet: Plotly and Dash

Review this cheat sheet to learn about various functions, their descriptions, syntaxes, and examples.

Plotly

scatter

Create a scatter plot

Syntax:

```
px.scatter(dataframe, x=x_column, y=y_column)
```

Example:

```
px.scatter(df, x=age_array, y=income_array)
```

line

Create a line plot

Syntax:

```
px.line(x=x_column, y=y_column, title='')
```

Example:

```
px.line(x=months_array, y=no_bicycle_sold_array)
```

bar

Create a bar plot

Syntax:

```
px.bar( x=x_column, y=y_column,title='title')
```

Example:

```
px.bar( x=grade_array, y=score_array, title='Pass Percentage')
```

sunburst

Create a sunburst plot

Syntax:

```
px.sunburst(dataframe, path=[col1,col2..],  
values='column',title='title')
```

Example:

```
px.sunburst(data, path=['Month', 'DestStateName'],  
values='Flights',title='Flight Distribution Hierarchy')
```

histogram

Create a histogram

Syntax:

```
px.histogram(x=x, title="title")
```

Example:

```
px.histogram(x=heights_array, title="Distribution of Heights")
```

bubble

Create a bubble chart

Syntax:

```
px.scatter(dataframe, x=x, y=y, size=size, title="title")
```

Example:

```
px.scatter(bub_data, x="City", y="Numberofcrimes",  
size="Numberofcrimes", hover_name="City", title='Crime Statistics')
```

pie

Create a pie chart

Syntax:

```
px.pie(values=x, names=y, title="title")
```

Example:

```
px.pie(values=exp_percent,  
names=house_holdcategories, title='Household Expenditure')
```

Plotly Graph Objects

Scatter

Create a scatter

Syntax:

```
go.Scatter(x=x, y=y, mode='markers')
```

Example:

```
go.Scatter(x=age_array, y=income_array, mode='markers')
```

Create a line plot

Syntax:

```
go.Scatter(x=x, y=y, mode='lines')
```

Example:

```
go.Bar(x=months_array, y=no_bicycle_sold_array,mode='lines')
```

add_trace

Add additional traces to an existing figure

Syntax:

```
fig.add_trace(trace_object)
```

Example:

```
fig.add_trace(go.Scatter(x=months_array, y=no_bicycle_sold_array))
```

update_layout

Update the layout of a figure, such as title, axis labels, and annotations.

Syntax:

```
fig.update_layout(layout_object)
```

Example:

```
fig.update_layout(title='Bicycle Sales', xaxis_title='Months', yaxis_title='Number of Bicycles Sold')
```

Dash

dash_core_components.Input

Create an input component

Syntax:

```
dcc.Input(value='', type='text')
```

Example:

```
dcc.Input(value='Hello', type='text')
```

dash_core_components.Graph

Create a graph component

Syntax:

```
dcc.Graph (figure=fig)
```

Example:

```
dcc.Graph (figure=fig)
```

dash_html_components.Div

Create a div element

Syntax:

```
html.Div (children=component_list)
```

Example:

```
html.Div (children=[html.H1 ('Hello Dash') , html.P ('Welcome to Dash')])
```

dash_core_components.Dropdown

Create a dropdown component

Syntax:

```
dcc.Dropdown (options=options_list, value=default_value)
```

Example:

```
dcc.Dropdown (options=[{'label': 'Option 1', 'value': '1'}, {'label': 'Option 2', 'value': '2'}],  
value='1')
```