



Create credentials to access your database instance

Objective(s)

At the end of this lab you will be able to:

- Create your own instance of database on IBM Cloud using DB2 service

Exercise

Database credentials are required to connect from remote applications like Jupyter notebooks which are used in the labs and assignment in the last two weeks of the course.

0. Go to your IBM Cloud Resources dashboard (or click on IBM Cloud in the top left corner):

<https://cloud.ibm.com/resources>

Note: you may need to log into IBM Cloud in the process of loading the resources/dashboard.

If your connection is slow it may take over 30 seconds for the dashboard to fully load.

1. In the Resource list, expand the **Databases** heading and locate and click on your instance of Db2 you provisioned in exercise 2 (the name typically starts with Db2-xx for example Db2-fk, Db2-50, etc.)

The screenshot shows the IBM Cloud Resources dashboard. On the left is a sidebar with various service icons. The main area displays a list of resources categorized by service. The 'Databases' category is expanded, showing a list of database instances. One instance, 'Db2-pg', is highlighted with a red rectangular box. The table has columns for Name, Group, Location, Product, and Status.

Name	Group	Location	Product	Status
Filter by name or IP address... Filter by group or org... Filter... Filter... Filter...				
Storage (1+)				
AI / Machine Learning (4+)				
Analytics (0)				
Blockchain (0)				
Databases (1)				
Db2-pg	Default	London	Db2	Active
Developer tools (0+)				
Logging and monitoring (0)				
Migration (0)				
Integration (0+)				
Internet of Things (0)				
Security (0)				

2. Click on Service Credentials in the left menu

[Resource list](#) /

Db2-f7



Active

Add tags

Manage

Getting started

Service credentials

Connections

3. Click on the button to create **New credential**

New credential



In the prompt that comes up click the **Add** Button in the bottom right:

Create credential

Name:

Service credentials-3

Role: ⓘ

Manager



[Advanced options](#) ▾

Cancel

Add

4. Check the box to **View credentials**
5. Copy and save the credentials making a note of the following:

- **port** is the database port
- **db** is the database name
- **host** is the hostname of the database instance
- **username** is the username you'll use to connect
- **password** is the password you'll use to connect

[Resource list](#) /**Db2-f7**

✓ Active

Add tags [✎](#)

Manage

Getting started

Service credentials

Connections

Service credentials

You can generate a new set of credentials for cases where you want to manually connect an app or external consumer to an IBM Cloud service. [Learn more](#)

^	☐ Key name	Date created
☒	Service credentials-1	2021-07-06
	<pre>{ "connection": { "cli": { "arguments": ["-u", "mwh70849", "-p", "XXXXXXXXXXXXXXXXXXXX", "--ssl", "--sslCAFile", "1dd14d0c-1b52-4f63-a606-53ec", "--authenticationDatabase", "admin", "--host", "XXXXXXXXXXXXXXXXXXXX", "abases.appdomain.cloud:31198"] } } }</pre>	

You need to scroll down to get the credentials details.

```

"db2": {
  "authentication": {
    "method": "direct",
    "password": " ",
    "username": "qdg93144"
  },
  "certificate": {
    "certificate_base64": "LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSB0tLS0tCk1JSURFakNDQWZxZ0F3SUJBZ0lKQVA1S0R3ZTNCTkxiTUEwR0NT
UU0JEYkc5MVpDQkVZWfJowW1GeIpYTXdIaGN0TWpBd01qSTVNRRFF5TVRBeVdoY05NekF3TWpJGpNRRFF5TVRBeVdqQWVNUnd3R2dZRFZRUUREQk5KUWswZ1
Uc5dzBCQVFFRkFBT0NBUTHBUTU1JQkNnS0NBUEVBUVdXUvbitpWw9xdkdGNU8xSGpEalpsK25iYjE4UkR4ZGwKTzRUL3FoUGMxMTREY1FUK0p1RXdhG13aG1j
0QWpDVGcrSUxsbjBrdDMrTHM3d1dTakxqVE96N3M3M1ZUSU5yYmx3cnRIRUlvM1JWtkV6SkNHYYW5LSXdZWZVSUtrCldNM1R0SD15cnFzSGN0Z2pIU1FmRk
VRmNEN0Y3EKY21QcHNqdDBPTnI0YnhJMVRyUWxEemNiN1hMSFBzWw91SUprdnVzMUZvaTEySmRNM1MrK3labFZPMUZmZkU3bwpKMjhUdGJoZ3JGOGtIU0NM
KR1FJREFRQUJvMU13C1VUQWRCZ05WSFE0RUZnUVVlQ3JZanFJQzclVUpxVmZEMDh1ZWdqeDZiUmN3SHdZRFZSMGpCQmd3Rm9BVWVDb1kKanFJQzclVUpxVn
kF0QmdrcWhraUc5dzBCQVFFZGpBQU9DQVFFQUkyRTBU0Ut3M1N3RjJ2MXBqaHV4M0lkwWV2SGFVSkrMb0tPd0hSRnFSOHgxZ2dRcGVEcFBNMk5SCkx3R08j
PekIyWmE2S1YrQTVscEttMwdjV3VHYzMkk1UzVTFzTDdlUjd3ZFfuVjU0TVU4aERvNi9sVHRMRVB2Mnc3VlNPS1FDK013ejgrTFJMdjVHSW5BN1JySwNhKv
E42K0JIBzhvWG5YWkh6UG91clYS1BoaGdXZ2J5CkN0cUdIK0NWNNQ1eFg3b05NS3VNSUNqRVZndnNLWnRqeTQ5VW5iNVZ2bHQ0b1J3dTF1bGdzRDNjek1t
RPT0KLS0tLS1FTkQ0Q0VSVE1GSUNBVEUtLS0tLQo=",
    "name": "1cbbb1b6-3a1a-4d49-9262-3102a8f7a7c8"
  },
  "composed": [
    "db2://qdg93144: @54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.
eplset"
  ],
  "database": "bludb",
  "host_ios": [
    "54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud:30592"
  ],
  "hosts": [
    {
      "hostname": " ",
      "port": 32733
    }
  ],
  "jdbc_url": [
    "jdbc:db2://54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud:32733/bludb:use
on=true;"
  ],
  "path": "/bludb"
}

```

Author(s)

Rav Ahuja

Other Contributor(s)

Simran Garg



Skills Network