



# PRODUCT CATALOG

**Automir S.R.O.**



tel: +421 908 559 130

e-mail: sroautomir@gmail.com



6.95-16  
ВлИ-5

2



12.00R18  
UTP21

3



7.50-20  
UTP-173

4



16/70-20  
UTP-50

5



1200-500-508  
ИД-П 284

6



1100x400-533  
О-47АМ

7



1220-400-533  
ИП-184

8



15.00-21  
MP-913

9



1300-530-533  
ВИ-3

10



1350-550-533R  
ИД-370

11



18.00-25  
ВФ-76Б

12



21.00-33  
ВФ-166А

14



5.00-10  
DT-48

15



6L-12  
ST-421

16



500/50R17  
UTP-77

17



16.5/70-18  
КФ-97

18



9.00-20  
UTP-223

19



21.3R24  
UTP-14

20



28.1-25  
ДФ-16А

21



23.1R26  
Ф-37

22



9.5R32/42  
Ф-268/289

23



30.5LR32  
DN-101

24



15.5R38  
Д2А

25



9.5R44/48  
DE-16/17

26



Truck tyres



Off-road career tyres



Agricultural tyres

# 175/80-16 (6.95-16)

## Model: ВлИ-5

*All-season  
light truck tyre*

Load index/Speed index	85P
Thread pattern type	All-season
Section width, not more than, mm	178
Overall diameter, mm	692
Speed limit, km/h	150
Loading limit, kg	515
Pressure corresponding the max loading, kPa	210



Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 12.00R18 (320R457)

## Model: UTP21

*Special  
adjustable pressure tyre  
for off-road trucks*

Load index/Speed index	135K
Thread pattern type	Off-road
Section width, not more than, mm	337
Overall diameter, mm	1084
Speed limit, km/h	110
Loading limit, kg	2180
Pressure corresponding the max loading, kPa	490



**UkrTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 7.50-20 (220-508)

## Model: UTP-173

*Universal pattern tyre  
for trucks and trailers*

Ply rating	8
Load index/Speed index	119/116J
Thread pattern type	Universal
Section width, not more than, mm	213
Overall diameter, mm	928
Speed limit, km/h	100
Loading limit, kg (single/dual)	1360/1250
Pressure corresponding the max loading, kPa	440



**UkrTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 16/70-20

## Model: UTP-50

*Tyre for trucks, trailers,  
agricultural and special  
equipment*

Ply rating	14
Load index/Speed index	147F
Thread pattern type	Universal
Section width, not more than, mm	410
Overall diameter, mm	1090
Speed limit, km/h	80
Loading limit, kg (single/dual)	3075
Pressure corresponding the max loading, kPa	450



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 1200x500-508 (500/70-20)

## Model: ИД-П 284

*Adjustable pressure  
off-road truck tyre*

Ply rating	16
Load index/Speed index	156F
Thread pattern type	Off-road
Section width, not more than, mm	475
Overall diameter, mm	1185
Speed limit, km/h	80
Loading limit, kg	4000
Pressure corresponding the max loading, kPa	520



Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 1100x400-533 (400/70-21)

## Model: O-47AM

*Adjustable pressure  
off-road truck tyre*

Ply rating	12
Load index/Speed index	145G
Thread pattern type	Universal
Section width, not more than, mm	410
Overall diameter, mm	1120
Speed limit, km/h	90
Loading limit, kg	2900
Pressure corresponding the max loading, kPa	360



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 1220x400-533 (400/85-21)

## Model: ИП-184

*Adjustable pressure  
off-road truck tyre*

Ply rating	10
Load index/Speed index	142G
Thread pattern type	Off-road
Section width, not more than, mm	418
Overall diameter, mm	1200
Speed limit, km/h	90
Loading limit, kg	2650
Pressure corresponding the max loading, kPa	340



**UkrTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**

tel/fax: +421 908 559 130

e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 15.00-21

## Model: MP-913

**Special  
adjustable pressure tyre  
for off-road trucks**

Ply rating	12
Load index/Speed index	161F
Thread pattern type	Off-road
Section width, not more than, mm	430
Overall diameter, mm	1308
Speed limit, km/h	80
Loading limit, kg	4625
Pressure corresponding the max loading, kPa	600



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 1300x530-533 (530/70-21)

## Model: ВИ-3

*Adjustable pressure  
off-road truck tyre*

Ply rating	12
Load index/Speed index	156F
Thread pattern type	Off-road
Section width, not more than, mm	525
Overall diameter, mm	1280
Speed limit, km/h	80
Loading limit, kg	4000
Pressure corresponding the max loading, kPa	390



**UkrTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 1350x550-533R (550/75R21)

## Model: ИД-370

***Adjustable pressure  
off-road truck tyre***

Load index	160/162/164
Speed index	G/F/E
Thread pattern type	Off-road
Section width, not more than, mm	550
Overall diameter, mm	1350
Speed limit, km/h	90/80/70
Loading limit, kg	4500/4750/5000
Pressure corresponding the max loading, kPa	540/560/590



**UkrTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 1350x550-533R (550/75R21)

## Model: ИД-370

***Adjustable pressure  
off-road truck tyre***

Load index/Speed index	172D
Thread pattern type	Off-road
Section width, not more than, mm	550
Overall diameter, mm	1350
Speed limit, km/h	65
Loading limit, kg	6300
Pressure corresponding the max loading, kPa	785

**REINFORCED**



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 18.00-25

## Model: ВФ-76Б

*Off-road  
mining truck tyre*

Ply rating	32
Load index/Speed index	183B
Thread pattern type	E-3 (carrer)
Section width, not more than, mm	498
Overall diameter, mm	1615
Speed limit, km/h	50
Loading limit, kg	8750
Pressure corresponding the max loading, kPa	575



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 21.00-33

## Model: ВФ-166А

*Off-road  
mining truck tyre*

Ply rating	32
Load index/Speed index	195B
Thread pattern type	E-3 (carrer)
Section width, not more than, mm	571
Overall diameter, mm	1940
Speed limit, km/h	50
Loading limit, kg	12150
Pressure corresponding the max loading, kPa	575



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 5.00-10

## Model: DT-48

*Agricultural tyre  
for additional equipment  
and small tractors*

Load index/Speed index	70A6
Thread pattern type	Universal
Section width, not more than, mm	145
Overall diameter, mm	505
Speed limit, km/h	30
Loading limit, kg	335
Pressure corresponding the max loading, kPa	300



### UkrTechProm

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 6L-12

## Model: ST-421

*All-season agricultural tyre  
for mini tractors and  
walk-behind tractors*

Load index/Speed index	44A6
Thread pattern type	Off-road
Section width, not more than, mm	155
Overall diameter, mm	570
Speed limit, km/h	30
Loading limit, kg	160
Pressure corresponding the max loading, kPa	100



Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 500/50R17

## Model: UTP-77

*Low-profile universal tyre  
for carrying wheels of various  
agricultural trailed technics*

Ply rating	14
Load index/Speed index	149A8
Thread pattern type	Universal
Section width, not more than, mm	503
Overall diameter, mm	932
Speed limit, km/h	40
Loading limit, kg	3250
Pressure corresponding the max loading, kPa	350



Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 16.5/70-18

## Model: КФ-97

*All-season tyre for various  
trailed and self-propelled  
agricultural machines*

Ply rating	10
Load index/Speed index	153A6
Thread pattern type	Universal
Section width, not more than, mm	425
Overall diameter, mm	1065
Speed limit, km/h	30
Loading limit, kg	3650
Pressure corresponding the max loading, kPa	410



Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 9.00-20 (240-508)

## Model: UTP-223

*Tyre for tractors' steering wheels and agricultural machines' carrying wheels*

Ply rating	6
Load index/Speed index	112A6
Thread pattern type	Universal
Section width, not more than, mm	234
Overall diameter, mm	930
Speed limit, km/h	30
Loading limit, kg	1120
Pressure corresponding the max loading, kPa	260



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 21.3R24 (530R610)

## Model: UTP-14

*Tyre for driving wheels  
of tractors and agricultural  
machines*

Ply rating	10/12
Load index/Speed index	140A6/150B
Thread pattern type	Off-road
Section width, not more than, mm	540
Overall diameter, mm	1400
Speed limit, km/h	30/50
Loading limit, kg	2500/3350
Pressure corresponding the max loading, kPa	160/240



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 28.1-25 (720-635)

## Model: ДФ-16А

*All-season agricultural tyre  
for tractors' driving wheels*

Ply rating	22
Load index/Speed index	185B
Thread pattern type	Off-road
Section width, not more than, mm	710
Overall diameter, mm	1730
Speed limit, km/h	50
Loading limit, kg	9250
Pressure corresponding the max loading, kPa	360



Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 23.1R26

## Model: Φ-37

*Radial tyre for driving  
wheels of tractors  
and combines*

Ply rating	10/12
Load index/Speed index	148A8/153A8
Section width, not more than, mm	587
Overall diameter, mm	1605
Speed limit, km/h	40
Loading limit, kg	3150/3650
Pressure corresponding the max loading, kPa	120/160



**UkrTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 9.5R32/42

## Model: Φ-268/289

*Low-profile all-season  
tyre for agricultural  
machinery*

Size	9.5R32	9.5R42
Model	Φ-268	Φ-289
Load index/Speed index	112A8	118A6
Thread pattern type	Off-road	
Section width, not more than, mm	241	
Overall diameter, mm	1245	1500
Speed limit, km/h	40	30
Loading limit, kg	1120	1320
Pressure corresponding the max loading, kPa	160	240



Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 30.5LR32

## Model: DN-101

*Low-profile agricultural tyre  
for combines' driving wheel*

Load index/Speed index	167A8
Thread pattern type	Off-road
Section width, not more than, mm	775
Overall diameter, mm	1820
Speed limit, km/h	40
Loading limit, kg	5450
Pressure corresponding the max loading, kPa	160



Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - AUTOMIR s.r.o.  
tel/fax: +421 908 559 130  
e-mail: sroautomir@gmail.com

# 15.5R38

## Model: Д2А

***Radial tire for driving wheels  
of tractors and other agricultural  
machines***

Load index/Speed index	134A8
Thread pattern type	Off-road
Section width, not more than, mm	394
Overall diameter, mm	1570
Speed limit, km/h	40
Loading limit, kg	2120
Pressure corresponding the max loading, kPa	160



**UkrTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «UkrTechProm»,  
and the logo of the «Ukrtechprom» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)

# 9.5R44/48

## Model: DE-16/17

*Low-profile all-season tyre  
for agricultural machinery*

Size	9.5R44	9.5R48
Model	DE-16	DE-17
Load index/Speed index	127A8	129A8
Thread pattern type	Off-road	
Section width, not more than, mm	241	
Overall diameter, mm	1550	1650
Speed limit, km/h	40	40
Loading limit, kg	1750	1850
Pressure corresponding the max loading, kPa	330	320



**SuperTechProm**

Tyres are manufactured under our own brand.  
It has sidewall markings «SuperTechProm»,  
and the logo of the «UkrTechProm» corporation

Sole agent - **AUTOMIR s.r.o.**  
tel/fax: +421 908 559 130  
e-mail: [sroautomir@gmail.com](mailto:sroautomir@gmail.com)