sep rastrigin d10 i1 — what the agent chose, and when



Boundaries: evaluator snapshots of prospective decisions; method changes inside a block stay in that block.
Agent: one fresh run, 1,964/2,000 evaluations; GPT-6 Astra, max reasoning. Baselines: seed means (10 stochastic / 1 deterministic); 2,000-evaluation allowance.
Regret ≤ 10^{-12} is shown at 10^{-12}; early-stopped baseline incumbents are carried forward.

Block decisions

1. cma_es
   161 calls · evaluations 1–161
2. cma_es
   192 calls · evaluations 162–353
3. bobyqa_local
   160 calls · evaluations 354–513
4. bobyqa_local
   48 calls · evaluations 514–561
5. bobyqa_restart
   100 calls · evaluations 562–661
6. coordinate_probe
   55 calls · evaluations 662–716
7. coordinate_scan
   181 calls · evaluations 717–897
8. coordinate_scan
   269 calls · evaluations 898–1166
9. coordinate_scan
   237 calls · evaluations 1167–1403
10. coordinate_scan
    312 calls · evaluations 1404–1715
11. coordinate_scan
    152 calls · evaluations 1716–1867
12. coordinate_valley_audit
    55 calls · evaluations 1868–1922
13. central_difference_refine
    21 calls · evaluations 1923–1943
14. central_difference_refine
    21 calls · evaluations 1944–1964