


Fallback matrix

Can every rich-layout promise be falsified by a visible fallback case?

task-explainer≥42rem · ≤2 lines · exactly 6 recipe roles

task-explainer

Task anatomy



- 1 Open task – applies to “[]”.
- 2 Stable ID – applies to “CLI-042”.
- 3 Description – applies to the title and detail line.
- 4 Tag – applies to “#cli”.
- 5 Priority – applies to “!high”.
- 6 Dependency – CLI-042 depends on “@blocked_by:CLI-041”.

PLAN
task-explainer@1 · 6 targets · 6 labels · 6 relations · 7 gestures

TOPOLOGY
linear paged flow

CANDIDATE ENVELOPE
≥42rem · ≤2 lines · exactly 6 recipe roles

FALLBACK
fragmented media never uses rich geometry

CONNECTORS
omitted; legend carries all meaning

DOM ORDER
caption → canonical source → complete legend

mdtask-terminal≥42rem · 3 command groups · 7 task rows · ≤59 ASCII columns

```

$ mdtask list ①
[ ] AUTH-004 ⑤ Add passwordless magic-link login !high ④
[ ] AUTH-005 ⑤ Rate-limit the magic-link @blocked_by:AUTH-004 ⑤

$ mdtask list --all ②
[x] AUTH-001 ⑥ Add email and password login
[x] AUTH-003 ⑥ Rotate refresh tokens on every use
[ ] AUTH-004 ⑤ Add passwordless magic-link login !high ④
[ ] AUTH-005 ⑤ Rate-limit the magic-link @blocked_by:AUTH-004 ⑤

$ mdtask view AUTH-005 ③
docs/specs/auth.md:42 ⑦
[ ] AUTH-005 ⑤ Rate-limit the magic-link @blocked_by:AUTH-004 ⑤
Cap requests per email and per IP once the endpoint exists. ⑧

```

- ① Active-list command — applies to “\$ mdtask list”.
- ② All-task command — applies to “\$ mdtask list -all”.
- ③ Detail command — applies to “\$ mdtask view AUTH-005”.
- ④ High priority — applies to both “!high” occurrences.
- ⑤ Dependency — AUTH-005 is blocked by AUTH-004 in every listed view.
- ⑥ Completed tasks — applies to AUTH-001 and AUTH-003.
- ⑦ Source location — applies to “docs/specs/auth.md:42”.
- ⑧ Description — applies to the request-cap sentence in the detail view.

PLAN

mdtask-terminal@1 · 11 targets · 8 labels · 8 relations · 9 gestures

TOPOLOGY

linear paged flow

CANDIDATE ENVELOPE

≥42rem · 3 command groups · 7 task rows · ≤59 ASCII columns

FALLBACK

fragmented media never uses rich geometry

CONNECTORS

omitted; legend carries all meaning

DOM ORDER

caption → canonical source → complete legend

status-change

Specification status change

BEFORE

Code is shipped and the task is closed, but the spec is stale. (1,3)

AFTER

Spec updated in the same commit :) (2,3)

VERDICT

The implementation and its specification now ship together. (4)

- ① Before — the shipped implementation has a stale specification.
- ② After — the specification is updated in the same commit.
- ③ Change — the stale specification changes to the updated specification.
- ④ Positive verdict — implementation and specification ship together.

PLAN

status-change@1 · 3 targets · 4 labels · 4 relations · 4 gestures

TOPOLOGY

linear paged flow

CANDIDATE ENVELOPE

≥ 64rem · exactly 2 panels · exactly 1 factual verdict

FALLBACK

fragmented media never uses rich geometry

CONNECTORS

omitted; legend carries all meaning

DOM ORDER

caption → canonical source → complete legend