

Daylesford Automotive Repairs , +61353484558  
Fact.51/ 37-39 East Street , VIC , DAYLESFORD , 3460


**Holden Commodore**

LEO (VIN 8 = B)/3.6 (VZ) (04-07)


**Daylesford Automotive Repairs ,**  
**+61353484558**

- A16 ABS control module
- 30 Battery +
- 31 Battery -
- S13 Brake pedal position (BPP) switch
- CAN-H Controller area network (data bus) high
- CAN-H Controller area network (data bus) high
- CAN-H Controller area network (data bus) high
- CAN-H Controller area network (data bus) high
- CAN-H Controller area network (data bus) high
- CAN-H Controller area network (data bus) high
- CAN-L Controller area network (data bus) low
- CAN-L Controller area network (data bus) low
- CAN-L Controller area network (data bus) low
- CAN-L Controller area network (data bus) low
- CAN-L Controller area network (data bus) low
- X1 Data link connector (DLC)
- A35 Engine control module (ECM)
- F5
- F8
- F29
- F102
- F104
- F105
- X28-I Fuse box/relay plate 1
- X28-II Fuse box/relay plate 2
- K79 Ignition main circuits relay
- X Ignition switch - accessories
- 15 Ignition switch - ignition ON
- A5 Instrument panel
- A226 Interface control module
- A11 Multifunction control module
- B106 Steering position sensor
- A57 Transmission control module (TCM)
- S253 Transmission mode selection switch
- S249 Transmission range (TR) switch
- Y117 Transmission valve block
- VAN Vehicle area network (data bus)
- VAN Vehicle area network (data bus)

- B33 Vehicle speed sensor (VSS)



bl = blue	br = brown	dbl = dark blue
dgn = dark green	el = beige	ge = yellow
gn = green	gr = grey	nf = clear
og = orange	rs = pink	rt = red
sr = silver	sw = black	vi = violet
ws = white	hbl = light blue	hgn = light green

 rbr = maroon      x = braided cable      y = high tension  
z = non-cable connection

NOTE: In certain diagrams (Citroen, Peugeot & Renault), colour codes are replaced by numbers which are used to identify a particular cable and not the colour. In this instance, the cables will be numbered at each end close to the harness connector.

©Copyright and database rights: Autodata Limited 1972-2026.