

codeconventions of blobby volley 2

the blobby volley developers

April 9, 2012

1 Structure of files

Every .cpp .h file has the following format:

```
/*=====
Blobby Volley 2
Copyright (C) 2006 Jonathan Sieber (jonathan_sieber@yahoo.de)
Copyright (C) 2006 Daniel Knobe (daniel-knobe@web.de)

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
=====*/

/* header include */

/* includes */

/* implementation */
```

1.1 Includes

Includes are to be sorted by library. They should occur in the following order:

- Stdlib
- Boost
- Other 3rd party libraries we use (for Example: lua, tinyxml, raknet, SDL)
- Blobby

1.2 Coding Style

This section describes the coding style. If you think something is missing just add it.

1.2.1 Common

- Opening curly braces are placed in a new line
- The left indentation should be done by tabs, the rest by spaces
- Do not write more than one statement into one source line

- Use smart pointers when ever possible
- Code should be gcc 4.6 compatible
- Don't use the deprecated exception handling of older c++ versions

1.2.2 Classes

- Member variables are to be prefixed with m
- Members occur in the following order: public, protected, private
- For big classes, it might be a good idea to group member functions into different categories
- Initialize members by constructors initphase whenever possible

1.3 Namespaces

TODO

2 Things you should not do

Every contribution with this attributes will be rejected.

2.1 Pattern

The following patterns are not allowed to use:

- Singleton (http://en.wikipedia.org/wiki/Singleton_pattern)

3 Stuff that must be integrated in this file correctly

TODO: - Write a more detailed code-convention document - Write a latex file instead of a textfile - Detailed desription of every section needed

Following files implement the convention: - RenderManagerSDL.cpp - RenderManagerGL2D.cpp - UserConfig.cpp - TextManager.cpp - SpeedController.cpp - SoundManager.cpp - ScriptedInputSource.cpp - ReplayRecorder.cpp - ReplayPlayer.cpp - RenderManagerGP2X.cpp - RenderManager.cpp - Player.cpp - PhysicWorld.cpp - NetworkMessage.cpp
 TODO: - all .cpp in subfolder - src folder a - NetworkGame.cpp - ReplayLoader.cpp