

# Gmail Style UI/UX Demo (Safe Educational Version)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>UI/UX Gmail Demo</title>

  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
      font-family: Arial, Helvetica, sans-serif;
    }

    body {
      background: #f1f3f4;
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      padding: 20px;
    }

    .container {
      width: 100%;
      max-width: 900px;
      background: #fff;
      border-radius: 20px;
      overflow: hidden;
      box-shadow: 0 10px 30px rgba(0,0,0,0.1);
      display: grid;
      grid-template-columns: 1fr 1fr;
    }

    .left {
      background: linear-gradient(135deg, #4285f4, #34a853);
      color: white;
      padding: 50px;
      display: flex;
      flex-direction: column;
      justify-content: center;
    }
```

```

.left h1 {
  font-size: 42px;
  margin-bottom: 20px;
}

.left p {
  font-size: 16px;
  line-height: 1.7;
  opacity: 0.95;
}

.right {
  padding: 50px 40px;
}

.logo {
  font-size: 30px;
  font-weight: bold;
  color: #ea4335;
  margin-bottom: 20px;
}

.logo span:nth-child(2) { color: #4285f4; }
.logo span:nth-child(3) { color: #fbbc05; }
.logo span:nth-child(4) { color: #34a853; }
.logo span:nth-child(5) { color: #ea4335; }

.tabs {
  display: flex;
  margin-bottom: 30px;
  gap: 10px;
}

.tab-btn {
  flex: 1;
  padding: 12px;
  border: none;
  border-radius: 10px;
  cursor: pointer;
  background: #e8eaed;
  font-weight: bold;
  transition: 0.3s;
}

.tab-btn.active {
  background: #4285f4;
  color: white;
}

```

```

}

form {
  display: none;
  animation: fade 0.3s ease;
}

form.active {
  display: block;
}

@keyframes fade {
  from {
    opacity: 0;
    transform: translateY(10px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

.input-group {
  margin-bottom: 20px;
}

.input-group label {
  display: block;
  margin-bottom: 8px;
  color: #444;
  font-size: 14px;
}

.input-group input {
  width: 100%;
  padding: 14px;
  border: 1px solid #ccc;
  border-radius: 10px;
  font-size: 15px;
  outline: none;
  transition: 0.3s;
}

.input-group input:focus {
  border-color: #4285f4;
  box-shadow: 0 0 0 3px rgba(66,133,244,0.15);
}

```

```

.btn {
  width: 100%;
  padding: 14px;
  border: none;
  border-radius: 10px;
  background: #4285f4;
  color: white;
  font-size: 16px;
  font-weight: bold;
  cursor: pointer;
  transition: 0.3s;
}

.btn:hover {
  background: #3367d6;
}

.demo-note {
  margin-top: 20px;
  padding: 12px;
  border-radius: 10px;
  background: #f8f9fa;
  font-size: 13px;
  color: #555;
  line-height: 1.6;
}

@media(max-width: 768px) {
  .container {
    grid-template-columns: 1fr;
  }

  .left {
    padding: 35px;
  }

  .right {
    padding: 35px 25px;
  }

  .left h1 {
    font-size: 30px;
  }
}
</style>
</head>
<body>

```

```

<div class="container">

  <div class="left">
    <h1>UI/UX Gmail Demo</h1>
    <p>
      This is a frontend educational demo inspired by a modern Gmail-style
      sign in and sign up interface. It is designed strictly for UI/UX
      teaching, form layout practice, spacing, responsiveness, typography,
      and interaction design lessons.
    </p>
  </div>

  <div class="right">

    <div class="logo">
      <span>G</span><span>m</span><span>a</span><span>i</span><span>l</span>
    </div>

    <div class="tabs">
      <button class="tab-btn active" onclick="showForm('signin')">
        Sign In
      </button>

      <button class="tab-btn" onclick="showForm('signup')">
        Sign Up
      </button>
    </div>

    <!-- SIGN IN -->
    <form id="signin" class="active">

      <div class="input-group">
        <label>Email Address</label>
        <input type="email" placeholder="Enter your email" required>
      </div>

      <div class="input-group">
        <label>Password</label>
        <input type="password" placeholder="Enter your password" required>
      </div>

      <button type="submit" class="btn">Sign In</button>
    </form>

    <!-- SIGN UP -->
    <form id="signup">

      <div class="input-group">

```

```

    <label>Full Name</label>
    <input type="text" placeholder="Enter your full name" required>
  </div>

  <div class="input-group">
    <label>Email Address</label>
    <input type="email" placeholder="Enter your email" required>
  </div>

  <div class="input-group">
    <label>Password</label>
    <input type="password" placeholder="Create a password" required>
  </div>

  <button type="submit" class="btn">Create Account</button>
</form>

<div class="demo-note">
  Educational demo only. This project does not collect, store, or send
  passwords or personal data anywhere.
</div>

</div>
</div>

<script>
  const buttons = document.querySelectorAll('.tab-btn');
  const forms = document.querySelectorAll('form');

  function showForm(id) {
    forms.forEach(form => {
      form.classList.remove('active');
    });

    document.getElementById(id).classList.add('active');

    buttons.forEach(btn => {
      btn.classList.remove('active');
    });

    event.target.classList.add('active');
  }

  // Demo only
  document.querySelectorAll('form').forEach(form => {
    form.addEventListener('submit', function(e) {
      e.preventDefault();
    });
  });

```

```
        alert(  
            'Demo submitted successfully!\n\nThis is a frontend-only UI/UX lesson  
demo.'  
        );  
    });  
});  
</script>  
  
</body>  
</html>
```

You can save this as `index.html` and upload it directly to GitHub Pages for your UI/UX lesson demo.