RAKA Meta & Postiz Channel Authentication Guide

Step-by-Step Meta Developer Portal Setup for RAKA's Existing Facebook Page, Instagram Business/Standalone, and Threads Channels

1. Why Meta Returns "Invalid App ID" & Pre-Flight Check for RAKA

Since the **RAKA** (raka.pk) Facebook Page and Instagram account are already created and set up, integrating them into Postiz requires connecting your existing Meta assets to a Meta Developer App and mapping the exact sub-product App IDs into your `.env` file. According to the Postiz Provider API Keys Overview, Meta's **"Invalid App ID"** error happens for three specific reasons:

- **Confusing Meta's Three Different App IDs:** Inside a single Meta Developer App, Meta generates **three completely different App IDs and App Secrets**. If you paste the top-level Meta App ID (from *App Settings → Basic*) into `INSTAGRAM_APP_ID` or `THREADS_APP_ID`, Instagram Standalone and Threads will immediately reject the login with *"Invalid App ID"*.
- **Selecting the Wrong Instagram Channel Option in Postiz:** Postiz has two separate Instagram buttons in the **Add Channel** modal (Postiz Instagram Documentation):
  - **Instagram (Facebook Business):** Uses `FACEBOOK_APP_ID` and `FACEBOOK_APP_SECRET`. Choose this if RAKA's Instagram Professional account is linked to your existing RAKA Facebook Page inside Meta Business Suite (recommended, as this is the only flow that supports attaching audio/music to Reels).
  - **Instagram (Standalone):** Uses `INSTAGRAM_APP_ID` and `INSTAGRAM_APP_SECRET`. Choose this if you want to log in directly with RAKA's Instagram username and password without routing through the RAKA Facebook Page.
- **Unloaded Environment Variables or Missing Two-Factor Authentication (2FA):** Postiz only reads `.env` at startup (Configuration Reference), and Meta Business Portfolio requires **Two-Factor Authentication (2FA)** enabled on your personal Facebook admin account before allowing you to attach a Business Portfolio or create a Threads API app.

RAKA Channel in Postiz UI	Postiz .env Variable Pair	Exact Location in Meta Developer Portal	OAuth Redirect URI (Port 4200)
Facebook Page (RAKA Brand Page)	`FACEBOOK_APP_ID` `FACEBOOK_APP_SECRET`	Left Sidebar: **App settings → Basic** (Top-level *App ID* & *App secret*)	`http://localhost:4200/integrations/social/facebook`

RAKA Channel in Postiz UI	Postiz .env Variable Pair	Exact Location in Meta Developer Portal	OAuth Redirect URI (Port 4200)
Instagram (FB Business) (Linked to RAKA FB Page)	`FACEBOOK_APP_ID` `FACEBOOK_APP_SECRET`	Left Sidebar: **App settings → Basic** (Shares the exact same top-level ID as Facebook)	`http://localhost:4200/integrations/social/instagram`
Instagram (Standalone) (Direct IG Login)	`INSTAGRAM_APP_ID` `INSTAGRAM_APP_SECRET`	Left Sidebar: **Instagram → API setup with Instagram business login** (*Instagram App ID* & *Secret*)	`http://localhost:4200/integrations/social/instagram-standalone`
Threads (RAKA Threads Profile)	`THREADS_APP_ID` `THREADS_APP_SECRET`	Left Sidebar: **Use cases → Access the Threads API → Settings** (*Threads App ID* & 32-char *Secret*)	`http://localhost:4200/integrations/social/threads`

2. Step-by-Step: RAKA Facebook Page & Instagram (Facebook Business)

Because your RAKA Facebook Page is already created, you do not need to create a new page. You only need to verify that your RAKA Instagram account is linked to the RAKA Facebook Page and register one Meta Business App that covers both channels (Postiz Facebook Setup & Instagram Setup).

Step 2.1: Confirm RAKA Page & Instagram Link in Meta Business Suite

1. Open Meta Business Suite Settings for RAKA.

2. Under **Accounts → Pages**, confirm the existing **RAKA** Facebook Page is listed and your admin account has full control (**Everything / Manage Page**).
3. Under **Accounts → Instagram accounts**, confirm RAKA's Instagram account is set to a **Professional (Business or Creator)** account and is connected to the RAKA Facebook Page.
4. Under **Security Center**, ensure **Two-Factor Authentication (2FA)** is turned ON for your Facebook user profile.

Step 2.2: Create the RAKA Meta Business App

1. Go to Meta for Developers (My Apps) and click **Create App**.
2. **Select Business Portfolio:** Choose RAKA's Business Portfolio from the dropdown and click **Next**.
3. **Select Use Case (Critical):** On the *"Add use cases"* screen, click the **All** filter on the left sidebar. Do **not** check any of the pre-filtered boxes; instead, scroll all the way to the bottom under *"Looking for something else?"*, select **Other**, and click **Next**.
4. **Select App Type:** Select **Business** as the app type and click **Next**.
5. **App Details:**
   - **App name:** `RAKA Social Publishing` (or `RAKA Postiz`)
   - **App contact email:** Your RAKA admin email
   - **Business portfolio:** Select RAKA's Business Portfolio

   Click **Create app**.

Step 2.3: Set Up "Facebook Login for Business" & Redirect URIs

1. Inside your new app dashboard, locate **Facebook Login for Business** under *Add products to your app* and click **Set up**.
2. In the left sidebar, click **Facebook Login for Business → Settings**.
3. Confirm that **Client OAuth login** and **Web OAuth login** are both toggled to **Yes**.
4. Locate the **Valid OAuth Redirect URIs** field and add **both** the Facebook and Instagram Business callback URLs (matching your `FRONTEND_URL`):

   ```
   http://localhost:4200/integrations/social/facebook
   http://localhost:4200/integrations/social/instagram
   ```

   (If you run Postiz via Docker on port 5000, also add `http://localhost:5000/integrations/social/facebook` and `http://localhost:5000/integrations/social/instagram`; if hosted on a live RAKA subdomain, add `https://social.raka.pk/integrations/social/facebook` and `https://social.raka.pk/integrations/social/instagram`). Click **Save changes** at the bottom right.

Step 2.4: Configure Permissions, Privacy Policy URL & "Live" Mode

1. **Verify Permissions:** Navigate to **App Review → Permissions and Features** in the left sidebar. For RAKA's own admin/developer accounts, Meta grants automatic access to your own RAKA Page and Instagram account. If other team members who are not listed in *App Roles* need to connect accounts, request Advanced Access for:
   - **Facebook Page Scopes:** `pages_show_list`, `business_management`, `pages_manage_posts`, `pages_manage_engagement`, `pages_read_engagement`, `read_insights`
   - **Instagram Business Scopes:** `instagram_basic`, `instagram_content_publish`, `instagram_manage_comments`, `instagram_manage_insights`
2. **Add RAKA Domain & Privacy Policy URL (Required for Live Mode):** In the left sidebar, open **App settings → Basic** and fill in:
   - **App domains:** `raka.pk` (and `localhost` for local testing)

- **Privacy Policy URL:** `https://raka.pk/policies/privacy-policy` (or your active privacy policy page on raka.pk)
- **Terms of Service URL:** `https://raka.pk/policies/terms-of-service`
- **Category:** Choose *Business and Pages*

Click **Save changes**.

3. **Switch App Mode to Live (Critical):** At the top bar of the Meta dashboard, toggle **App Mode** from **Development** to **Live**. As warned in the Postiz Facebook Troubleshooting Guide, if your app remains in Development mode, posts published via Postiz will appear **missing their images** or remain completely hidden from public followers on RAKA's Facebook Page.

Step 2.5: Extract FACEBOOK_APP_ID & FACEBOOK_APP_SECRET

1. Stay on **App settings → Basic** in the left sidebar.
2. At the very top of the page, copy the 15–16 digit **App ID**.
3. Click **Show** inside the **App secret** box, enter your Facebook password if prompted, and copy the 32-character secret.
4. Paste both values into your Postiz `.env` file:

```
FACEBOOK_APP_ID="your_meta_basic_settings_app_id"
FACEBOOK_APP_SECRET="your_meta_basic_settings_app_secret"
```

---

3. Step-by-Step: RAKA Instagram (Standalone) — Direct Instagram Login

Use this setup if you want to connect RAKA's Instagram account via the **Instagram (Standalone)** button in Postiz (Postiz Instagram Standalone Guide). You can configure this inside the **exact same Meta Business App** you created in Section 2—no second app is required.

Step 3.1: Add the "Instagram" Product & Business Login

1. Open your RAKA Meta App dashboard at Meta for Developers.
2. In the left sidebar, click **Add Product** (or scroll down the main Dashboard to *Add products to your app*), find **Instagram**, and click **Set up**.
3. In the left sidebar under **Instagram**, click **API setup with Instagram business login**.
4. Under **Step 2: Set up Instagram business login**, click the **Set up** button.

Step 3.2: Configure the Standalone OAuth Redirect URI

1. In the *Configure Business Login settings* modal (or under *Set up Instagram business login → Business login settings*), locate the **OAuth Redirect URIs** box.
2. Enter the exact Postiz standalone callback URL (note the `-standalone` suffix):

```
http://localhost:4200/integrations/social/instagram-standalone
```

(For Docker port 5000, use `http://localhost:5000/integrations/social/instagram-standalone`; for production, use `https://your-postiz-domain.com/integrations/social/instagram-standalone`).

3. Click **Save**.

Step 3.3: Copy the Dedicated Instagram App ID & Secret (Bypasses "Invalid App ID")

1. Look at the top of the **Instagram → API setup with Instagram business login** page (under *Step 1: View Instagram App ID and secret* or inside the Business login settings header).
2. Notice that Meta displays an **Instagram App ID** and **Instagram App Secret** that are **completely different numbers** from the top-level App ID in *App settings → Basic*.
3. Copy this specific **Instagram App ID** and click **Show** to copy the **Instagram App Secret**.
4. Paste them into your Postiz `.env` file:

```
INSTAGRAM_APP_ID="your_instagram_login_specific_app_id"
INSTAGRAM_APP_SECRET="your_instagram_login_specific_app_secret"
```

Step 3.4: Add RAKA's Instagram Handle as an "Instagram Tester"

Until your app passes full Meta App Review, attempting to connect RAKA's Instagram account via Standalone login will fail with an `Insufficient developer role` error unless you complete this tester handshake:

1. In your Meta App left sidebar, go to **App roles → Roles**.
2. Click **Add People** (or scroll to the **Instagram Testers** section and click **Add Instagram Testers**).
3. Select the **Instagram Tester** role, type RAKA's exact Instagram handle, and click **Add**.
4. Log into RAKA's Instagram account on desktop (instagram.com) or the Instagram mobile app, navigate to **Settings and activity → Website permissions → Apps and websites → Tester Invites**, and click **Accept**.

---

4. Step-by-Step: RAKA Threads Channel Setup

As documented in the Postiz Threads Guide, Threads uses Meta's newer Use Cases architecture. While you can add the Threads use case or create a dedicated Threads app in Meta for Developers, creating a dedicated app for Threads is the cleanest path.

Step 4.1: Create App with "Access the Threads API" Use Case

1. In Meta for Developers, click **Create App**.
2. Give the app a name (e.g., `RAKA Threads Publishing`) and contact email.
3. On the **Add use cases** screen, select **Access the Threads API** and click **Next**.
4. Select RAKA's **Business Portfolio** (or skip if prompted; if Meta blocks you with *"There are no business portfolios available to connect to this app"*, verify that 2FA is enabled in your Meta Business Suite settings) and click **Create app**.

Step 4.2: Enable Threads Scopes & Callback URLs

1. On the App Dashboard, click **Access the Threads API** (under *Customize this app*).
2. Under **Permissions**, confirm `threads_basic` is active and click **Add** next to `threads_content_publish`.
3. Click the **Settings** tab inside the *Access the Threads API* section.
4. Fill in all three callback URL fields using your Postiz Threads redirect URI:
   - **Redirect Callback URLs:** `http://localhost:4200/integrations/social/threads`
   - **Uninstall Callback URL:** `http://localhost:4200/integrations/social/threads`
   - **Delete Callback URL:** `http://localhost:4200/integrations/social/threads`

Crucial UI Quirk: After typing or pasting the URL into the Redirect Callback URLs box, you **must click the dropdown pill/suggestion** that appears directly underneath the input field so the URL turns into an active tag. Additionally, Meta will refuse to save the form if Uninstall and Delete Callback URLs are left empty.

5. Click **Save changes** at the bottom of the Settings tab.

Step 4.3: Copy THREADS_APP_ID & 32-Character THREADS_APP_SECRET

1. At the top of that same **Access the Threads API → Settings** tab, locate **Threads App ID** and **Threads App Secret** (do *not* copy the main App ID from *App settings → Basic*).
2. Copy the **Threads App ID** and assign it to `THREADS_APP_ID`.
3. Click **Show** next to **Threads App Secret**. *Warning:* The input box is narrow and visually truncates the string—click inside the box, press `Ctrl+A` (or `Cmd+A`) to highlight the entire value, and verify that the copied secret is **exactly 32 characters long**.
4. Return to the main **Dashboard** tab in the left sidebar, click **Finish customization**, and select **Yes I'm finished**. The Threads API will not activate until this wizard step is marked complete.

Step 4.4: Add RAKA's Threads Account as a "Threads Tester"

1. In the left sidebar of your Threads Meta App, go to **App roles → Roles**.
2. Select the **Testers** tab and click **Add People**.
3. Under *Additional Roles for this App*, choose **Threads Tester**, enter RAKA's Threads username (matching your RAKA Instagram handle), and click **Add**.
4. Open threads.com logged into RAKA's Threads profile, go to **Settings → Account → Website permissions → Invites**, and click **Accept** on the pending app invitation.

---

5. Complete Postiz .env File for RAKA & Final Connection Checklist

Update your Postiz `.env` file with the exact structure below. Make sure there are no unescaped spaces and that each variable uses the specific sub-app ID described above:

```
# Configuration reference: https://docs.postiz.com/self-host/configuration/reference

# === Required Settings
DATABASE_URL="postgresql://postiz-user:postiz-password@localhost:5432/postiz-db-local"
REDIS_URL="redis://localhost:6379"
JWT_SECRET="random string for your JWT secret, make it long"

# === This needs to be exactly the URL you're accessing Postiz on
FRONTEND_URL="http://localhost:4200"
NEXT_PUBLIC_BACKEND_URL="http://localhost:3000"
BACKEND_INTERNAL_URL="http://localhost:3000"

STORAGE_PROVIDER="local"

# ==============================================================================
# 3. FACEBOOK PAGE & INSTAGRAM BUSINESS — Top-level Meta App ID & Secret
#    Source: Meta App Dashboard -> App settings -> Basic
#    Redirect URIs:
#      http://localhost:4200/integrations/social/facebook
#      http://localhost:4200/integrations/social/instagram
# ==============================================================================
FACEBOOK_APP_ID="your_meta_basic_settings_app_id"
FACEBOOK_APP_SECRET="your_meta_basic_settings_app_secret"
```

```
# ============================================================================
# 4. INSTAGRAM STANDALONE — Sub-App ID from "Instagram -> API setup" tab
#    Source: Meta App Dashboard -> Instagram -> API setup with business login
#    Redirect URI:
#      http://localhost:4200/integrations/social/instagram-standalone
# ============================================================================
INSTAGRAM_APP_ID="your_instagram_login_specific_app_id"
INSTAGRAM_APP_SECRET="your_instagram_login_specific_app_secret"

# ============================================================================
# 5. THREADS — Sub-App ID from "Access the Threads API -> Settings" tab
#    Source: Meta App Dashboard -> Use cases -> Access the Threads API -> Settings
#    Redirect URI:
#      http://localhost:4200/integrations/social/threads
# ============================================================================
THREADS_APP_ID="your_threads_specific_app_id"
THREADS_APP_SECRET="your_threads_specific_app_secret"
```

Final Integration Sequence in Postiz

1. **Restart Postiz:** Stop and restart your Postiz backend/containers (`docker compose down && docker compose up -d` or restart your local Node process) so `FACEBOOK_APP_ID`, `INSTAGRAM_APP_ID`, and `THREADS_APP_ID` load into memory. Confirm that **Threads** now appears in the **Add Channel** modal.
2. **Connect RAKA Facebook Page:** Click **Add Channel → Facebook**, authorize with your Facebook admin profile, select your existing **RAKA** Business Portfolio and **RAKA** Facebook Page when prompted by Facebook Login for Business, and save.
3. **Connect RAKA Instagram:**
   - If connecting via the RAKA Facebook Page link (supports Reel audio), click **Add Channel → Instagram (Facebook Business)**, select the RAKA Page and linked Instagram account, and save.
   - If connecting directly without Facebook Page routing, click **Add Channel → Instagram (Standalone)** and log in directly with RAKA's Instagram credentials (after accepting the Instagram Tester invite).
4. **Connect RAKA Threads:** Confirm you accepted the tester invite on threads.com, then click **Add Channel → Threads** and authorize RAKA's Threads account.