Program: BS-Data Science

Operating System – Lab 05

Linux File & Directory Permissions

- 1. Create a directory bsseA _permission_test in /home/[username] directory.
- 2. Cd into bsseA permission test.

```
s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm:~$ pwd
/home/s21-ds-maimoona

s21-ds-maimoona@tamleek-vm:~$ mkdir bsseA_permission_test

s21-ds-maimoona@tamleek-vm:~$ cd bsseA_permission_test
```

- 3. Create a file data.txt using following command:
 - a. echo "This is a test file to inspect and modify permissions" > data.txt
- 4. Check the content of data.txt using following command:
 - a. cat data.txt

🧬 s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test\$ echo "This is a test file to inspect and modify permissions" > data.txt s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test\$ cat data.txt This is a test file to inspect and modify permissions

5. create a dirA in pwd using "mkdir dirA" command

```
s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ mkdir dirA
```

6. Check default permissions of dirA and data.txt using Is -I commad

```
s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ ls -1

total 8

-rw-rw-r-- l s21-ds-maimoona s21-ds-maimoona 54 17:05 12 اپريل data.txt

drwxrwxr-x 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 اپريل dirA
```

Program: BS-Data Science

- 7. Change the permission of data.txt using octal digits as
 - a. All users can only read and write [confirm using Is -I]
- s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

```
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ chmod 666 data.txt
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ ls -1
total 8
-rw-rw-rw- l s21-ds-maimoona s21-ds-maimoona 54 17:05 12 اپریل data.txt
drwxrwxr-x 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 اپریل
```

b. Only group can read write and execute [confirm using Is -I]

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

```
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ chmod 070 data.txt
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ ls -1
total 8
----rwx--- 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 اپريل data.txt
drwxrwxr-x 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 اپريل dirA
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$
```

- 8. Change the permission of dirA using octal digits as
 - a. owner can only execute and write & group can read and execute & other can read and write [confirm using Is –I]

```
s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ chmod 356 dirA

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ 1s -1

total 8

----rwx--- 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 ابريل data.txt

d-wxr-xrw- 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12
```

b. Owner and other can read and execute [confirm using Is -I]

```
s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ chmod 505 dirA

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ ls -1

total 8

----rwx--- 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 ابريل data.txt

dr-x---r-x 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 ابريل dirA
```

Program: **BS-Data Science**

- 9. Set permissions of data.txt using symbol to:
 - a. -rw-rw----

```
s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ chmod u=rw, g=rw, o= data.txt

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ ls -1

total 8

-rw-rw---- 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 ابريل data.txt

dr-x---r-x 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 ابريل dirA
```

b. -rwx rwx rwx

```
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ chmod u=rwx,g=rwx,o=rwx data.txt

s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ 1s -1

total 8

-rwxrwxrwx 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 ابريل data.txt

dr-x---rx 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 ابريل
```

c. -rw-rw-rw-

```
s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ chmod u=rw, g=rw, o=rw data.txt

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test$ ls -1

total 8

-rw-rw-rw- 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 إبريل data.txt

dr-x---r-x 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 ابريل
```

- 10. Set permissions of dirA using symbol to:
 - a. -rw-rw---x

Program: BS-Data Science

b. -rwxr-xr-x

s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

```
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ chmod u=rwx,g=rx,o=rx dirA
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ ls -1
rw-rw-r 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 ايريل data.txt
drwxr-xr-x 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 ايريل dirA
```

c. --w-r--rw-



s21-ds-maimoona@tamleek-vm: ~/bsseA_permission_test

```
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ chmod u=w,g=r,o=rw dirA
s21-ds-maimoona@tamleek-vm:~/bsseA_permission_test$ ls -1
-rw-rw-rw- 1 s21-ds-maimoona s21-ds-maimoona 54 17:05 12 ابریل data.txt
d-w-r--rw- 2 s21-ds-maimoona s21-ds-maimoona 4096 17:06 12 ابريل
```