# PIZZA SALES
USING SQL

Hey everyone, I'm Mainak.
So I have solved several
questions regarding pizza sales
using SQL.

Schema

In the schema of pizzahut , it comprises of 4 tables which are extracted from csv files.

Total revenue generated

```sql
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
        2) AS Total_Revenue
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id
```

Identify the most common pizza size ordered

```sql
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28

List the 5 more ordered pizza types with their quantity

```sql
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Total quantity of each pizza category ordered

```sql
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC
LIMIT 5;
```

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

Top 3 pizza type based on revenue

```sql
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue.

```sql
SELECT
    pizza_types.category,
    round(SUM(order_details.quantity * pizzas.price) /(SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS Total_Revenue
    FROM
order_details
join
pizzas on pizzas.pizza_id = order_details.pizza_id)*100,2) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category order by revenue desc;
```

category	revenue
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68