# **Energy Audit Report**

Homeowner(s): Test

Address: 199 Test Rd, Cranberry Isles Maine, 04631

Auditors: Rudy Lukasevics

Contact: mdicommunityenergy@coa.edu, (802) 266-0301

Date: April 14 2025

We conducted an energy assessment of your home on 5/26/2024. This report will tell you what we did, what we found, and what we suggest for your home. These suggestions include information on incentives and financing to make improvements more affordable.



Add here the table of content: in Word go to references and add table of content, in Docs go to the insert and on the bottom add the table of context

# **Summary of your Audit**

# **Visual Inspection and Measurements**

We started with a tour and visual inspection of the inside and outside of the home. We identified any visible damage to the building, moisture control strategies, major appliances, and insulation. We measured square footage and volume of the home, as well as the area of all exterior windows and doors. We used a kill-a-watt meter to measure the electricity use of some appliances. During your audit, we used a carbon monoxide meter to measure the ambient carbon monoxide levels throughout the home.

# Attic

We entered the attic to check for insulation, air sealing, ventilation, and potential hazards such as mold. Additionally, we visually inspected the attic ventilation and any duct and pipework passing through the attic.

### **Basement**

We visually inspected any appliances in the basement and noted insulation levels, moisture, rodents, and any other concerns.

# Blower Door / Air Leakage Test

A blower door test measures the air tightness of a building. We used a specialized fan in an exterior door to generate negative pressure inside your house. The resulting pressure difference between the inside and outside of the house allows us to measure air leakage. To locate the leaks, we used an infrared camera to check for unusually hot and cold spots. We also checked the pressure differences of the rooms to help determine major air leak locations.

# **Combustion Appliance Safety**

We assessed combustion appliances that burn fossil fuels such as propane, heating oil, or kerosene. These include furnaces, boilers, water heaters, and gas ovens. We visually inspected the combustion appliance(s) in your home, but we were unable to perform combustion safety tests. We also performed gas leak detection tests on your propane appliance(s).

# **Summary of Recommendations**

We recommend the following upgrades for your home. Detailed information about these recommendations and financial resources can be found in other sections of this report. These are organized from the least expensive/most cost-effective and easiest interventions to ones that are more challenging to implement.

# What We Found

**Basics** 

Exterior

Interior/Living space


# Blower Door / Air Leakage Test

A blower door test simulates a 20mph wind hitting your house from all sides.

To run the test, we used a large fan in an exterior door to depressurize your house. As air is pulled out through the fan, an equal volume of air is pulled in through all of the gaps, cracks, and air leaks throughout the house. This allows us to determine the volume of air leakage into the house and to locate bigger air leaks.

To find leaks, we used an infrared camera to check for unusually hot and cold spots. We also checked the pressure differences of the rooms to help determine major air leak locations.

Air leaks are a big source of heat gain in warm weather and heat loss in cold weather. They also allow moisture to get into the home. Below are some numbers, pictures, and descriptions explaining what we found.



Recommendations	Description
WindowDressers	WindowDressers insulating window inserts help air-seal
	windows and reduce heat loss and gain.
Gutters	Install gutters and downspouts that divert water at least six
	feet away from the foundation and to where the ground slope
	away from the house.
Furnace/Boiler Tune-up	Have the furnace/boiler and flue inspected and adjusted by a
	licensed professional. This should be available from your fuel
	delivery company.
Induction Stove/Oven	Induction cooking appliances are more efficient and safer than
	electric or gas ones. There is no risk of carbon monoxide or
	other harmful combustion gases, and the surface doesn't heat
-	up without a pot or pan on it.
High-efficiency Shower	Install high-efficiency shower heads to reduce the amount of
Head(s)	water and energy to heat the water used when showering.
Freezer	Replace your freezer with a new, EnergyStar certified freezer.
	Look at the Energy Guide label to compare the energy use of
I ED	new freezers.
LEDs	Switch your light bulbs to LED light bulbs. LEDs use 80% le
	energy than incandescent light bulbs which can significantly
	reduce your electricity bill.
Heat Pump Water Heater	Install a heat pump water heater to provide your hot water for
	cooking and bathing. This is the most efficient way to heat
	water and will save hundreds of dollars a year compared to
	electric resistance, heating oil, or propane hot water. It will
	also help to dehumidify while it's running. If your current
	water heater burns oil or propane, this will also remove a
Defrigerator	source of combustion gases from your home.  Replace your refrigerator with a new, EnergyStar certified
Refrigerator	
	fridge. Look at the Energy Guide label to compare the energy use of new refrigerators.
Bathroom Exhaust Fan(s)	Bathroom exhaust fans should be rated for at least 80 cubic
Datinooni Exhaust Pan(s)	feet per minute (CFM) if there is a shower. We recommend
	Panasonic WhisperQuiet or similar fans that don't create
	excess noise.
Kitchen Exhaust Fan	A kitchen exhaust fan will remove harmful combustion gases
Ruchen Exhaust Fan	from your home and should be rated for at least 100 cubic fee
	per minute (CFM). A fan can also help with moisture concern
Vapor Barrier	Install a vapor barrier on the basement floor to stop moisture
rapor Darrior	from entering the basement and house.
Spray Foam	Install spray foam on the basement/crawlspace walls to
Basement/Crawlspace	prevent moisture infiltration and reduce heat loss.
Walls	
Attic Air Sealing and	Air seal the attic and insulate it to at least R-60 (18" of
Insulation	loose-fill cellulose insulation).
Blown-in Cellulose Wall	Insulate the wall stud cavities with dense packed, blown-in
Insulation	cellulose insulation.
Continuous Exterior Wall	Add a continuous layer of insulation and potentially replace
Insulation	the air and moisture barrier once it becomes time to replace
	the siding

Info	Values
Date Built	1800
Attic	Batts of Fiberglass, 5 inches
Number of floors	1
Square footage of conditioned space	2086
Volume of conditioned space (cubic feet)	17176
Ambient Carbon Monoxide reading (ppm)	0

Info	Values		
Roof age:	10		
Orientation:	Northeast/Southwest		
Roof type:	Asphalt Shinglesin faircondition. Some of the shingles are		
	flipped up but overall fine.		
Moisture control:	Current moisture control strategies: gutters. These were in		
	poor condition .Only on some sides of the building partially.		
Siding:	wood shingles in fair condition. Some of the siding has recently		
	been replaced and some is old with water damage or moss		
	growing on it.		
Exterior doors:	There are 3 insulated wood exterior doors. In fair condition,		
	totaling 53 square feet.		
Exterior windows:	There are 8 single paned wood windows. In fair condition,		
	totaling 54 square feet. Moreover there are 7 double paned		
	wood windows. In fair condition, totaling 81 square feet.		

Info		Values
Walls:		The
		framing
		type of the
		home is
		balloon
		framing,
		which
		means the
		wall cavities
		extend the
		full height
		of the
		building
		(from the
		foundation
		to the roof).
		Often the
		wall cavities
		are inter-
		connected
		with the
		floor and
		ceiling
		cavities.
		This
		framing
		type can create
		connected
		passage-
		ways for air
		to leave the
		house and
		rodents to
		enter the
		house.
		There is
		UN-
		KNOWN
		insulation
		NA inches
	6	thick in NA
	O .	condition.
		NA
Living room:		Two large
		sliding
		doors on
		oither gide

either side

Info	Values	Description
CFM50:	2126	CFM50 describes how many cubic feet per minute of air are leaving the house at 50 pascals of pressure difference (while the blower door is running). For every cubic foot of air that leaves the house, a cubic foot of air enters the house as well. The higher the number, the leakier the house.
ACH50:	7.4	ACH50 tells us how many air changes per hour are taking place in the house at 50 pascals of pressure difference. This value is normalized for the volume of the house and thus allows for comparison between different houses. The higher the number, the leakier the house.
Equivalent leakage area:	212.6 under natural conditions. TEST	This is the area (in square inches) equivalent to all of the air leaks in the house combined.
ACHnatural:	0.4	Accounting for the volume of the home, this means that the house exchanges –% of its air every hour. Over one day, the house goes through – complete air changes.

Using a thermal imaging camera, we looked for major air leakage locations and thermal bridging, where heat is bypassing the insulation. There was evidence of ....

### Attic

### **Basement**

# **Electrical and Mechanical Systems**

# **Energy Bills**

# Recommendations

These recommendations are organized from the least expensive/most cost-effective and easiest interventions to ones that are more challenging to implement.

# Furnace/Boiler Tune up

Problem

# Auditor to describe

Recommendation

Have the furnace/boiler and flue inspected and adjusted by a licensed professional. This should be available from your fuel delivery company.

Estimated Cost/Benefits/Incentives

Test 2 A tune-up can improve the efficiency of your furnace/boiler, confirm that it is exhausting properly, and identify areas of concern before they become urgent. If you have a service contract with your fuel delivery company, an annual tune-up is usually included.

# High efficiency shower head(s)

# Problem

Your shower heads use more water and energy than high-efficiency shower heads, thus costing you more money than necessary. Older shower heads use 2.5 gallons or more every minute, which wastes thousands of gallons of water each year and costs you money for every extra gallon of water heated.

Recommendation

# Info Values Area 2086 (Sq ft): Insulations of type:Fiberglass Insulationally

con-

NA	
IVIL	
Batts of Fiberglass	
PoorThe insulation is along the floor joists however it is on in some parts and is falling out. It is effectively uninsulated	
Appliances not insulated, Ducts/pipes not insulated	
NAin NAcondition. Only on some sides of the building partially.	
NoNA	
There is NANA	
Values	
The electrical panel has and amperage of 200. There are 0 unused breaker spaces. NA	

Install high-efficiency shower heads to reduce the amount of water and energy to heat the water used when showering. Estimated Cost/Benefits/Incentives

A typical family will save  $\sim 10,000$  gallons of water per year and over \$100 per year in water heating costs. We provide these for free and have several styles for you to choose from; contact us for some if we did not give you any during the audit.

# **LEDs**

# Problem

Your lighting uses more energy than LED bulbs would. Halogen and incandescent light bulbs use 5-8x more energy than LEDs. This requires significantly more electricity and costs a lot.

### Recommendation

Switch your light bulbs to LED light bulbs. LEDs use 80% less energy than incandescent light bulbs which can significantly reduce your electricity bill.

# Estimated Cost/Benefits/Incentives

We provide free LED light bulbs; contact us for some if we did not give you any during the audit. Depending on usage, LEDs can save more than \$50 a year.

Type kWh/gallons/cords/tonns Type2 C	ost (USD)
--------------------------------------	-----------

### Window Dressers

### Problem

Your windows are a source of heat loss, reduce your comfort due to cold surface temperatures, and may also cause moisture condensation or frost in the winter.

### Recommendation

 $\label{lem:window} Window Dressers insulating window inserts help air-seal windows and reduce heat loss and gain. \\ \textit{Estimated Cost/Benefits/Incentives}$ 

Insulating window inserts save 5-10% of your heating costs at less than 1/10th the cost of replacement windows. The overall project cost will depend on the number and size of window inserts. Example prices for the 2024 season were: small  $(20 \times 36")$  - \$36 for natural pine frame, \$46 for white; medium  $(30 \times 52")$  - \$50 for natural pine frame, \$64 for white; large  $(44 \times 68")$  - \$67 for natural pine frame, \$88 for white. Adjusted pricing for lower-income households is available from WindowDressers upon request. If plastic is damaged, it can be replaced for \$15.

Households that order inserts are expected to participate in the Community Build where the inserts are made. You can sign up for a 4-hour shift and learn the simple steps in the insert-building process (no previous experience required, no power tools). Each job has "jigs" that make the job easier to do and ensure uniform quality. You will be trained at the beginning of your shift on how to do your task. Volunteering for multiple shifts is encouraged! Mid-shift snacks and a meal are provided to all participants.

If you would like to participate, please contact us so we can discuss how the program works and which windows you'd like inserts for.

# Refrigerator

### Problem

Your refrigerator uses more energy than newer models.

Ideally, the auditor notes the annual energy consumption (kWh) of the existing fridge compared to a new model of similar size

# Recommendation

Replace your refrigerator with a new, EnergyStar certified fridge. Look at the Energy Guide label to compare the energy use of new refrigerators.

# Estimated Cost/Benefits/Incentives

If you are able to afford the upfront cost of purchasing a new refrigerator, you will recoup significant savings in the long run. Whenever you need to buy a new appliance, consider

EnergyStar certified models, which use less energy and are cheaper to run. Remember, it doesn't save energy if you relocate your existing refrigerator to the basement or garage and continue using it.

Ideally, auditor locates similar volume fridge online to calculate monthly savings and payback period compared to kill-a-watt meter reading for current refrigerator. "This example refrigerator would save \$XX in electricity each month and pay for itself within XX months

### Freezer

### Problem

Your freezer uses more energy than newer models. Consider how the cost of running the freezer compares to the benefits of keeping it on.

Ideally, the auditor notes the annual energy consumption (kWh) of the existing freezer compared to a new model of similar size

### Recommendation

Replace your freezer with a new, EnergyStar certified freezer. Look at the Energy Guide label to compare the energy use of new freezers.

# Estimated Cost/Benefits/Incentives

If you are able to afford the upfront cost of purchasing a new freezer, you will recoup significant savings in the long run. Whenever you need to buy a new appliance, consider EnergyStar certified models, which use electricity and are cheaper to run.

Ideally, auditor locates similar volume freezer online to calculate monthly savings and payback period compared to kill-a-watt meter reading for current freezer. "This example freezer would save \$XX in electricity each month and pay for itself within XX months."

# Induction Stove/Oven

# Problem

Your gas range has the potential to release propane, carbon monoxide, and combustion gases into your house. Gas ranges are also inefficient at transferring heat to your food at 32% efficiency, compared to 85% efficiency for induction cooktops.

# Recommendation

Induction cooking appliances are more efficient and safer than electric or gas ones. There is no risk of carbon monoxide or other harmful combustion gases, and the surface doesn't heat up without a pot or pan on it.

# Estimated Cost/Benefits/Incentives

Currently, Efficiency Maine does not offer a rebate for induction stoves. If you're interested in trying out induction cooking but don't want to replace your kitchen stove, consider buying a portable induction cooktop, which costs less than \$100.

# Heat Pump Water Heater

### Problem

# Auditor to describe depending on what their current system is

### Recommendation

Install a heat pump water heater to provide your hot water for cooking and bathing. This is the most efficient way to heat water and will save hundreds of dollars a year compared to electric resistance, heating oil, or propane hot water. It will also help to dehumidify while it's running. If your current water heater burns oil or propane, this will also remove a source of combustion gases from your home.

# Estimated Cost/Benefits/Incentives

A heat pump water heater uses 70% less electricity than a standard electric water heater. Efficiency Maine offers a rebate of up to \$950, making the equipment cost as little as \$400 plus installation. The rebate can be combined with a nonrefundable federal tax credit of 30% of the remaining cost of the unit and labor, subject to an annual maximum benefit of \$2,000 (shared with other energy property, like heat pumps). For more information, you can call Efficiency Maine at 866-376-2463 (Monday to Friday, 8:00 am to 5:00 pm) or visit their website: https://www.efficiencymaine.com/at-home/heat-pump-water-heater-program/

### Gutters

### Problem

The house has no gutters, so water runs off your roof and directly onto the ground next to your house. Water that splashes off the ground can damage the exterior of your house. Runoff that is absorbed into the ground can seep into the basement/crawlspace, causing moisture issues there and throughout your house.

### Recommendation

Install gutters and downspouts that divert water at least six feet away from the foundation and to where the ground slopes away from the house.

Estimated Cost/Benefits/Incentives

Adding gutters would mitigate moisture damage and save you from having to replace/fix other parts of the house.

# Bathroom exhaust fan(s)

### Problem

Currently, there is no bathroom exhaust fan, so moisture from the shower, toilet, and sink remains in the house, which can cause moisture issues such as mold.

### Recommendation

Bathroom exhaust fans should be rated for at least 80 cubic feet per minute (CFM) if there is a shower. We recommend Panasonic WhisperQuiet or similar fans that don't create excess noise.

Estimated Cost/Benefits/Incentives

The typical fan is around \$130 plus the cost of installation.

# Kitchen exhaust fan(s)

### Problem

Currently, there is no kitchen exhaust fan, so fumes, smoke, and moisture from cooking stay in the house which can cause health concerns.

# Recommendation

A kitchen exhaust fan will remove harmful combustion gases from your home and should be rated for at least 100 cubic feet per minute (CFM). A fan can also help with moisture concerns.

Estimated Cost/Benefits/Incentives

Kitchen range hoods typically cost \$150 or more; installation costs depend on the complexity of the exhaust ducting.

# Vapor Barrier

### Problem

There is excess moisture in the basement/crawlspace, which is evaporating out of the ground. This moisture can enter the house and cause mold, mildew, rot, and air quality issues.

### Recommendation

Install a vapor barrier on the basement floor to stop moisture from entering the basement and house.

# Estimated Cost/Benefits/Incentives

Efficiency Maine rebates will cover vapor barriers up to 25% of a weatherization project cost, if done as part of a larger insulation project. Most insulation companies can install spray foam and vapor barriers together. Insulation projects in second homes that are heated year round are eligible for an Efficiency Maine rebate of 40% of project cost up to the \$4,000 lifetime limit per building. You can call them at 866-376-2463 (Monday to Friday, 8:00 am to 5:00 pm) or visit their webpage about insulation rebates: https://www.efficiencymaine.com/athome/insulation-rebates/

# Spray foam Basement Walls

### Problem

The basement/crawlspace is uninsulated and used for mechanical equipment and plumbing. The walls are porous and allow moisture into the house and rapidly conduct heat out of the space.

# Recommendation

Install spray foam on the basement/crawlspace walls to prevent moisture infiltration and reduce heat loss.

### Estimated Cost/Benefits/Incentives

Insulation projects in second homes that are heated year round are eligible for an Efficiency Maine rebate of 40% of project cost up to the \$4,000 lifetime limit per building. You can call them at 866-376-2463 (Monday to Friday, 8:00 am to 5:00 pm) or visit their webpage about insulation rebates: https://www.efficiencymaine.com/at-home/insulation-rebates/

# Attic Insulation and Air Sealing

### Problem

The attic is uninsulated or is missing insulation and the attic could also benefit from airsealing. These upgrades will reduce draftiness and heat loss in the winter and heat gain in the summer.

### Recommendation

Air seal the attic and insulate it to at least R-60 (18" of loose-fill cellulose insulation).

# Estimated Cost/Benefits/Incentives

Insulation projects in second homes that are heated year round are eligible for an Efficiency Maine rebate of 40% of project cost up to the \$4,000 lifetime limit per building. You can call them at 866-376-2463 (Monday to Friday, 8:00 am to 5:00 pm) or visit their webpage about insulation rebates: https://www.efficiencymaine.com/at-home/insulation-rebates/

### Blow-in cellulose wall insulation

### Problem

The walls of the house are uninsulated, which is a significant source of heat loss.

### Recommendation

Insulate the wall stud cavities with dense packed, blown-in cellulose insulation.  $Estimated\ Cost/Benefits/Incentives$ 

Insulation projects in second homes that are heated year round are eligible for an Efficiency Maine rebate of 40% of project cost up to the \$4,000 lifetime limit per building. You can call them at 866-376-2463 (Monday to Friday, 8:00 am to 5:00 pm) or visit their webpage about insulation rebates: https://www.efficiencymaine.com/at-home/insulation-rebates/

### Continuous exterior wall insulation

### Problem

There isn't continuous insulation between the siding and the exterior walls of the house. Continuous insulation helps create a complete thermal boundary for your house, and it is now an energy code requirement for new houses.

# Recommendation

Add a continuous layer of insulation and potentially replace the air and moisture barrier once it becomes time to replace the siding.

# Estimated Cost/Benefits/Incentives

Insulation projects in second homes that are heated year round are eligible for an Efficiency Maine rebate of 40% of project cost up to the \$4,000 lifetime limit per building. You can call them at 866-376-2463 (Monday to Friday, 8:00 am to 5:00 pm) or visit their webpage about insulation rebates: https://www.efficiencymaine.com/at-home/insulation-rebates/

# **Electrical Panel Upgrade**

Problem

### Auditor to describe

Recommendation

Consult with an electrician about replacing your existing electrical panel with a 200 amp panel as you add electrical appliances to your home.

Estimated Cost/Benefits/Incentives

Costs of electrical components needed to support residential energy upgrades – including panels, sub-panels, branch circuits, and feeders – qualify for a 30% nonrefundable tax credit (up to \$600 per item) if they have a capacity of 200 amps or more. An electrical panel upgrades also provides a good opportunity for an electrician to install whole-house surge protection, which costs \$100-\$400. Here are some options: https://www.popularmechanics.com/home/interior-projects/g43140886/best-whole-house-surge-protectors/

### Air Source Heat Pump

Problem

Combustion heating equipment is expensive, inefficient, and has the potential to release harmful combustion gases like carbon monoxide into the home.

Recommendation

Install air source heat pumps and whole-house surge protection.

Estimated Cost/Benefits/Incentives

Efficiency Maine rebates can fund \$1,000 per unit up to a lifetime limit per housing unit for \$3,000 (depending on income level) to install heat pumps in second homes. The rebate can be combined with a nonrefundable federal tax credit of 30% of the remaining cost of the unit and labor, subject to an annual maximum benefit of \$2,000 (shared with other energy property, like a heat pump water heater). You can call Efficiency Maine at 866-376-2463 (Monday to Friday, 8:00 am to 5:00 pm) or visit their website: https://www.efficiencymaine.com/athome/residential-heat-pump-incentives/

# **Electric Vehicle and charger**

### Problem

Transportation, and particularly personal vehicles, are the leading cause of emissions in Maine. When you are planning to purchase a new vehicle, please consider a plug-in hybrid or all-electric vehicle.

### Recommendation

An electric vehicle will eliminate your gas costs and reduce fossil fuel dependence. A 2020 study by Consumer Reports found that lifetime ownership costs were significantly lower for EVs, saving between \$6,000 - \$10,000 over their lifetimes.

# Estimated Cost/Benefits/Incentives

You can review current state and federal financial incentives for electric vehicles here: https://www.electricforall.org/rebates-incentives/

### Solar

### Problem

# Auditor to describe (or remove this section)

### Recommendation

Rooftop solar can supply most or all of your home electrical demands. Contact a solar company for pricing and details specific to your home.

# Estimated Cost/Benefits/Incentives

There is a 30% nonrefundable federal tax credit if you don't rent your second home to others. Financing options are available. Battery backup is needed for solar to work during a power outage. Information on the federal tax credit: https://www.energy.gov/sites/default/files/2023-03/Homeowners\_Guide\_to\_the\_Federal\_Tax\_Credit\_for\_Solar\_PV.pdf

# **Pipe Insulation**

### Problem

Uninsulated water pipes are responsible for heat loss and excess moisture (from condensation) in your basement/crawlspace.

# Recommendation

Insulate both hot and cold water pipes that are uninsulated in the basement/crawlspace. This will save energy and prevent condensation.

# Estimated Cost/Benefits/Incentives

Insulating water pipes can save 2%-4% on hot water bills and increase the temperature of the water while reducing the time it takes for hot water to reach your tap. Materials cost around \$100-200, depending on the length of pipe to insulate. Many people find this to be an easy project to do themselves.

# Whole House Surge Protection

### Problem

Your house does not have whole-house surge protection. This will protect your large electrical appliances from damage in the case of an electrical surge. Heat pumps, heat pump water heaters, and other electronics are particularly sensitive to electrical surges.

### Recommendation

Seal easy-to-access air leaks and weatherstrip exterior doors. Estimated Cost/Benefits/Incentives

The device costs \$100-\$400 and needs to be installed by an electrician. Here are some options: https://www.popularmechanics.com/home/interior-projects/g43140886/best-whole-house-surge-protectors/

# **DIY Air Sealing**

# Problem

During the blower door test, we noted sources of air leakage in the living areas of your house.

### Auditor to detail customized findings.

### Recommendation

Air sealing the air leaks we identified around the living areas of your house can be a DIY solution to lower energy use, or an insulation contractor can seal the leaks when they come to your house for a larger project. Please address any moisture concerns before undertaking significant air sealing efforts.

# Estimated Cost/Benefits/Incentives

Ductwork insulation projects are not eligible for federal or state funding in second homes.

### Other 1

Problem

Recommendation

Upgrade your electrical panel to add whole-house surge protection.

Estimated Cost/Benefits/Incentives

Auditor to describe. Secondary residence, heated year-round

# Other 2

Problem

Recommendation

TYPE HERE 2

Estimated Cost/Benefits/Incentives

Auditor to describe. Secondary residence, heated year-round

# **Ductwork Air Sealing and Insulation**

# Problem

The furnace supply ductwork running through the basement would be more efficient if it were air sealed and insulated. The heated air from the furnace loses a lot of heat to the surroundings on its way to the living space.

Recommendation

Air seal and insulate all of the supply and return ductwork running through the base-ment/crawlspace.  $Estimated\ Costs/Benefits/Incentives$ 

Ductwork insulation projects are not eligible for federal or state funding in second homes.

# Misc. Air Sealing and Insulation

Problem

# Need a description for the problem

Recommendation

Air seal and insulate [insert auditor description - bay window, bulkhead door, chase, kneewall, anything else that is unique to the home and not otherwise covered in another recommendation] *Estimated Costs/Benefits/Incentives* 

As part of a larger insulation project in a second home that is heated year round, this work may be eligible for Efficiency Maine rebates and other incentives for insulation work, up to 40% of the overall cost to weatherize your home (subject to a lifetime limit per building).

# **Replace Windows**

Problem

# Need to get the description of the problem

Recommendation

Replace single-paned windows with double- or triple-paned windows and ensure the frames are airsealed. We recommend installing windows that are Energy Star certified for 'Northern' climate. Estimated Costs/Benefits/Incentives

New windows are not eligible for federal or state funding in second homes.

### Replace Doors

Problem

# Need to get the description of the problem

Recommendation

Replace uninsulated exterior doors and ensure new doors are insulated and properly weatherstripped. We recommend installing doors that are Energy Star certified for 'Northern' climate. Estimated Costs/Benefits/Incentives

New doors are not eligible for federal or state funding in second homes.

### **Additional Resources**

Many home efficiency upgrades are eligible for Efficiency Maine rebates and federal tax credits. Financial incentives vary based on income level and type of occupancy. An overview of all state rebates and federal tax credits can be found here: https://www.efficiencymaine.com/athome/

You can search for Efficiency Maine registered contractors here: https://www.efficiencymaine.com/athome/vendor-locator/

We recommend discussing a whole-home plan for insulation and air sealing work in the basement, walls, and attic with contractors to determine how to best sequence the work to take full advantage of the Efficiency Maine rebates (which are subject to lifetime maximums) and nonrefundable federal tax credits (which are subject to annual maximums).

Efficiency Maine also offers home energy loans to help homeowners who are Maine residents pay for energy and related health and safety upgrades. There are no fees and interest rates for multi-year loans are between 5.99% (max \$7,500) and 7.99% (max \$25,000), depending on income level. Low- and moderate-income homeowners who borrow the full \$7,500 and pay it back over 10 years will pay a monthly cost of \$83. There is also a 1-year, 0% APR option. To learn more or apply, call 866-376-2463 or visit https://www.efficiencymaine.com/home-energy-loans/

Our Maine Energy Upgrade Program team is willing and able to help you sort out the details of incentives and recommend contractors who have done quality work. As part of our program, we are coordinating with homeowners and contractors to bundle multiple projects to reduce costs. To qualify for our program, homes must install either a heat pump or heat pump water heater in addition to any other improvements.