Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error Non-space characters found without seeing a doctype first. Expected

<!DOCTYPE html>.

From line 1, column 1; to line 1, column 28

@extends('layouts.adminApp')↔@sec
```

@extends('layouts.adminApp') ⇔ @sec

2. Error Element head is missing a required instance of child element title.
From line 1, column 1; to line 1, column 28
 @extends('layouts.adminApp') ⇔ @sec
 Content model for element head:
 If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.
 Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.

```
3. Error Bad value [{ url('css/admin.css') }} for attribute href on element link: Illegal character in path segment: [{ is not allowed.

From line 4, column 1; to line 4, column 57

on('css') ⇔ <link href="{{ url('css/admin.css') }}" rel="stylesheet"> ⇔ <link

4. Error Misplaced non-space characters inside a table.

From line 20, column 50; to line 21, column 37

Name < / th> ⇔ {{-- Produc
```

Document checking completed.

Source

```
1. @extends('layouts.adminApp')

2. ←
3. @section('css')↔
4. link href="{{ url('css/admin.css') }}" rel="stylesheet">←
5. k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
   awesome/5.15.4/css/all.min.css">←
6. @endsection↔
7. ←
8. @section('content')↔
9. ب
10. <div class="d-flex align-items-center">↔
    @include('partials.common.breadcrumbs', ['breadcrumbs' => $breadcrumbs ,
11.
   'current' => $current ])↔
      <h2 class="flex-grow-1 text-center">All Items</h2>↔
12.
      <button type="button" class="btn btn-outline-dark me-5" data-bs-</pre>
13.
   toggle="modal" data-bs-target="#addItemModal">Add Item</button>↔
14. </div>↔
15. <div>↔
16.
     ↔
17.
      <thead>←
18.
        19.
         ID←
         Product Name
20.
21.
         {{-- \ ch \ class="text-center"}}Product Description --}}\leftrightarrow
22.
         Category←
         Sub-category←
23.
         Size←
24.
25.
         Unit Price←
26.
```

Used the HTML parser.

Total execution time 16 milliseconds.

About this checker • Report an issue • Version: 23.11.28