

PENETRATION TESTING REPORT

FOOTPRINTING & NETWORK SCANNING PHASES

W2-PM-FINAL | CYBERSECURITY | NETWORKWALKS

Report date: 20 September 2026*Prepared from the supplied practical evidence and aligned to the W2-PM-FINAL sample report arrangement.*

Pentester Name (Cybersecurity Professional)	Abdullahi Salisu lawan
Program/Batch	B083-Networkwalks
Date	20 September 2026
Modules completed	W2-PM1 (Multiple Kali Tools) W2-PM4 (theHarvester based Footprinting attacks) W2-PM5 (Zenmap Scanning)
Client/Target	1. Networkwalks (secured written permission already) 2. My own local LAN Network
Permission secured from client?	Yes
Phases covered	Phase 1: Reconnaissance & Footprinting Phase 2: Footprinting & OSINT(theHarvester) Phase 3: Scanning & Network Discovery

Liability, Scope & Authorization Note

This report documents educational reconnaissance, OSINT and network-discovery activities. No exploitation, brute-force authentication, privilege escalation, denial-of-service, or modification/deletion of data was performed in the supplied evidence.

Security testing must only be conducted against systems that are owned/controlled by the tester or covered by current written authorization. The sample authorization letter supplied with the course materials is dated 17–24 August 2026 and names another tester; it is therefore not treated as current authorization for this report. Authorization status for the external target activities was not independently verified here.

The report deliberately treats the captured outputs as observations rather than confirmed vulnerabilities. A discovered version, IP address, DNS record, WAF or live host does not by itself prove a security weakness.

1. Introduction

Week 2 focused on the information-gathering and network-discovery stages of a penetration-testing workflow. The practical work covered six Kali reconnaissance tools, theHarvester for OSINT collection, and Zenmap/Nmap for discovering live hosts on a local subnet.

The objective was to understand what information can be collected from public domain infrastructure and what can be observed inside a controlled local network. The work also emphasized recording commands, outputs and screenshots so that findings can be reproduced and professionally reported.

2. Objectives

- Collect publicly available domain-registration and DNS information.
- Fingerprint web technologies and HTTP response characteristics.
- Identify whether a Web Application Firewall is visible from reconnaissance.
- Use theHarvester to collect OSINT relating to a domain from available public sources.
- Discover live hosts on the tester's local subnet using a non-port-scanning ping scan.
- Record evidence and translate technical observations into risk-aware recommendations.

3. Tools Used

Tool	Purpose
Kali Linux	Reconnaissance and OSINT environment
WHOIS	Domain registration, registrar and name-server information
WhatWeb	Web-server, CMS, framework and plugin fingerprinting
Nslookup	DNS resolution of domain names to IP addresses
curl -I	HTTP response-header inspection
WAFW00F	Web Application Firewall fingerprinting
DNSRecon	DNS record and service enumeration
theHarvester	Public-source OSINT collection
Zenmap / Nmap	Local subnet host discovery and topology visualization

4. Activities Performed

4.1 Footprinting & Reconnaissance — W2-PM1

I performed the six reconnaissance exercises documented in the supplied evidence against networkwalks.com: WHOIS, WhatWeb, Nslookup, curl, WAFW00F and DNSRecon.

Task	Command	Observed Result	Interpretation
1. WHOIS	whois networkwalks.com	GoDaddy registrar; 2019 creation; 2027 expiry; HostGator name servers; DNSSEC unsigned; privacy-protected registrant.	Provides public registration and DNS-infrastructure context.
2. WhatWeb	whatweb networkwalks.com	Apache; WordPress 7.1.1; WP Download Manager 3.3.58; jQuery 3.7.1; Bootstrap 7.1.1; IP 192.232.216.135.	Exposes technology fingerprints useful for defensive patch and configuration review.

3. Nslookup	nslookup networkwalks.com	networkwalks.com → 192.232.216.135.	Confirms the publicly resolvable address for the web service.
4. curl	curl -I https://networkwalks.com	HTTP/2 200; Apache; WordPress-related headers; /wp-json/ link; cache and cookie headers.	Shows information disclosed in HTTP responses.
5. WAFW00F	wafw00f networkwalks.com	ModSecurity (SpiderLabs) WAF detected; 2 requests reported.	Identifies a visible defensive control; not a vulnerability.
6. DNSRecon	dnsrecon -d networkwalks.com	SOA, NS, MX, A, TXT/SPF and SRV records; BIND 9.16.23-RH reported; 8 SRV records.	Maps publicly observable DNS and service infrastructure.

Key W2-PM1 observations:

- The domain is registered through GoDaddy and uses HostGator-related name servers in the captured WHOIS data.
- The web stack exposes Apache and WordPress-related technology fingerprints.
- The web service resolves to 192.232.216.135 in the captured run.
- HTTP headers expose a WordPress REST API link and other implementation details.
- WAFW00F identified ModSecurity (SpiderLabs).
- DNSRecon returned multiple infrastructure records, including mail and service-discovery records.

4.2 Footprinting & OSINT — W2-PM4

TheHarvester 4.11.1 was used to collect open-source intelligence for microsoft.com. Two searches were captured: a Baidu search with a limit of 1000 and an all-source search with a limit of 50.

```
theHarvester -d microsoft.com -l 1000 -b baidu
```

The Baidu run returned 3 email strings, 7 hosts, no IPs and no people in the captured output.

- Emails found: 3
- Hosts found: 7
- IPs found: 0
- People found: 0

```
theHarvester -d microsoft.com -l 50 -b all
```

The all-source run returned 50 IPs, 3 email strings, 9,965 hosts, 6 ASNs and 3 interesting URLs. The output also contained numerous missing-API-key and source-specific errors. This is a limitation of the collection run and means the result should not be interpreted as an exhaustive inventory.

- 50 IPs were reported, matching the requested result limit.
- 3 email strings were reported.
- 9,965 hosts were reported by the tool; many entries are wildcard-style or machine-generated names and require validation.
- 6 ASNs were reported.
- 3 interesting URLs were returned; full query-string URLs are not reproduced in this report because they are not required to explain the finding.
- No LinkedIn users were found in the captured run.

The evidence also shows that many providers required API keys. Examples included Censys, BuiltWith, Hunter, Shodan, VirusTotal and others. Therefore, the observed all-source result represents only the data available to the configured tool at the time of execution.

4.3 Network Scanning — W2-PM5

Zenmap was used to perform a ping scan of the local subnet shown in the evidence. The scan was configured as:

```
nmap -sn 192.168.215.0/24
```

The scan covered 256 IP addresses and reported two hosts as up.

Host	Status	MAC / Vendor Evidence	Report Treatment
192.168.215.1	Host is up	EC:5C:68::A6:AC:FD — PC.	Counted as one live host
192.168.215.247	Host is up	D8:93:D4:51:D3:1E — Xiaomi Communications	Counted as one live host

The Zenmap topology screen also displayed 192.168.56.1. Because this address is outside the scanned 192.168.215.0/24 subnet, it is treated as a separate local/virtual interface in the topology view and not as one of the two hosts discovered by the stated scan.

5. Risk Analysis / Impact

The following table describes security-relevant observations from the exercises. Risk levels are used as documentation priorities, not as claims of confirmed vulnerabilities.

#	Risk / Finding	Evidence / Observation	Potential Impact	Level
1	Web technology information exposed	WhatWeb identified Apache, WordPress 7.1.1 and WP Download Manager 3.3.58.	Technology/version data can support targeted defensive review and vulnerability research.	Medium
2	Public DNS infrastructure information	DNSRecon exposed NS, MX, A, TXT/SPF and SRV records.	Helps build an external infrastructure profile.	Medium
3	HTTP implementation information exposed	curl returned Apache and WordPress-related headers including /wp-json/.	May assist fingerprinting and further enumeration.	Low
4	WAF technology identifiable	WAFW00F detected ModSecurity (SpiderLabs).	Reveals a defensive component and its fingerprint; presence is not a weakness.	Low
5	OSINT information exposure	theHarvester returned emails, hosts, IPs and ASNs from public sources.	Public intelligence can contribute to social-engineering and attack-surface mapping risk.	Medium
6	Multiple live local hosts	Nmap ping scan found two live hosts in 192.168.215.0/24.	Unexpected devices could indicate inventory or access-control issues; the scan itself does not prove a weakness.	Low

Important interpretation: no exploitation or vulnerability validation was performed. Consequently, the observations above should not be presented as confirmed vulnerabilities.

6. Recommendations

1. Review publicly exposed web technology and version information and maintain timely patching.
2. Review HTTP response headers and remove unnecessary implementation details where practical.
3. Periodically audit DNS, MX, TXT/SPF and SRV records and remove obsolete or unintended entries.
4. Maintain and monitor the Web Application Firewall configuration and logging.
5. Perform periodic OSINT self-assessments to understand what infrastructure information is publicly discoverable.
6. Validate harvested hosts and IP addresses before treating them as confirmed organizational assets.
7. Maintain an accurate inventory of devices on the local network and investigate unknown hosts.
8. Configure API credentials only for legitimate, authorized OSINT sources when a broader theHarvester assessment is required.
9. Preserve raw output and screenshots so that findings can be independently reviewed.
10. Keep reconnaissance and scanning within a documented authorization scope.

7. Limitations

- TheHarvester all-source collection produced numerous missing-API-key warnings, limiting source coverage.
- OSINT results can change over time because search engines, indexes and public data sources change.
- Tool output can include duplicate, wildcard or stale entries; validation is required before treating an item as an asset.
- The Zenmap evidence did not include a separate Windows ipconfig screenshot, so the report records the scanned subnet rather than asserting a specific host IP as the tester's local IP.
- The supplied evidence did not contain execution results for W2-PM2 (GHDB) or W2-PM3 (Maltego); those modules are therefore not represented as completed findings.

8. Conclusion

The Week 2 practicals demonstrated how reconnaissance, OSINT and network discovery can reveal substantial information without exploitation. WHOIS and DNSRecon exposed registration and DNS context; WhatWeb and curl revealed web-stack and HTTP characteristics; WAFW00F identified a visible defensive layer; theHarvester demonstrated the breadth of public OSINT; and Zenmap/Nmap identified live hosts within the local subnet.

The exercises also reinforced an important professional principle: information exposure is not automatically a vulnerability. Findings must be validated, documented and interpreted in context. All future testing should remain within an explicit and current authorization scope.

9. Evidence Collected

The following screenshots were extracted from the supplied Word document and inserted as evidence. They reflect the actual captured practical output rather than the example values in the course template.

```

kali@kali: ~
$ whois networkwalks.com
Domain Name: NETWORKWALKS.COM
Registry Domain ID: 2452319255_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.godaddy.com
Registrar URL: http://www.godaddy.com
Updated Date: 2025-11-12T10:08:43Z
Creation Date: 2019-11-06T22:51:46Z
Registry Expiry Date: 2027-11-06T22:51:46Z
Registrar: GoDaddy.com, LLC
Registrar IANA ID: 146
Registrar Abuse Contact Email: abuse@godaddy.com
Registrar Abuse Contact Phone: 480-624-2505
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientRenewProhibited https://icann.org/epp#clientRenewProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Name Server: NS6135.HOSTGATOR.COM
Name Server: NS6136.HOSTGATOR.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2026-09-19T01:58:02Z <<<

For more information on Whois status codes, please visit https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and

```

Evidence 1 — WHOIS output for networkwalks.com

```

kali@kali: ~
$ whatweb networkwalks.com
http://networkwalks.com [301 Moved Permanently] Apache, Cookies[[_wpdm_client], Country[UNITED STATES][US], HTTPServer[Apache], HttpOnly[_wpdm_client], IP[192.232.216.135], RedirectLocation[https://networkwalks.com/], UncommonHeaders[permissions-policy,x-redirect-by,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache]
https://networkwalks.com [200 OK] Apache, Bootstrap[7.1.1], Cookies[[_wpdm_client], Country[UNITED STATES][US], Email[info@networkwalks.com], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], HttpOnly[_wpdm_client], IP[192.232.216.135], JQuery[3.7.1], MetaGenerator[WordPress 7.1.1WordPress Download Manager 3.3.58], Open-Graph-Protocol[website], Script[4684NR-IPID&pidnVar2=50511&prtVar2=7&pscVar2=12,application/json,application/ld+json,module,speculationrules,text/javascript], Title[Networkwalks Academy], UncommonHeaders[permissions-policy,link,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache], WordPress[7.1.1]
https://networkwalks.com/ [200 OK] Apache, Bootstrap[7.1.1], Country[UNITED STATES][US], Email[info@networkwalks.com], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], IP[192.232.216.135], JQuery[3.7.1], MetaGenerator[WordPress 7.1.1WordPress Download Manager 3.3.58], Open-Graph-Protocol[website], Script[4684NR-IPID&pidnVar2=50511&prtVar2=7&pscVar2=12,application/json,application/ld+json,module,speculationrules,text/javascript], Title[Networkwalks Academy], UncommonHeaders[permissions-policy,link,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache], WordPress[7.1.1]

```

Evidence 2 — WhatWeb web-technology fingerprinting

```

kali@kali: ~
Session Actions Edit View Help
(kali@kali)~$ nslookup networkwalks.com
;; Got recursion not available from 8.8.8.8, trying next server
Server:      192.168.215.247
Address:     192.168.215.247#53
Non-authoritative answer:
Name:   networkwalks.com
Address: 192.232.216.135
(kali@kali)~$

```

Evidence 3 — Nslookup DNS resolution

```

kali@kali: ~
Session Actions Edit View Help
(kali@kali)~$ curl -I https://networkwalks.com
HTTP/2 200
permissions-policy: private-state-token-redemption=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com"), private-state-token-issuance=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com")
link: <https://networkwalks.com/wp-json/>; rel="https://api.w.org/", <https://networkwalks.com/wp-json/wp/v2/pages/53>; rel="alternate"; title="JSON"; type="application/json", <https://networkwalks.com/>; rel=shortlink
set-cookie: wpdm_client=c7e4d1b2baa53f4db7ab4b73a7bdfdb; path=/; domain=networkwalks.com; secure; HttpOnly
referrer-policy: no-referrer-when-downgrade
x-endurance-cache-level: 0
x-nginx-cache: WordPress
content-type: text/html; charset=UTF-8
date: Sat, 19 Sep 2026 02:04:58 GMT
server: Apache
(kali@kali)~$

```

Evidence 4 — curl HTTP response headers

```

kali@kali:~$
Session Actions Edit View Help
kali@kali:~$
kali@kali:~$ dnsrecon -d networkwalks.com
2026-09-18T22:08:06.081664-0400 INFO Starting enumeration for domain: networkwalks.com
2026-09-18T22:08:06.082509-0400 INFO std: Performing General Enumeration against: networkwalks.com...
2026-09-18T22:08:07.127821-0400 ERROR No answer for DNSSEC query for networkwalks.com
2026-09-18T22:08:08.049096-0400 INFO SOA ns6135.hostgator.com 50.87.144.87
2026-09-18T22:08:09.278150-0400 INFO NS ns6135.hostgator.com 50.87.144.87
2026-09-18T22:08:09.915663-0400 INFO Bind Version for 50.87.144.87 "9.16.23-RH"
2026-09-18T22:08:09.915940-0400 INFO NS ns6136.hostgator.com 192.232.216.131
2026-09-18T22:08:10.711137-0400 INFO Bind Version for 192.232.216.131 "9.16.23-RH"
2026-09-18T22:08:12.362818-0400 INFO MX mail.networkwalks.com 192.232.216.135
2026-09-18T22:08:12.555532-0400 INFO A networkwalks.com 192.232.216.135
2026-09-18T22:08:14.091016-0400 INFO TXT networkwalks.com v=spf1 +a +mx +ip4:50.87.144.87 +include:websitewelcome.com ~all
2026-09-18T22:08:14.091288-0400 INFO TXT networkwalks.com google-site-verification=rr04eRmqH0wY3XemnizDNVKAq75X-Ij-mjgEeg-UsYI
2026-09-18T22:08:15.115160-0400 INFO Enumerating SRV Records
2026-09-18T22:08:21.889203-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.11 443
2026-09-18T22:08:21.889514-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.14 443
2026-09-18T22:08:21.889614-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.15 443
2026-09-18T22:08:21.889758-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.9 443
2026-09-18T22:08:21.889914-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.9 443
2026-09-18T22:08:21.889995-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.11 443
2026-09-18T22:08:21.890097-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.14 443
2026-09-18T22:08:21.890193-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.15 443
2026-09-18T22:08:21.890965-0400 INFO 8 Records Found
2026-09-18T22:08:21.891234-0400 INFO Completed enumeration for domain: networkwalks.com
kali@kali:~$
kali@kali:~$

```

```

kali@kali: ~
Session Actions Edit View Help

$ theHarvester -h
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
* theHarvester *
* theHarvester 4.11.1 *
* Coded by Christian Martorella *
* Edge-Security Research *
* cmartorella@edge-security.com *
*****
usage: theHarvester [-h] -d DOMAIN [-l LIMIT] [-s START] [-p] [-s] [--screenshot SCREENSHOT] [-e DNS_SERVER] [-t] [-r [DNS_RESOLVE]] [-n] [-c] [-f FILENAME]
                    [-w WORDLIST] [-a] [-q] [-b SOURCE]

theHarvester is used to gather open source intelligence (OSINT) on a company or domain.

options:
  -h, --help            show this help message and exit
  -d, --domain DOMAIN    Company name or domain to search.
  -l, --limit LIMIT      Limit the number of search results, default=500.
  -s, --start START      Start with result number X, default=0.
  -p, --proxies          Use proxies for requests, enter proxies in proxies.yaml.
  -s, --shodan           Use Shodan to query discovered hosts.
  --screenshot SCREENSHOT Take screenshots of resolved domains specify output directory: --screenshot output_directory
  -e, --dns-server DNS_SERVER DNS server to use for lookup.
  -t, --take-over        Check for takeovers.
  -r, --dns-resolve [DNS_RESOLVE] Perform DNS resolution on subdomains with a resolver list or passed in resolvers, default False.
  -n, --dns-lookup       Enable DNS server lookup, default False.

```

Evidence 7 — theHarvester help/version output

```

kali@kali: ~
Session Actions Edit View Help

(kali@kali)~$ theHarvester -d microsoft.com -l 1000 -b baidu
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
* theHarvester *
* theHarvester 4.11.1 *
* Coded by Christian Martorella *
* Edge-Security Research *
* cmartorella@edge-security.com *
*****

[*] Target: microsoft.com
[*] Searching Baidu.
[*] No IPs found.
[*] Emails found: 3
abc@microsoft.com
contactspocaccess@microsoft.com
someone@microsoft.com
[*] No people found.
[*] Hosts found: 7
account.microsoft.com

```

Evidence 8 — theHarvester Baidu collection

```

kali@kali: ~
Session Actions Edit View Help

(kali@kali)~$ theHarvester -d microsoft.com -l 50 -b all
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
* theHarvester 4.11.1
* Coded by Christian Martorella
* Edge-Security Research
* cmartorella@edge-security.com
*****

[*] Target: microsoft.com

Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to process bevigil search for word: 'microsoft.com'
Error Message:
[!] Missing API key for bevigil.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to process bufferoverrun search for word: 'microsoft.com'
Error Message:
[!] Missing API key for bufferoverrun.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to perform BuiltWith search for word: 'microsoft.com'
A Missing Key Error occurred in builtwith:
[!] Missing API key for BuiltWith.
  
```

Evidence 9 — theHarvester all-source collection (initial output)

```

kali@kali: ~
Session Actions Edit View Help

Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to process bevigil search for word: 'microsoft.com'
Error Message:
[!] Missing API key for bevigil.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
[!] Missing API key for Bitbucket.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to process bufferoverrun search for word: 'microsoft.com'
Error Message:
[!] Missing API key for bufferoverrun.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to perform BuiltWith search for word: 'microsoft.com'
A Missing Key Error occurred in builtwith:
[!] Missing API key for BuiltWith.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to process brave search for word: 'microsoft.com'
Error Message:
[!] Missing API key for Brave Search.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Censys API key is missing or invalid:
[!] Missing API key for Censys ID and/or Secret.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing key error occurred in criminalip:
[!] Missing API key for criminalip.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in dehashed:
[!] Missing API key for Dehashed.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
[!] Missing API key for DNSDumpster.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in dymo:
[!] Missing API key for dymo.
  
```


Evidence 10 — theHarvester all-source API/source warnings

```


kali@kali: ~
Session Actions Edit View Help
A Missing Key error occurred in Hunter:
[!] Missing API key for Hunter.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in Hunter How:
[!] Missing API key for hunterhow.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in intelx:
[!] Missing API key for Intelx.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in intelx:
[!] Missing API key for Intelx.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
[*] Mojeek: No API key found, using default scraping mode.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in Netlas:
[!] Missing API key for netlas.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Unexpected error occurred in Onyphe module:
[!] Missing API key for onyphe.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in PentestTools search:
[!] Missing API key for PentestTools.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in ProjectDiscovery:
[!] Missing API key for ProjectDiscovery.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in RocketReach:
[!] Missing API key for RocketReach.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
[!] Missing API key for SecurityScorecard.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred Security Trails:
[!] Missing API key for SecurityTrail.
Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
A Missing Key error occurred in sherlockkey:
[!] Missing API key for sherlockkey.

```

Evidence 11 — theHarvester additional source processing



Evidence 12 — Zenmap/Nmap ping scan



Evidence 13 — Zenmap topology view

10. Submission Notes

For GitHub publication, keep the README concise and avoid publishing unnecessary sensitive data from raw OSINT output. The detailed report retains the practical evidence while deliberately avoiding reproduction of long harvested host lists and full third-party authentication/authorization URLs.

End of Report.