

Experiment 9

Name: Maithili Sawant

Roll No: 33

Class: SE3

Aim: Implement a search functionality to filter API results dynamically.

Code:

INDEX.JS

```
search-app > src > JS index.js > ...  
1  import React from "react";  
2  import ReactDOM from "react-dom/client";  
3  import App from "./App";  
4  
5  const root = ReactDOM.createRoot(document.getElementById("root"));  
6  root.render(<App />);
```

APP.JS

```
search-app > src > JS app.js > ...
1 import React, { useState, useEffect } from "react";
2
3 function App() {
4   const [users, setUsers] = useState([]);
5   const [search, setSearch] = useState("");
6   const [filtered, setFiltered] = useState([]);
7
8   // Fetch API data
9   useEffect(() => {
10     fetch("https://jsonplaceholder.typicode.com/users")
11       .then(res => res.json())
12       .then(data => {
13         setUsers(data);
14         setFiltered(data);
15       });
16   }, []);
17
18   // Filter logic
19   useEffect(() => {
20     const result = users.filter(user =>
21       user.name.toLowerCase().includes(search.toLowerCase()) ||
22       user.email.toLowerCase().includes(search.toLowerCase())
23     );
24     setFiltered(result);
25   }, [search, users]);
26
27   return (
28     <div style={{ textAlign: "center", marginTop: "30px" }}>
29       <h1>User Search App</h1>
30
31       <input
32         type="text"
33         placeholder="Search by name or email..."
34         value={search}
35         onChange={(e) => setSearch(e.target.value)}
36         style={{ padding: "10px", width: "300px" }}
37       />
38
39       {filtered.length === 0 && <p>No users found</p>}
40
41       <ul style={{ listStyle: "none", padding: 0 }}>
42         {filtered.map(user => (
43           <li key={user.id} style={{ margin: "15px 0" }}>
44             <strong>{user.name}</strong><br />
```

```
Welcome JS app.js JS index.js index.html
search-app > src > JS app.js > ...
3 function App() {
18 // Filter Logic
19 useEffect(() => {
20   const result = users.filter(user =>
21     user.name.toLowerCase().includes(search.toLowerCase()) ||
22     user.email.toLowerCase().includes(search.toLowerCase())
23   );
24   setFiltered(result);
25 }, [search, users]);
26
27 return (
28   <div style={{ textAlign: "center", marginTop: "30px" }}>
29     <h1>User Search App</h1>
30
31     <input
32       type="text"
33       placeholder="Search by name or email..."
34       value={search}
35       onChange={(e) => setSearch(e.target.value)}
36       style={{ padding: "10px", width: "300px" }}
37     />
38
39     {filtered.length === 0 && <p>No users found</p>}
40
41     <ul style={{ listStyle: "none", padding: 0 }}>
42       {filtered.map(user => (
43         <li key={user.id} style={{ margin: "15px 0" }}>
44           <strong>{user.name}</strong><br />
45           {user.email}
46         </li>
47       ))}
48     </ul>
49   </div>
50 );
51 }
52
53 export default App;
```

```
Welcome JS app.js JS index.js index.html X
search-app > public > index.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Search App</title>
5 </head>
6 <body>
7   <div id="root"></div>
8 </body>
9 </html>
```

OUTPUT:



User Search App

 Search by name or email...

Leanne Graham
Sincere@april.biz

Ervin Howell
Shanna@melissa.tv

Clementine Bauch
Nathan@yesenia.net

Patricia Lebsack
Julianne.OConner@kory.org

Chelsey Dietrich
Lucio_Hettinger@annie.ca

Mrs. Dennis Schulist
Karley_Dach@jasper.info

Kurtis Weissnat
Telly.Hoeger@billy.biz

Nicholas Runolfsson V
Sherwood@rosamond.me

Glenna Reichert
Chaim_McDermott@dana.io

Clementina DuBuque
Rey.Padberg@karina.biz