# Task 5 – Travel Booking Website

#### index.html -

```
<!DOCTYPE html>
<html lang="en">
 <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Travel Booking Homepage</title>
 <link rel="stylesheet" href="styles.css">
   .deals {
     display: flex;
     flex-wrap: wrap;
     justify-content: space-between;
     margin: 20px;
    .deal-card {
     width: 45%;
     padding: 20px;
     background-color: #f2f2f2;
     margin-bottom: 20px;
     border-radius: 5px;
    .deal-card h3 {
     margin-top: 0;
 </style>
</head>
   <h1 style="text-align: center;">TravelEase Travel Booking Website</h1>
   <hr>>
   <nav>
     <l
       <a href="index.html">Home</a>
       <a href="destinationlisting.html">Destinations</a>
       <a href="booking.html">Bookings</a>
       <a href="account.html">Account</a>
       class="dropdown">
         <a href="#" class="dropbtn">Travel Options</a>
         <div class="dropdown-content">
          <a href="#">Flights</a>
```

```
<a href="#">Hotels</a>
           <a href="#">Car Rentals</a>
            <a href="#">Tours</a>
         </div>
        <form id="search-form" action="#" method="GET">
        <input type="text" name="destination" placeholder="Enter destination">
        <input type="date" name="travel-date" placeholder="Travel date">
        <button type="submit">Search</button>
      </form>
    </nav>
  </header>
    <h2 style="text-align: center;">Popular Destinations</h2>
    <hr>>
    <section class="hero">
      <div class="destination-card">
        <img src="images/kashmir.jpeg" alt="Destination 1">
        <h3>kashmir</h3>
        Explore the beauty of Kashmir with its stunning landscapes and
vibrant culture.
     </div>
      <div class="destination-card">
       <img src="images/himachal.jpg" alt="Destination 2">
        <h3>Himachal</h3>
        Experience the charm of himachal with its historical sites and
delicious cuisine.
     </div>
      <div class="destination-card">
        <img src="images/kerla.jpg" alt="Destination 3">
        Immerse yourself in the rich history and cultural heritage of
Kerala
      </div>
   <div class="destination-card">
```

```
<img src="images/Y.jpg" alt="Destination 4">
     <h3>Goa</h3>
     Experience the beautiful beaches and vibrant nightlife of Goa.
    </div>
    <a href="destinationlisting.html" class="btn">view more</a>
    </section>
    <h2 style="text-align: center;">Deals</h2>
    <hr>>
    <section class="deals">
     <div class="deal-card">
       <h3>Deal 1</h3>
       Grab FLAT 12% OFF* on Domestic Flights with Citi Credit & Debit
Cards.
     </div>
     <div class="deal-card">
       <h3>Deal 2</h3>
       Grab FLAT 14% OFF* up to Rs. 5,000 on 3, 4 & 5-star hotel stays in
India. Valid on ICICI Bank Credit Cards
     </div>
     <div class="deal-card">
       <h3>Deal 3</h3>
        Grab Up to ₹2000 instant discount on Domestic Flights with
MakeMyTrip ICICI Bank Credit Cards
     </div>
    </section>
    <h2 style="text-align: center;">Featured Travel Packages</h2>
   <section class="featured-packages">
     <div class="package-card">
       <img src="images/pilgrimage-tb1-dt-18072022.jpg" alt="Package 1">
       <h3>Package 1</h3>
       For a Peaceful, Spiritual Break
     </div>
     <div class="package-card">
```

```
<img src="images/Couple.jpg" alt="Package 2">
       <h3>Package 2</h3>
       >Introducing: TravelEase Honeymoon Packages
     </div>
     <div class="package-card">
       <img src="images/wildlife-tb-dt-02082022.jpg" alt="Package 3">
       <h3>Package 3</h3>
       >For a Thrilling Escape into the wildlife
     </div>
     <div class="package-card">
       <img src="images/hol-long-weekend-tb-dt-09032023.jpg" alt="Package 4">
       <h3>Package 4</h3>
       >Presenting Long Weekend Holidyas Mania
     </div>
 </main>
 <footer>
   © 2023 Travel Booking Website. All rights reserved.
 </footer>
</body>
</html>
```

## destinationlisting.html -

```
<a href="destinationlisting.html">Destinations</a>
           <a href="booking.html">Bookings</a>
           <a href="account.html">Account</a>
           class="dropdown">
             <a href="#" class="dropbtn">Travel Options</a>
             <div class="dropdown-content">
               <a href="#">Flights</a>
               <a href="#">Hotels</a>
               <a href="#">Car Rentals</a>
               <a href="#">Tours</a>
             </div>
           <form id="search-form" action="#" method="GET">
           <input type="text" name="destination" placeholder="Enter</pre>
destination">
           <input type="date" name="travel-date" placeholder="Travel date">
           <button type="submit">Search</button>
         </form>
        </nav>
      </header>
  <main>
   <h2 style="text-align: center;">Destinations</h2>
   <br>
   <hr>>
   <h2>Refine Your Search</h2>
    <section class="filters">
      <div class="filter-group">
       <label for="location-filter">Location:</label>
        <select id="location-filter">
         <option value="all">All</option>
         <option value="kashmir">Kashmir</option>
         <option value="himachal">Himachal</option>
         <option value="kerla">Kerla</option>
         <option value="goa">Goa</option>
       </select>
     </div>
      <div class="filter-group">
       <label for="price-filter">Price Range:</label>
       <select id="price-filter">
         <option value="all">All</option>
         <option value="budget">Budget</option>
         <option value="moderate">Moderate
         <option value="luxury">Luxury</option>
       </select>
```

```
</div>
      <div class="filter-group">
        <label for="activity-filter">Activity Type:</label>
        <select id="activity-filter">
          <option value="all">All</option>
         <option value="adventure">Adventure</option>
         <option value="beach">Beach</option>
         <option value="cultural">Cultural</option>
         <option value="nature">Nature</option>
         <option value="sightseeing">Sightseeing</option>
        </select>
      </div>
    </section>
    <section class="destination-listings">
      <div class="destination-container">
      <div class="destination-card">
        <img src="images/kashmir.jpeg" alt="Kashmir">
        <h3>Kashmir</h3>
        Experience the serene beauty of Kashmir with its breathtaking
landscapes.
       Starting from $1500
        <a href="kashmir.html" class="btn">View Details</a>
      </div>
      <div class="destination-card">
        <img src="images/himachal.jpg" alt="Himachal">
        <h3>Himachal</h3>
        Discover the picturesque beauty of Himachal with its majestic
mountains and lush valleys.
       Starting from $1200
        <a href="himachal.html" class="btn">View Details</a>
      </div>
      <div class="destination-card">
        <img src="images/kerla.jpg" alt="Kerla">
        <h3>Kerla</h3>
        Experience the backwaters and vibrant culture of Kerla in South
India.
        Starting from $1500
        <a href="kerla.html" class="btn">View Details</a>
      </div>
      <div class="destination-card">
       <img src="images/Y.jpg" alt="Goa">
```

#### kashmir.html -

```
<!DOCTYPE html>
<html lang="en">
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Destination Listings</title>
  <link rel="stylesheet" href="styles.css">
    .package-details {
     padding: 20px;
     background-color: #f5f5f5;
      border-radius: 5px;
    .package-details h2 {
     text-align: center;
    .package-details div {
     margin-bottom: 20px;
    .package-details h3 {
      margin-bottom: 10px;
```

```
.package-details p {
     margin: 0;
    .package-details ul {
     padding-left: 20px;
     margin: 0;
 </style>
</head>
       <h1 style="text-align: center;">TravelEase Travel Booking Website</h1>
       <hr>>
         <l
           <a href="index.html">Home</a>
           <a href="destinationlisting.html">Destinations</a>
           <a href="booking.html">Bookings</a>
           <a href="account.html">Account</a>
           class="dropdown">
             <a href="#" class="dropbtn">Travel Options</a>
             <div class="dropdown-content">
               <a href="#">Flights</a>
               <a href="#">Hotels</a>
               <a href="#">Car Rentals</a>
               <a href="#">Tours</a>
             </div>
           <form id="search-form" action="#" method="GET">
           <input type="text" name="destination" placeholder="Enter</pre>
destination">
           <input type="date" name="travel-date" placeholder="Travel date">
           <button type="submit">Search</button>
         </form>
       </nav>
     </header>
   <h2 style="text-align: center;">Kashmir</h2>
   <br>
   <hr>>
       <section class="package-details">
         <h2>Package Details - Kashmir</h2>
```

```
<div class="itinerary">
           <h3>Itinerary</h3>
           Day 1: Arrival in Srinagar and check-in at the hotel
           Day 2: Explore the beautiful Dal Lake and take a Shikara
ride
           Day 3: Visit the picturesque Gulmarg and enjoy winter
sports
           <!-- Add more itinerary details -->
         </div>
         <div class="accommodation">
           <h3>Accommodation</h3>
           Option 1: Deluxe Houseboat on Dal Lake
           Option 2: Luxury Hotel in Srinagar
           <!-- Add more accommodation options -->
         </div>
         <div class="transportation">
           <h3>Transportation</h3>
           >Flight: International Airport to Srinagar
           Local Transport: Private car with driver for sightseeing
         </div>
         <div class="activities">
           <h3>Activities</h3>
           Shikara ride on Dal Lake
           Gondola ride in Gulmarg
           <!-- Add more activity options -->
         </div>
         <div class="pricing">
           <h3>Pricing</h3>
           Starting from $1500 per person
           <!-- Add more pricing details -->
         </div>
         <div class="variations">
           <h3>Package Variations</h3>
           <div class="accommodation-options">
             <h4>Accommodation Type:</h4>
             <label>
               <input type="radio" name="accommodation" value="standard">
               Standard
             </label>
             <label>
              <input type="radio" name="accommodation" value="deluxe">
```

```
Deluxe
              </label>
              <label>
                <input type="radio" name="accommodation" value="luxury">
                Luxury
              </label>
            </div>
            <div class="addon-activities">
              <h4>Add-on Activities:</h4>
              <label>
                <input type="checkbox" name="activities" value="trekking">
                Trekking in Pahalgam
              </label>
              <label>
                <input type="checkbox" name="activities" value="rafting">
                Rafting in Lidder River
              </label>
            </div>
          <a href="booking.html" class="btn">Book Now </a>
        </section>
      </main>
    <footer>
        %copy; 2023 Travel Booking Website. All rights reserved.
    </footer>
</body>
</html>
```

#### himachal.html -

```
.package-details div {
     margin-bottom: 20px;
    .package-details h3 {
     margin-bottom: 10px;
    .package-details p {
     margin: 0;
    .package-details ul {
     padding-left: 20px;
     margin: 0;
 </style>
</head>
   <header>
       <h1 style="text-align: center;">TravelEase Travel Booking Website</h1>
       <hr>>
         <l
           <a href="index.html">Home</a>
           <a href="destinationlisting.html">Destinations</a>
           <a href="booking.html">Bookings</a>
           <a href="account.html">Account</a>
           class="dropdown">
             <a href="#" class="dropbtn">Travel Options</a>
             <div class="dropdown-content">
               <a href="#">Flights</a>
               <a href="#">Hotels</a>
               <a href="#">Car Rentals</a>
               <a href="#">Tours</a>
             </div>
           <form id="search-form" action="#" method="GET">
           <input type="text" name="destination" placeholder="Enter</pre>
destination">
           <input type="date" name="travel-date" placeholder="Travel date">
           <button type="submit">Search</button>
         </form>
       </nav>
     </header>
```

```
<main>
    <section class="package-details">
       <h2>Package Details - Himachal</h2>
       <div class="itinerary">
         <h3>Itinerary</h3>
         Day 1: Arrival in Shimla and check-in at the hotel
         Day 2: Explore the famous attractions of Shimla, such as Mall
Road and Jakhu Temple
         Day 3: Drive to Manali and enjoy the scenic beauty of the
hills
         <!-- Add more itinerary details -->
       </div>
       <div class="accommodation">
         <h3>Accommodation</h3>
         Option 1: Boutique Hotel in Shimla
         Option 2: Mountain Resort in Manali
         <!-- Add more accommodation options -->
       </div>
       <div class="transportation">
         <h3>Transportation</h3>
         Flight: International Airport to Chandigarh
         Local Transport: Private car with driver for sightseeing
         <!-- Add more transportation details -->
       </div>
       <div class="activities">
         <h3>Activities</h3>
         Visit Rohtang Pass and enjoy snow activities
         Explore Hadimba Temple in Manali
         <!-- Add more activity options -->
       </div>
       <div class="pricing">
         <h3>Pricing</h3>
         Starting from $1200 per person
         <!-- Add more pricing details -->
       </div>
       <div class="variations">
           <h3>Package Variations</h3>
           <div class="accommodation-option">
             <h4>Accommodation Type:</h4>
             <label>
               <input type="checkbox" name="accommodation" value="standard">
```

```
Standard
              </label>
              <label>
                <input type="checkbox" name="accommodation" value="deluxe">
                Deluxe
              </label>
              <label>
                <input type="checkbox" name="accommodation" value="luxury">
              </label>
            </div>
            <div class="addon-activities">
              <h4>Add-on Activities:</h4>
              <label>
               <input type="checkbox" name="activities" value="trekking">
                Trekking in Kullu Valley
              </label>
              <label>
                <input type="checkbox" name="activities" value="paragliding">
                Paragliding in Solang Valley
              </label>
           </div>
          </div>
          <a href="booking.html" class="btn">Book Now </a>
     </section>
     </main>
    <footer>
        © 2023 Travel Booking Website. All rights reserved.
    </footer>
</body>
</html>
```

#### kerala.html -

```
}
   .package-details h2 {
     text-align: center;
   .package-details div {
     margin-bottom: 20px;
   .package-details h3 {
     margin-bottom: 10px;
   .package-details p {
     margin: 0;
   .package-details ul {
     padding-left: 20px;
     margin: 0;
 </style>
</head>
       <h1 style="text-align: center;">TravelEase Travel Booking Website</h1>
       <hr>>
       <nav>
         <l
           <a href="index.html">Home</a>
           <a href="destinationlisting.html">Destinations</a>
           <a href="booking.html">Bookings</a>
           <a href="account.html">Account</a>
           class="dropdown">
             <a href="#" class="dropbtn">Travel Options</a>
             <div class="dropdown-content">
              <a href="#">Flights</a>
               <a href="#">Hotels</a>
               <a href="#">Car Rentals</a>
               <a href="#">Tours</a>
             </div>
           <form id="search-form" action="#" method="GET">
```

```
<input type="text" name="destination" placeholder="Enter</pre>
destination">
           <input type="date" name="travel-date" placeholder="Travel date">
           <button type="submit">Search</button>
         </form>
       </nav>
     </header>
  <main>
   <section class="package-details">
       <h2>Package Details - Kerala</h2>
       <div class="itinerary">
         <h3>Itinerary</h3>
         Day 1: Arrive in Kochi and transfer to the hotel
         Day 2: Explore Fort Kochi and visit the iconic Chinese Fishing
Nets
         Day 3: Enjoy a backwater cruise in Alleppey
         <!-- Add more itinerary details -->
       </div>
       <div class="accommodation">
         <h3>Accommodation</h3>
         Option 1: Heritage Homestay in Fort Kochi
         Option 2: Traditional Houseboat in Alleppey
         <!-- Add more accommodation options -->
       </div>
       <div class="transportation">
         <h3>Transportation</h3>
         >Flight: International Airport to Kochi
         Local Transport: Private car with driver for sightseeing
         <!-- Add more transportation details -->
       </div>
       <div class="activities">
         <h3>Activities</h3>
         >Explore the famous backwaters of Kerala
         Visit the lush tea plantations in Munnar
         <!-- Add more activity options -->
       </div>
       <div class="pricing">
         <h3>Pricing</h3>
         Starting from $1500 per person
         <!-- Add more pricing details -->
       </div>
```

```
<div class="variations">
            <h3>Package Variations</h3>
            <div class="accommodation-option">
              <h4>Accommodation Type:</h4>
              <label>
                <input type="checkbox" name="accommodation" value="standard">
                Standard
              </label>
              <label>
               <input type="checkbox" name="accommodation" value="deluxe">
                Deluxe
              </label>
              <label>
                <input type="checkbox" name="accommodation" value="luxury">
               Luxury
              </label>
            </div>
            <div class="addon-activities">
              <h4>Add-on Activities:</h4>
              <label>
                <input type="checkbox" name="activities" value="trekking">
                Ayurvedic Spa Treatment
              </label>
              <label>
                <input type="checkbox" name="activities" value="paragliding">
                Kathakali Dance Performance
              </label>
            </div>
          <a href="booking.html" class="btn">Book Now </a>
      </section>
      </main>
    <footer>
        © 2023 Travel Booking Website. All rights reserved.
    </footer>
</body>
</html>
```

### goa.html -

```
<link rel="stylesheet" href="styles.css">
   .package-details {
     padding: 20px;
     background-color: #f5f5f5;
     border-radius: 5px;
   .package-details h2 {
     text-align: center;
   .package-details div {
     margin-bottom: 20px;
   .package-details h3 {
     margin-bottom: 10px;
   .package-details p {
     margin: 0;
   .package-details ul {
     padding-left: 20px;
     margin: 0;
 </style>
</head>
       <h1 style="text-align: center;">TravelEase Travel Booking Website</h1>
       <hr>>
         <l
           <a href="index.html">Home</a>
           <a href="destinationlisting.html">Destinations</a>
           <a href="booking.html">Bookings</a>
           <a href="account.html">Account</a>
           class="dropdown">
             <a href="#" class="dropbtn">Travel Options</a>
             <div class="dropdown-content">
              <a href="#">Flights</a>
```

```
<a href="#">Hotels</a>
               <a href="#">Car Rentals</a>
               <a href="#">Tours</a>
             </div>
           <form id="search-form" action="#" method="GET">
           <input type="text" name="destination" placeholder="Enter</pre>
destination">
           <input type="date" name="travel-date" placeholder="Travel date">
           <button type="submit">Search</button>
         </form>
       </nav>
     </header>
  <main>
   <section class="package-details">
       <h2>Package Details - Goa</h2>
       <div class="itinerary">
         <h3>Itinerary</h3>
         Day 1: Arrive in Goa and transfer to the beachside resort
         Day 2: Relax on the pristine beaches of Goa
         Day 3: Explore the vibrant markets and visit Old Goa
         <!-- Add more itinerary details -->
       </div>
       <div class="accommodation">
         <h3>Accommodation</h3>
         Option 1: Beachside Resort in North Goa
         Option 2: Boutique Hotel in South Goa
         <!-- Add more accommodation options -->
       </div>
       <div class="transportation">
         <h3>Transportation</h3>
         Flight: International Airport to Goa
         Local Transport: Private car with driver for sightseeing
         <!-- Add more transportation details -->
       </div>
       <div class="activities">
         <h3>Activities</h3>
         Water sports activities like snorkeling and jet skiing
         Explore the vibrant nightlife of Goa
         <!-- Add more activity options -->
       </div>
```

```
<div class="pricing">
         <h3>Pricing</h3>
          Starting from $1200 per person
         <!-- Add more pricing details -->
        </div>
        <div class="variations">
            <h3>Package Variations</h3>
            <div class="accommodation-option">
              <h4>Accommodation Type:</h4>
              <label>
                <input type="checkbox" name="accommodation" value="standard">
                Standard
              </label>
              <label>
               <input type="checkbox" name="accommodation" value="deluxe">
              </label>
              <label>
                <input type="checkbox" name="accommodation" value="luxury">
               Luxury
              </label>
            </div>
            <div class="addon-activities">
              <h4>Add-on Activities:</h4>
              <label>
               <input type="checkbox" name="activities" value="trekking">
               Scuba Diving
              </label>
              <label>
                <input type="checkbox" name="activities" value="paragliding">
               Spice Plantation Tour
              </label>
            </div>
          <a href="booking.html" class="btn">Book Now </a>
      </section>
      </main>
    <footer>
        %copy; 2023 Travel Booking Website. All rights reserved.
    </footer>
</body>
</html>
```

## booking.html –

```
<head>
    <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" href="styles.css">
  <title>Booking Page</title>
   body {
     font-family: Arial, sans-serif;
     background-color: #f2f2f2;
    .container {
     max-width: 1200px;
     margin: 50px auto;
     padding: 20px;
     background-color: #ffffff;
     border-radius: 5px;
     box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
    .form-container {
     width: 40%;
     float: left;
     margin-top: 20px;
    .payment-container {
     width: 40%;
     float: right;
     padding-left: 20px;
     margin-top:40px;
    .form-container label,
    .payment-container label {
     display:flex;
     margin-bottom: 10px;
     font-weight: bold;
     padding: 10px;
     margin: 10px;
    .form-container input[type="text"],.payment-container input[type="text"]
     {
     width: 80%;
     padding: 20px;
```

```
border: 2px solid #ccc;
     border-radius: 5px;
    .payment-container input[type="submit"] {
     display: block;
     width: 80%;
     padding: 10px;
     margin-top: 10px;
     background-color: #3c4759;
     color: #ffffff;
     border: none;
     border-radius: 5px;
     cursor: pointer;
    .clearfix::after {
     content: "";
     display: table;
     clear: both;
  </style>
</head>
       <h1 style="text-align: center;">TravelEase Travel Booking Website</h1>
       <hr>>
         <l
           <a href="index.html">Home</a>
           <a href="destinationlisting.html">Destinations</a>
           <a href="booking.html">Bookings</a>
           <a href="account.html">Account</a>
           class="dropdown">
             <a href="#" class="dropbtn">Travel Options</a>
             <div class="dropdown-content">
               <a href="#">Flights</a>
               <a href="#">Hotels</a>
               <a href="#">Car Rentals</a>
               <a href="#">Tours</a>
             </div>
           <form id="search-form" action="#" method="GET">
           <input type="text" name="destination" placeholder="Enter</pre>
destination">
           <input type="date" name="travel-date" placeholder="Travel date">
```

```
<button type="submit">Search</button>
          </form>
        </nav>
      </header>
  <div class="container">
    <h2 style="text-align: center;">Booking Form</h2>
    <div class="form-container">
      <form action="payment.php" method="post">
        <label for="name">Name:</label>
        <input type="text" id="name" name="name" placeholder="Enter your name"</pre>
required>
        <label for="email">Email:</label>
        <input type="text" id="email" name="email" placeholder="Enter your</pre>
email" required>
        <label for="phone">Phone:</label>
        <input type="text" id="phone" name="phone" placeholder="Enter your</pre>
phone number" required>
        <label for="email">Destination:</label>
        <input type="text" id="email" name="email" placeholder="Enter</pre>
Destination" required>
        <label for="requirements">Specific Requirements:</label>
        <textarea id="requirements" name="requirements" placeholder="Enter any</pre>
specific requirements" style="width:420px; height:80px;"></textarea>
      </form>
    </div>
    <div class="payment-container">
      <h2>Payment Details</h2>
      <form action="process payment.php" method="post">
        <label for="cardNumber">Card Number:</label>
        <input type="text" id="cardNumber" name="cardNumber"</pre>
placeholder="Enter card number" required>
        <label for="expiryDate">Expiry Date:</label>
        <input type="text" id="expiryDate" name="expiryDate"</pre>
placeholder="MM/YY" required>
        <label for="cvv">CVV:</label>
```

#### account.html -

```
<!DOCTYPE html>
<head>
 <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles.css">
  <title>User Account</title>
   body {
     font-family: Arial, sans-serif;
     background-color: #f2f2f2;
    .container {
     max-width: 1000px;
     margin: 50px auto;
     padding: 20px;
     background-color: #ffffff;
     border-radius: 5px;
     box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
    .form-container {
     width: 45%;
     float: left;
     margin-right: 5%;
```

```
.form-container h2 {
     margin-top: 0;
    .form-container label {
     display: block;
     margin-bottom: 10px;
     font-weight: bold;
    .form-container input[type="text"],
    .form-container input[type="password"] {
     width: 100%;
     padding: 10px;
     border: 2px solid #ccc;
     border-radius: 5px;
     box-sizing: border-box;
    .form-container input[type="submit"] {
     display: block;
     width: 100%;
     padding: 10px;
     margin-top: 10px;
     background-color: #3c4759;
     color: #ffffff;
     border: none;
     border-radius: 5px;
     cursor: pointer;
    .form-container .signup-link {
     margin-top: 10px;
     text-align: center;
    .form-container .signup-link a {
     color: #3c4759;
      text-decoration: underline;
    .form-container::after {
     content: "";
     display: table;
     clear: both;
 </style>
</head>
```

```
<header>
        <h1 style="text-align: center;">TravelEase Travel Booking Website</h1>
        <hr>>
        <nav>
          <l
            <a href="index.html">Home</a>
            <a href="destinationlisting.html">Destinations</a>
            <a href="booking.html">Bookings</a>
            <a href="account.html">Account</a>
            class="dropdown">
              <a href="#" class="dropbtn">Travel Options</a>
              <div class="dropdown-content">
               <a href="#">Flights</a>
               <a href="#">Hotels</a>
               <a href="#">Car Rentals</a>
               <a href="#">Tours</a>
              </div>
            <form id="search-form" action="#" method="GET">
            <input type="text" name="destination" placeholder="Enter</pre>
destination">
            <input type="date" name="travel-date" placeholder="Travel date">
            <button type="submit">Search</button>
          </form>
        </nav>
      </header>
  <div class="container">
    <div class="form-container">
      <h2>Login</h2>
      <form action="#" method="post">
       <label for="loginEmail">Email:</label>
        <input type="text" id="loginEmail" name="loginEmail"</pre>
placeholder="Enter your email" required>
        <label for="loginPassword">Password:</label>
        <input type="password" id="loginPassword" name="loginPassword"</pre>
placeholder="Enter your password" required>
        <input type="submit" value="Login">
      </form>
      <div class="signup-link">
       Don't have an account? Sign up here --></a>
      </div>
    </div>
```

```
<div class="form-container">
      <h2>Sign Up</h2>
      <form action="#" method="post">
        <label for="signupName">Name:</label>
        <input type="text" id="signupName" name="signupName"</pre>
placeholder="Enter your name" required>
        <label for="signupEmail">Email:</label>
        <input type="text" id="signupEmail" name="signupEmail"</pre>
placeholder="Enter your email" required>
       <label for="signupPassword">Password:</label>
        <input type="password" id="signupPassword" name="signupPassword"</pre>
placeholder="Enter your password" required>
        <input type="submit" value="Sign Up">
    </form>
  </div>
  <div style="clear:both;">
</div>
</div>
<!-- User Dashboard -->
<div class="dashboard">
    <div class="container">
      <h2 style="text-align: center;">User Dashboard</h2>
      <!-- Example Booking Card -->
      <div class="booking-card">
        Booking ID: #12345
       >Destination:Goa
       Date: May 30, 2023
       >Price: $1200
        <div class="actions">
         <a href="#">Cancel</a>
         <a href="#">Modify</a>
       </div>
      </div>
      <hr>>
      <div class="booking-card">
        Booking ID: #67890
        >Destination:Kerala
        Date: June 15, 2023
        >Price: $1500
        <div class="actions">
```

## styles.css -

```
/* styles.css */
/* General Styles */
body {
 font-family: Arial, sans-serif;
 margin: 0;
 padding: 0;
h1, h2, h3 {
 margin: 0;
 padding: 0;
header h1 {
 margin-bottom: 30px; /* Adjust the value as desired */
ul {
 list-style: none;
 padding: 0;
 text-decoration: none;
header {
 background-color: #3c4759;
 color: #fff;
 padding: 30px;
nav {
 display: flex;
```

```
justify-content: space-between;
  align-items: center;
nav ul {
 display: flex;
 align-items: center;
nav ul li {
 margin-right: 30px;
nav a {
 color: #fff;
 font-size: 23px;
nav form {
 display: flex;
 align-items: center;
nav input[type="text"],
nav input[type="date"] {
 padding: 8px;
 margin-right: 10px;
 border: 1px solid #ccc;
 border-radius: 5px;
nav button[type="submit"] {
 background-color: #333;
 color: #fff;
 padding: 8px 12px;
 border: none;
 border-radius: 5px;
 cursor: pointer;
main {
 padding: 20px;
.hero, .deals {
 margin-bottom: 30px;
```

```
.hero h2, .deals h2 {
 text-align: center;
 margin-bottom: 20px;
.destination-section {
 display: flex;
 flex-wrap: wrap;
 justify-content: flex-start; /* Changed from 'space-between' */
.destination-card, .deal-card {
 flex-basis: calc(25% - 20px); /* Changed from 'calc(33.33% - 20px)' */
 background-color: #f4f4f4;
 padding: 20px;
 border-radius: 5px;
 text-align: center;
 margin-bottom: 20px;
.destination-card img, .deal-card img {
 width: 100%;
 max-width: 300px;
 height: auto;
 margin-bottom: 10px;
 border-radius: 5px;
.destination-card h3, .deal-card h3 {
 margin-bottom: 10px;
.destination-card p, .deal-card p {
 margin-bottom: 20px;
.btn {
 background-color: #333;
 color: #fff;
 padding: 10px 20px;
 border-radius: 5px;
 display: inline-block;
/* Footer */
footer {
 background-color: #333;
```

```
color: #fff;
 padding: 10px;
 text-align: center;
Omedia screen and (max-width: 768px) {
 nav ul {
  flex-wrap: wrap;
 nav ul li {
   margin-bottom: 10px;
 nav form {
   flex-wrap: wrap;
   justify-content: flex-end;
 nav input[type="text"],
 nav input[type="date"],
 nav button[type="submit"] {
   margin-bottom: 10px;
   width: 100%;
.hero {
 display: flex;
 justify-content: center;
 flex-wrap: wrap;
.destination-card {
flex: 0 0 300px; /* Adjust the width of each destination card */
 margin: 20px; /* Adjust the spacing between destination cards */
 background-color: #3c4759;
.featured-packages {
 text-align: center;
 margin: 30px 0;
.featured-packages h2 {
```

```
margin-bottom: 20px;
.package-card {
 display: inline-block;
 width: 300px;
 margin: 10px;
 text-align: left;
 border: 1px solid #ddd;
 padding: 10px;
 border-radius: 5px;
.package-card img {
 width: 100%;
 height: auto;
 border-radius: 5px;
.package-card h3 {
 margin: 10px 0;
.package-card p {
 margin: 0;
.package-card .btn {
 display: inline-block;
 margin-top: 10px;
 padding: 5px 10px;
 background-color: #f5f5f5;
 color: #333;
 text-decoration: none;
 border-radius: 3px;
.package-card .btn:hover {
 background-color: #333;
 color: #fff;
.dropdown-content {
 display: none;
 position: absolute;
 background-color: #f9f9f9;
 min-width: 160px;
 box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
```

```
z-index: 1;
.dropdown-content a {
 color: #333;
 padding: 12px 16px;
 text-decoration: none;
 display: block;
.dropdown-content a:hover {
 background-color: #ddd;
.dropdown:hover .dropdown-content {
 display: block;
.destination-container {
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
.destination-card
 width: 300px;
 padding: 12px;
 margin-bottom: 20px;
 border: 3px solid #100f0f;
 border-radius: 10px;
.destination-card img {
 width: 100%;
 border-radius: 5px;
.destination-card h3 {
 margin-top: 10px;
.destination-card p {
 margin-top: 10px;
.destination-card p:last-child {
 font-weight: bold;
```

```
.filters {
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
 align-items: center;
 margin: 20px;
.filter-group {
 flex-basis: calc(33.33% - 20px);
 margin-bottom: 10px;
.filter-group label {
 font-weight: bold;
 margin-bottom: 5px;
.filter-group select {
 width: 100%;
 padding: 8px;
 border: 1px solid #ccc;
 border-radius: 5px;
```

Outputs:



















