ONE EV

COMPLETE PRODUCT BLUEPRINT

One Platform. Every EV. Smarter Mobility.

A premium, inclusive EV mobility and services platform for India

PRODUCT VISION

Help every EV driver discover, plan, book, pay, charge and manage journeys and EV services through one trusted platform.

Product concept • Prepared 10 November 2026

How to use this blueprint

This document turns the ONE EV concept into a structured product plan: what the platform is, who it serves, how the user journeys work, what each interface contains, how the frontend and backend fit together, which technologies are proposed, and how to build and launch it in stages.

Important distinction: this is a product and technical blueprint, not a claim that live charger feeds, operator reservations, payments or connected-vehicle data are already integrated. Those capabilities depend on provider APIs, permissions, testing and commercial agreements.

Contents

Section	What it covers
1. Product overview	Vision, problem, solution and product principles
2. Customers and service model	User groups, plans, partner and fleet roles
3. Information architecture	Main navigation and premium-but-clear experience
4. Complete user flow	Signup to trip planning, booking, charging and after-trip
5. Interface blueprint	Screens and key components for every portal
6. Core product modules	Vehicles, maps, routes, chargers, booking, marketplace and support
7. Recommendation intelligence	How stations and route stops are ranked
8. Frontend architecture	Apps, component structure and UX standards
9. Backend architecture	Services, APIs, data flow and real-time updates
10. Data and integrations	Database domains, external providers and trust controls
11. Security and operations	Privacy, payments, reliability and support
12. Business model	Revenue options and customer value
13. Delivery roadmap	Step-by-step development and release gates
14. Testing and success metrics	How to prove the service works
15. Final product definition	Scope summary and immediate next steps

1. Product overview

ONE EV is a proposed EV mobility platform that brings vehicle-aware trip planning and charging information into one experience. It is designed to help drivers avoid switching between multiple charging apps or relying on uncertain charger information. The core journey considers the vehicle, battery/range, route, charging stops, estimated time and cost, and charger status.

The product should grow from a reliable trip-planning service into a broader EV services ecosystem. It should be premium in design and capability, while remaining accessible to everyday and middle-income EV owners through a useful free tier and transparent pricing.

The problem

• Drivers may need to compare multiple charging networks, connector types, station locations, prices and availability.

• A charger shown on a map may be busy, offline or out of service when the driver arrives.

• Range, charging time and trip cost vary with vehicle, driving conditions, terrain, traffic, battery condition and charger performance.

The proposed solution

• A unified map of participating charging networks and compatible stations.

• Vehicle profiles that filter chargers by connector and vehicle capability.

• Trip planning with estimated energy use, charging stops, arrival battery and total cost.

• Charger status with source and last-updated time, plus alternative-stop suggestions.

• Booking and payment where the charging operator supports authorized integration.

Product promise

Plan the trip around the vehicle's real-world range and the charging stations most likely to be available when the driver arrives.

2. Customers and service model

Customer group	Main need	ONE EV value
EV car owners	Reliable intercity travel, compatible fast chargers	Vehicle-aware route and charging plan
Electric two-wheeler owners	Nearby compatible charging and everyday range	Relevant local discovery and vehicle profile
Auto / commercial EV drivers	Low downtime and predictable operating cost	Fast station discovery, cost and usage history
EV taxi and delivery drivers	Route efficiency and charging availability	Trip planning and repeat-use tools
Families and occasional drivers	Confidence and simple guidance	Clear instructions, safety buffer and support
Charging station operators	Bookings, pricing, utilization and customer reach	Partner portal and station operations
Fleet businesses	Multi-vehicle cost and charging oversight	Fleet dashboard, reports and controls

A premium product should not mean excluding ordinary users. Use a progressive service model:

Experience	Suggested offer
ONE EV Free	Vehicle profile, charger discovery, basic trip planning, estimated cost, saved trips and basic alerts.
ONE EV Plus	Advanced route alternatives, richer trip comparisons, charging-cost history, enhanced alerts and personalized insights.
ONE EV Premium	Multi-vehicle household tools, advanced planning preferences, priority support where operationally possible, detailed analytics and premium interface options.
ONE EV Business / Fleet	Team accounts, multiple vehicles and drivers, policy controls, fleet reports, expense exports and business support.
Station Partner	Station listing, connector and tariff management, reservations, occupancy/session view and settlement reports.

Plan names, benefits and prices are proposals. Validate willingness to pay with users before launching paid tiers. Core safety and basic charger information should not be hidden behind a paywall.

3. Information architecture

The interface should feel premium, information-rich and calm. Avoid a bare, generic interface, but do not place every feature on the first screen. Use a strong visual hierarchy, high-quality maps and cards, clear typography, purposeful motion, and progressive disclosure.

Primary navigation	Purpose	Key content
Home	Personal command center	Vehicle status, battery/range, quick trip planner, nearby chargers, bookings and alerts
Plan	Journey planning	Origin, destination, vehicle, battery, route choices, charging stops and cost
Explore	Discover charging and services	Map/list, filters, station details, prices, availability and nearby services
Bookings	Manage reservations	Upcoming, active, completed, cancelled, QR/check-in and receipts
Garage	Manage vehicles	Cars, bikes, scooters, autos and commercial EVs; add/edit/select vehicle
More	Secondary services	Marketplace, charging history, expenses, support, community, profile and settings

Dashboard layout

• **Top bar:** greeting, selected location, notification center and profile.

• **Hero vehicle card:** selected vehicle, battery percentage and estimated range; clearly label manual, connected or estimated values.

• **Primary action:** prominent Plan a Trip card with origin and destination entry.

• **Nearby charging:** map preview and a short ranked list with distance, connector, price and status freshness.

• **Journey and booking cards:** continue trip, next reservation, charging session or recent activity.

• **Personalized insights:** estimated savings, charging spend or vehicle tips, only when reliable data exists.

Premium visual direction

• A refined dark-navy and light-surface design system, with teal/blue accents and restrained status colors.

• Large map canvas, clear station cards, elegant charts and polished vehicle illustrations or verified photos.

• Subtle transitions and loading skeletons; never animate in a way that delays essential actions.

• Accessible contrast, scalable text, localization, and low-bandwidth fallback layouts.

• Offer display preferences (light/dark, compact/detailed) without changing the underlying task flow.

The interface can look premium for every user. Premium subscriptions should unlock additional services and insights, not basic usability or safety.

4. Complete user flow

A. First-time user

Step	User action	System response
1	Open app and choose language	Show welcome, language and accessibility options.
2	Register / sign in	Authenticate securely; offer supported sign-in methods.
3	Grant optional permissions	Explain why location and notifications help; allow later setup.

Step	User action	System response
4	Add vehicle	Select category, brand/model and connector; allow manual specification confirmation.
5	Set preferences	Preferred charging speed, price sensitivity, arrival reserve and accessibility needs.
6	Land on Home	Show selected vehicle and useful local discovery; no fabricated live values.

B. Plan a trip

Step	User action	System response
1	Tap Plan a Trip	Pre-fill selected vehicle and permitted current location.
2	Enter destination and departure	Validate places and calculate route candidates.
3	Confirm battery and reserve	Use connected data only with consent; otherwise ask user or use a labelled estimate.
4	Review route options	Show distance, drive time, charging stops, estimated arrival battery and cost range.
5	Inspect a stop	Show connector compatibility, network, tariff, hours, status source and update time.
6	Choose route / stop	Save plan and start navigation through supported map provider.
7	Monitor journey	Update progress and recalculate when new reliable data indicates a problem.
8	Reroute if needed	Offer compatible alternatives and show extra distance, time and estimated cost.

C. Book and pay

Step	User action	System response
1	Open a reservable station	Show bookable connectors and actual slot calendar from operator integration.
2	Select connector and time	Check compatibility, slot duration, tariff and cancellation terms.
3	Review total	Show charging fee, any booking/service fee, taxes and refund rules before payment.
4	Pay	Create payment order with the payment provider; keep slot on a short temporary hold if supported.
5	Verify payment and operator booking	Confirm only after backend verification and successful operator reservation.
6	Receive confirmation	Issue booking reference, QR/check-in instructions, receipt and reminder.
7	Arrive and charge	Operator validates reservation; session status is synchronized where supported.
8	Complete / cancel	Update booking, payment, refund and history records consistently.

Critical rule: a payment success message alone must not be treated as proof that a physical charger is reserved. The backend must verify the payment and the operator's reservation result.

5. Interface blueprint

User mobile and web application

Screen	Main elements and behaviour
Welcome / onboarding	Brand promise, language, sign-in, privacy and permission explanation.
Home dashboard	Vehicle hero card, battery/range confidence label, Plan a Trip, nearby chargers, booking/session card and alerts.
My Garage	Vehicle categories, searchable make/model list, add vehicle, selected vehicle and vehicle detail.
Vehicle detail	Battery capacity, usable range assumptions, connector, max AC/DC charge rate, vehicle data source and edit controls.
Trip planner	Origin/destination, departure time, vehicle, battery level, arrival reserve and route preferences.
Route results	Route alternatives, map polyline, stops, distance, ETA, charging duration, cost range and assumptions.
Station details	Operator, address, directions, connector types, kW, tariff, hours, amenities, status, source, timestamp and reviews.
Compare stations	Side-by-side price, detour, charging speed, compatibility, status freshness and reliability indicators.
Slot calendar	Date, connector, available time windows, estimated duration, price and cancellation policy.
Checkout	Booking summary, price breakdown, payment method, terms, confirmation and retry-safe payment state.
Booking details	Booking ID, QR code, location, time, connector, arrival instructions, cancellation and support.
Live charging	Session state, elapsed time, energy and cost when operator supplies it; otherwise explain unavailable fields.
History and expenses	Trips, sessions, receipts, filters, monthly spend and export.
Marketplace	EVs, accessories, home chargers and services from verified sellers/partners; separate shopping journey.
Support	Help center, issue report, booking/payment dispute, emergency contacts and case tracking.
Profile / settings	Account, vehicles, preferences, language, privacy permissions, payment methods and subscription.

Station Partner Portal

- Partner onboarding, business verification and station approval workflow.
- Station and connector inventory: location, connector type, power, hours, tariff and service status.
- Availability calendar and booking queue, with manual override audit trail.
- Live session/occupancy panel where charger-management data is integrated.
- Revenue, fees, refunds, payouts and utilization reports.
- Customer support, outage reporting and operational announcements.

Fleet Portal

- Organization, teams, drivers, vehicles and role permissions.
- Fleet map and vehicle status where data is available; route and charging plans.
- Charging expense, booking and utilization analytics; downloadable reports.
- Policies such as approved networks, spending limits and driver access.

Admin and Super Admin

• User, partner, station, network, vehicle catalogue and content management.

• Booking, payment, refund, complaint and dispute monitoring.

• Data quality console: stale feeds, connector mismatches, duplicate stations and API failures.

• Role-based admin access, configuration, commissions, audit logs and system health.

6. Core product modules

Module	Functional scope	Priority
Identity & account	Signup, login, recovery, consent, roles and account controls	MVP
Vehicle catalogue & garage	Vehicle models, specifications, connectors, multi-vehicle profiles	MVP
Charger discovery	Map/list, filters, station details, network and connector data	MVP
Trip planner	Route, energy/range estimates, charging stop suggestions and cost/time	MVP
Recommendation engine	Compatibility-first ranking and transparent explanation	MVP
Status/data quality	Working, Busy, Out of Service, Unknown; source and timestamp	MVP
Bookings & payments	Slot hold, operator reservation, payment verification, refund and receipt	Partner-dependent
Charging session	Session start/stop/status/energy updates where integrated	Partner-dependent
Marketplace	Verified products, services, seller listings, orders and support	Later phase
Fleet management	Organizations, drivers, vehicle groups, expense and reporting	Later phase
Community & reviews	Verified reviews, issue reports, moderation and trust signals	Later phase
Customer support	Help center, ticketing, escalation and service status	MVP foundation

7. Recommendation intelligence

ONE EV should recommend a station because it is a good fit for the specific vehicle and journey—not simply because it is nearby. The first version can use transparent rules and weighted scoring. More advanced machine learning should be introduced only after enough reliable trip and charging outcome data has been collected.

Recommended decision sequence

• **Hard filters first:** compatible connector, supported vehicle category, operating status and reasonable route reachability.

• **Then rank:** detour time, tariff, charging power, status freshness, station reliability, amenities and user preferences.

• **Safety reserve:** do not recommend a stop that requires the vehicle to arrive with an unsafe or implausible battery reserve.

• **Explain:** show why a station is recommended, what is estimated and what data is missing.

Illustrative scoring model (initial rule-based version)

Factor	Illustrative weight	Meaning
Vehicle / connector compatibility	Hard requirement	Incompatible stations are excluded.
Reachability and battery reserve	Hard requirement + safety margin	The route must be plausible with a configurable reserve.
Detour time	25%	Lower detour is better.
Price	20%	Lower comparable total cost is better; tariff units must match.
Charging speed / expected dwell	20%	Useful charging power and expected stop duration.
Availability freshness	15%	Recent operator data is stronger than old or user-reported data.
Reliability / user feedback	10%	Operational history and moderated verified reports.
Amenities / user preference	10%	Facilities or preferences such as restroom, food or accessibility.

Weights are example starting values, not validated model parameters. Tune them with pilot results and user research. Never let a high score override connector incompatibility or safety constraints.

Range and cost estimates

• Start with published vehicle specifications plus user-entered battery level, route distance and transparent assumptions.

• Apply a safety buffer; show a range or confidence band rather than false precision.

• Later improve with consent-based vehicle telemetry, weather, terrain, traffic and observed consumption where reliable.

• Show tariff basis clearly: per kWh, per minute, per session, parking/idle fee or taxes, as applicable.

Charger status design

Status	User-facing meaning	App behaviour
Working	Reported/confirmed operational	May be included as a planned stop; show source and last update.
Busy	Currently in use	Show wait estimate only if supplied; offer alternatives.
Out of Service	Reported/confirmed unavailable	Avoid as planned stop and suggest another.

Status	User-facing meaning	App behaviour
Unknown	No reliable current status	Show timestamp; do not imply it is working.
Reserved	A confirmed reservation exists	Show unavailable to other users for the reserved period, subject to operator sync.

8. Frontend architecture

Recommended approach

Layer	Proposed technology	Responsibility
Android mobile	Flutter	Premium mobile UX, location, notifications, maps and device integrations.
User web app	React + TypeScript	Responsive browser experience for trip planning and account management.
Partner portal	React + TypeScript	Station operations, bookings, tariffs and reports.
Admin portal	React + TypeScript	Moderation, operations, data quality and platform controls.
Shared design system	Design tokens + reusable component library	Consistent cards, forms, status badges, tables, charts and accessibility.
Maps UI	Google Maps Platform or selected mapping provider	Map, route line, station pins and navigation handoff.

Frontend structure (illustrative)

```
apps/
mobile/ (Flutter)
web/ (React + TypeScript)
partner/ (React + TypeScript)
admin/ (React + TypeScript)
packages/
design-system/
api-client/
shared-types/
map-components/
validation/
```

Frontend engineering standards

• Use typed API contracts and consistent loading, empty, error and offline states.

• Keep business rules on the backend; the frontend should not calculate payment truth or final reservation status.

• Protect sensitive screens and actions with role checks and server-side authorization.

• Support responsive layouts, accessible contrast, keyboard navigation on web and localization.

• Instrument critical funnels: signup, add vehicle, create trip, inspect charger, book and complete charge.

9. Backend architecture

Recommended backend: Node.js with TypeScript and a modular API architecture. Start as a well-structured modular monolith to reduce deployment complexity; split high-load or independently scaling services later. Use Python/FastAPI for data science or prediction services when justified.

Backend domain	Responsibilities
API gateway / BFF	Authentication checks, request validation, rate limits and app-specific response shaping.
Identity & users	Accounts, roles, consent, sessions and profile settings.
Vehicle service	Vehicle catalogue, user garage, connector and specification records.
Station & network service	Operator, station, connector, tariff, opening hours and location records.
Trip & routing service	Route candidates, trip state, route legs, charging stops and rerouting.
Energy / estimate service	Range, energy consumption, arrival battery and cost/time estimates.
Recommendation service	Compatibility filtering, ranking, explanation and feedback.
Availability service	Provider feed ingestion, normalization, freshness and status history.
Booking service	Slot inventory, temporary holds, reservation state and idempotency.
Payment service	Payment orders, provider callbacks/webhooks, verification, refunds and receipts.
Charging session service	Session status, energy/cost updates and reconciliation when available.
Notification service	Push, email/SMS where configured, reminders and operational alerts.
Marketplace / order service	Seller catalogues, carts, orders, delivery/service status and returns (later phase).
Partner / fleet service	Organizations, station owners, drivers, fleet assets and permissions.
Admin / audit service	Moderation, platform configuration, audit trail and operational controls.

Backend technology proposal

Concern	Technology option
Runtime / API	Node.js + TypeScript + Express or NestJS
Primary database	PostgreSQL
Geospatial queries	PostGIS extension
Cache / temporary slot holds	Redis
Real-time updates	WebSocket / Socket.IO; provider webhooks where available
AI / analytics services	Python + FastAPI; begin with deterministic algorithms
Authentication	Firebase Auth or a suitable managed identity provider
Payments	Razorpay or another approved payment provider; verify server-side
Maps and routing	Google Maps Platform or a provider selected after coverage/cost review
Notifications	Firebase Cloud Messaging and approved messaging providers
File storage	S3-compatible object storage

Concern	Technology option
Deployment	AWS or another cloud platform; Docker and CI/CD
Monitoring	Centralized logs, metrics, tracing, uptime and alerting

Key backend flow: availability and booking

Operator feeds / APIs → ingestion adapter → normalized station and connector records → freshness checks → availability cache and history → user-facing station API. For a booking: user request → compatibility and slot check → atomic temporary hold → payment order → verified payment callback → operator reservation request → confirmed booking only after operator success → notification and updated availability.

Concurrency and payment safeguards

• Use database transactions, unique constraints and locking so two users cannot reserve the same connector/time window.

• Use idempotency keys for booking creation, payment requests and webhook processing.

• Treat provider webhooks as untrusted until signatures and payment status are verified server-side.

• Model booking states explicitly: pending, held, payment_pending, operator_pending, confirmed, failed, cancelled, expired, completed and refund_pending/refunded.

• Use reconciliation jobs for delayed callbacks, partial failures and mismatched operator/payment states.

10. Data model and integrations

Core data entities

Domain	Main records
Identity	users, user_roles, organizations, consents, notification_preferences
Vehicles	vehicle_makes, vehicle_models, vehicle_specs, connectors, user_vehicles
Charging network	operators, networks, stations, connectors, tariffs, opening_hours
Availability	connector_status, status_events, provider_sync_runs, user_reports
Trips	trips, route_options, route_legs, planned_stops, trip_events
Booking	bookings, slot_holds, booking_events, cancellation_records
Payments	payment_orders, payment_transactions, refunds, settlement_records
Charging sessions	charging_sessions, meter_values, session_events
Marketplace	sellers, products, inventory, orders, order_items, service_listings
Fleet / partner	fleets, fleet_vehicles, drivers, partner_stations, partner_users
Trust / support	reviews, complaints, support_tickets, audit_logs

External integrations

• **Charging networks:** official operator APIs or roaming standards such as OCPI where supported and contractually authorized.

• **Maps and routing:** geocoding, route calculation, traffic and navigation handoff from a mapping provider.

- **Vehicle data:** manual input first; connected-car/telematics integrations only where supported and consented.
- **Payments:** payment gateway for collections, refunds and settlement; booking rights still come from the operator.
- **Notifications:** push notifications and, if needed, SMS/email through approved providers.

Do not promise cross-network booking, charging start/stop or payment until each network integration is approved and tested. Public map data alone is not sufficient to reserve a physical connector or control a charging session.

11. Security, privacy and operational trust

• Collect only the personal and location data needed for the feature; request permission at the moment it becomes useful.

• Protect passwords and tokens using established identity services and secure secret storage.

• Encrypt traffic in transit and sensitive data at rest; restrict database and admin access.

• Use role-based access control for users, partners, fleet managers, support agents and administrators.

• Maintain audit trails for price changes, station status overrides, booking changes, refunds and admin actions.

• Use payment-provider hosted/secure flows where possible; do not store raw card details.

• Show source, timestamp and confidence for charger data; separate operator-confirmed information from user reports.

• Provide a clear privacy notice, data export/deletion process and consent controls.

• Provide safe route guidance and never guarantee a vehicle will reach a charger; show estimates and reserve margins.

Operational dashboards

Monitor	Alert example
Provider data freshness	A network feed has not updated within its expected interval.
Station data quality	Missing connector, invalid coordinates, duplicate station or tariff conflict.
Booking reliability	Operator reservation failure, expired hold or duplicate booking attempt.
Payment reliability	Webhook delay, payment/booking mismatch or refund pending too long.
App performance	High API latency, error rate, crash rate or map load failure.
Customer support	Unresolved safety, payment or reservation complaint.

12. Business model

Revenue stream	How it can work	Guardrail
Charging booking commission	Commission on completed partner-enabled bookings.	Disclose fees; agree terms with each operator.
Partner subscription	Monthly tools for station owners and operators.	Offer measurable operational value.
Fleet subscription	Per-vehicle or organization pricing for fleet tools.	Keep basic driver flows straightforward.
Premium consumer plan	Advanced planning, analytics and multi-vehicle features.	Do not paywall essential safety information.
Marketplace commission	Commission on verified EV products/accessories/services.	Seller verification, transparent returns and support.
Sponsored placements	Clearly labelled promoted stations or products.	Never disguise ads as organic recommendations.

13. Step-by-step development roadmap

Phase	Build and deliver	Exit condition
0. Discovery	Interview drivers, station operators and fleet users; validate top use cases, data sources and business assumptions.	Prioritized requirements and integration feasibility documented.
1. Product design	Brand system, premium UX, user flows, clickable prototype and design validation.	Representative users can complete key tasks in usability tests.
2. Platform foundation	Repo, environments, CI/CD, authentication, roles, database, logging and API standards.	Secure test deployment and automated checks.
3. Garage + discovery	Vehicle catalogue, garage, station catalogue, map/list, filters and station detail.	Compatible stations can be found and inspected.
4. Trip-planner MVP	Routing, range/energy estimates, stop suggestions, price/time estimates and rerouting prototype.	Pilot routes produce understandable estimates with safety margin.
5. Real charger data	Operator/provider feeds, normalization, status source/timestamp, freshness and quality console.	Data coverage and freshness measured for selected pilot region.
6. Partner portal	Station onboarding, connector inventory, tariffs, operating hours and operational tools.	Partner can maintain accurate station records.
7. Booking + payments	Only for integrated partners: slot inventory, hold, payment verification, operator reservation, QR/check-in, cancellation and refund.	End-to-end booking tests pass with partner confirmation and reconciliation.
8. Session monitoring	Charging session status and energy/cost updates where operator supports it.	Session lifecycle reconciles with provider records.
9. Pilot launch	Limited geography/network, driver testing, support workflows, incident response and analytics.	Success and safety metrics meet agreed thresholds.
10. Scale + premium	More networks/regions, paid tiers, fleet tools, marketplace and advanced prediction.	Expansion supported by data, operations and unit economics.

Recommended first release scope

Do not attempt to launch every proposed module at once. The strongest first release is: account and vehicle garage; charger discovery for a defined pilot area; transparent station details; trip planning with labelled estimates; compatibility-aware recommendations; basic trip history; and support/reporting. Booking should be enabled only for partners with real reservation capability.

14. Testing and success metrics

Area	What to test / measure
Usability	Time to create a trip plan; successful task completion; confusion points; accessibility.
Vehicle fit	Correct connector filtering and vehicle specification accuracy.
Route quality	Suggested stop reachability, reserve battery and detour reasonableness.
Charger data	Station coverage, status freshness, duplicate/missing records and user-reported mismatch.
Cost estimates	Difference between estimated and actual charging cost where receipts are available.
Booking	Booking success rate, duplicate prevention, operator confirmation, cancellation and refund completion.
Reliability	Crash-free sessions, API uptime, latency, map load and notification delivery.
Customer trust	Support resolution time, complaint rate, status accuracy feedback and repeat use.
Business	Active drivers, completed trip plans, completed partner bookings, partner retention and revenue per account.

15. Final product definition

ONE EV is a premium, inclusive EV mobility and services platform. Its central experience is a vehicle-aware journey planner that combines compatible charging discovery, route and range estimates, charger status transparency, cost comparison and alternative-stop guidance. Around that core, it adds booking and payment for integrated stations, vehicle management, charging history, partner operations, fleet tools and a verified EV marketplace.

The three product pillars

Discover	Travel	Manage
Find compatible chargers, compare tariffs, explore verified EV products and services.	Plan routes, estimate range/time/cost, select charging stops and reroute when needed.	Manage vehicles, bookings, payments, charging history, expenses and fleet operations.

The ONE EV experience

Register → Add Vehicle → Plan Journey → Find Compatible Chargers → Compare Options → Reserve (where supported) → Pay → Charge → Track → Plan the Next Journey

Non-negotiable product rules

• Never fabricate live availability, booking confirmation, charging progress or vehicle battery data.

• Clearly label estimates, source, timestamp and uncertainty.

• Keep the experience visually premium but easy to understand for first-time and everyday users.

• Make the free experience genuinely useful; charge for additional convenience, advanced insights and business capabilities.

• Build real integrations in stages and test with real drivers before expanding.

Immediate next steps

• Approve the product scope and decide the first pilot geography and EV categories.

• Select the initial mapping provider and identify charger data providers/operators to approach.

• Create the complete screen-by-screen wireframes and clickable prototype.

• Finalize the database schema and API contracts for the MVP.

• Build the foundation and trip-planning MVP before expanding into booking, payments and marketplace.

Source basis and implementation note

This blueprint expands the uploaded ONE EV Smart Route & Charging Companion concept brief. That brief establishes the core problem, proposed unified charging map, vehicle profile, smart trip planning, cost/time estimates, charger status, alternative stops, integration dependencies and staged roadmap. See pages 2–4 of the source concept. ■filecite■turn0file0■L41-L68■ ■filecite■turn0file0■L126-L137■ ■filecite■turn0file0■L151-L184■

Prepared as a planning document. Technology choices, commercial terms, operator integrations, subscription pricing and launch geography must be validated before implementation.