



Vel Tech
Rangarajan Dr. Sagunthala
R&D Institute of Science and Technology
(Deemed to be University Estd. u/s 3 of UGC Act, 1956)



SCHOOL OF COMPUTING

DEPARTMENT OF ARTIFICIAL INTELLIGENCE AND DATA SCIENCE

WINTER SEMESTER 2025-2026

10214AD701 MAJOR PROJECT

“SMARTFLOW: Intelligent Traffic Management with Real-Time Density and Emergency Response”

REVIEW-2

SUPERVISED BY

Dr. R. Anandh

Associate Professor

PRESENTED BY

1. R. Ratna Kowshik (VTU22995)(22UEAD0053)

2. V. Pavani (VTU23710)(22UEAD0071)



CONTENT

- **Introduction & Problem Statement**
- **Project Goals & Objectives**
- **Literature Review & Background**
- **Proposed System Architecture**
- **Methodology & Implementation Plan**
- **Technology Stack & Tools**
- **Expected Outcomes & Deliverables**
- **Publication Status**
- **Progress & Milestones Achieved (For Review-1)**
- **Future Work & Next Steps**
- **References**



Introduction & Problem Statement

Introduction:

The proposed framework, SMARTFLOW, is considered to be a major breakthrough in the design of intelligent traffic management systems and emergency response systems in smart cities. The proposed framework has been able to present an effective real-time density-controlled traffic management system that makes use of IoT sensor technology as well as computer vision algorithms. This ensures that the system is able to dynamically adjust the signal phase in line with realtime congestion density. This ensures that traffic congestion bottlenecks are effectively addressed, thus allowing the full capacity of the intersection to be utilized . In addition, the proposed framework has been able to present an emergency vehicle detection system. This is achieved by the application of advanced algorithms that ensure the detection of emergency vehicles such as ambulances, fire trucks, and police cars. Once the emergency vehicles are detected, the system ensures that the traffic signals allow them to pass without being delayed .

Problem Statement:

Rapid urbanization has led to severe traffic congestion, increased travel delays, and challenges in ensuring timely emergency response. Conventional traffic signal control systems typically operate using fixed-time cycles and are unable to adapt to dynamic variations in traffic density. This results in prolonged waiting times, excessive fuel consumption, and elevated air pollution levels. Furthermore, emergency vehicles such as ambulances and fire engines often experience significant delays at intersections, potentially endangering lives and reducing overall transportation efficiency. Hence, there is a critical need for an intelligent, real-time traffic management system capable of dynamically adjusting signal timings, alleviating congestion, and providing priority passage for emergency services.



Project Goals & Objectives

Overall Goal:

However, due to the rapid growth of urbanization, there has been an increase in traffic congestion, which causes the inefficient management of the traffic signals and the delayed response to emergencies. In the traditional system of controlling traffic signals, a static plan is used for the timing purpose, which cannot be adapted to the real-time situation. In order to overcome the problems faced in the traditional system, the AI assisted adaptive traffic signal control system with emergency vehicle prioritization is introduced in this paper. In the proposed system, the video captured from the roadside cameras is used to identify the vehicles using the YOLOv8 model. The vehicles are classified into two-wheelers and four-wheelers. The weighted density is used to identify the congestion on a per-lane basis. Emergency vehicles such as ambulances and fire trucks are identified using visual and auditory signals to provide the right of-way priority. The entire system is developed using the Python programming language along with the OpenCV and PyTorch libraries. The proposed system is a highly efficient solution for the modern traffic signals that replaces the traditional static timers with the AI-assisted adaptive solution.

SMARTFLOW also uses an artificial intelligence-based adaptive signal timing model that optimizes traffic flow at intersections by dynamically adjusting green and red signal phases. The adaptive model minimizes average vehicle waiting times and maximizes system-wide efficiency under dynamic urban traffic conditions . In addition, the proposed framework is scalable and cost effective. With the use of low-cost IoT devices, cloud analytics, and a modular system architecture, SMARTFLOW can be easily incorporated into the existing traffic system. This is particularly important from the perspective of long-term sustainability and meeting the needs of intelligent transportation systems in a smart city setting .



Literature Review & Background

Existing Solutions: Existing solutions for traffic monitoring and vehicle analysis primarily rely on conventional computer vision techniques and earlier deep learning models. Traditional approaches such as background subtraction, optical flow, and frame differencing have been widely used to detect moving vehicles. With the advancement of deep learning, models like R-CNN, making them less suitable for real-time applications. Earlier versions of YOLO (such as YOLOv3 and YOLOv5) have been adopted for traffic analysis due to their faster processing capabilities, yet they face challenges in detecting small or overlapping vehicles in dense traffic scenarios.

Limitations: The existing traffic monitoring solutions exhibit several critical limitations that affect their reliability and scalability in real-world deployments. Even with deep learning-based models, earlier approaches often struggle with detecting small, distant, or overlapping vehicles in dense traffic scenarios, leading to reduced precision and recall. Many systems also require high computational resources, making real-time processing difficult on edge devices or low-cost hardware. Another major limitation is the lack of integration between vehicle detection, speed estimation, and traffic control, as most systems perform these tasks independently rather than as a unified framework.


Our Approach: Our approach proposes an intelligent and integrated traffic monitoring system leveraging the advanced capabilities of YOLOv8 for real-time vehicle detection, classification, and analysis. Unlike traditional methods, this system performs detection and localization in a single forward pass, ensuring high accuracy with low latency, making it suitable for real-time deployment. The model is trained to accurately identify multiple vehicle classes even in dense and complex traffic scenarios, addressing issues such as occlusion and small object detection. In addition to detection, the system incorporates a speed estimation module by tracking vehicle movement across consecutive frames, enabling dynamic analysis of traffic flow. This unified approach ensures improved accuracy, faster processing, and better decision-making for smart transportation systems.



Literature Review & Background

AUTHOR	STUDY	MAJOR FINDINGS	RESEARCH GAP
Zhang et al.	YOLO-based traffic monitoring	Achieved real-time vehicle detection with good accuracy	Limited performance in dense traffic and occlusion cases
Lu et al.	Improved small object detection using YOLO	Enhanced detection of traffic signs and small objects	Increased computational complexity
Redmon et al.	Original YOLO framework	Introduced single-stage fast object detection	Lower accuracy compared to two-stage detectors
Liu et al.	SSD-based object detection	Balanced speed and accuracy for detection tasks	Struggles with small object detection
Bochkovskiy et al.	YOLOv4 improvements	Improved accuracy and speed trade-off	Requires high computational resources

Proposed System Architecture





Methodology & Implementation Plan

Methodology: The system processes input videos by extracting frames and preprocessing them. Convolutional Neural Networks are used to extract spatial features, while Long Short-Term Memory analyzes temporal consistency across frames. GAN-based artifact detection identifies synthetic patterns, and the combined features are used to classify the content as real or deepfake.

- **Implementation Plan:** Phase 1 (Weeks 1-4): Data collection and preprocessing are performed, including video frame extraction, face detection, and normalization.
- Phase 2 (Weeks 5-8): model development is done using Convolutional Neural Networks for spatial feature extraction.
- Phase 3 (Weeks 9-12): temporal analysis is implemented using Long Short-Term Memory and GAN-based artifact detection to improve accuracy.
- Phase 4 (Weeks 13-16): the models are integrated, tested on datasets, and evaluated based on performance metrics to finalize the system.




Technology Stack & Tools

- **Software:** Python, OpenCV, NumPy, Pandas, Matplotlib
- **Tools:** TensorFlow, PyTorch, OpenCV, Jupyter Notebook, Google Colab, GitHub

Expected Outcomes & Deliverables

- **Expected Outcomes:**

This section presents the experimental evaluation of the proposed SMARTFLOW intelligent traffic management system. The performance of the deep learning–based vehicle detection, classification, and adaptive signal control mechanisms is assessed using standard evaluation metrics. Experiments were conducted on real-world traffic video streams captured at urban intersections under varying traffic conditions. The system was evaluated in terms of detection accuracy, precision, recall, and F1-score to analyze its effectiveness in real-time traffic monitoring. In addition, qualitative visual results are presented to demonstrate lane-wise vehicle detection and emergency vehicle prioritization, validating the practical applicability of the proposed framework..





Progress & Milestones Achieved (For Review-1)

Completed Tasks: The initial phase of the project has been successfully completed, including dataset collection and preprocessing for vehicle detection, along with annotation of traffic data to train the model effectively. The YOLOv8 model has been implemented and configured, followed by initial training and validation on the prepared dataset. Basic vehicle detection functionality has been tested on sample traffic videos to verify accuracy and performance. Additionally, the system design architecture has been finalized, including the workflow for detection, tracking, and analysis. Preliminary work on speed estimation using frame-by-frame tracking has also been initiated.

Milestones Reached: A functional prototype for real-time vehicle detection has been achieved, demonstrating accurate identification and classification of vehicles in traffic scenarios. The model is capable of processing video input and generating bounding boxes with acceptable precision. Initial integration of detection with tracking mechanisms has also been established, marking a significant step toward full system development.

Current Status: The project is currently in the intermediate stage, where the focus is on improving model accuracy, optimizing performance for real-time processing, and integrating speed estimation and traffic density analysis modules into a unified system.



Future Work & Next Steps

Planned Activities: In the next phase of the project, the focus will be on enhancing the overall system performance and expanding its functionality. This includes fine-tuning the YOLOv8 model to improve detection accuracy, especially in dense and complex traffic conditions. The speed estimation module will be fully developed using advanced tracking algorithms to ensure precise vehicle speed calculation. Additionally, traffic density analysis will be integrated to enable intelligent decision-making for adaptive traffic signal control. Efforts will also be made to optimize the system for real-time deployment on edge devices and improve computational efficiency. If feasible, a basic user interface or dashboard will be developed to visualize detection results and traffic insights.

Timeline for Next Steps: Over the next 2–3 weeks, model optimization and speed estimation integration will be completed. In the following 2 weeks, traffic density analysis and system integration will be finalized. The final phase, spanning 1–2 weeks, will focus on testing, performance evaluation, and documentation, leading to the completion of the project.



Publication Status

The research paper has been successfully accepted for presentation at the AIMA 2026 conference, marking a significant milestone in the project. The registration and payment process has been completed, and the copyright form has also been received, confirming the official inclusion of the paper in the conference proceedings. This acceptance validates the novelty and technical contribution of the proposed YOLOv8-based traffic monitoring system. Currently, the focus is on preparing for the upcoming review and presentation scheduled on April 16 and 17, which will involve explaining the methodology, experimental results, and overall system performance to the review panel. Necessary preparations such as refining the presentation slides, practicing the explanation, and ensuring clarity in technical concepts are being carried out to effectively communicate the research work during the conference.



References(as per IEEE format only)

- [1] X. Zhang et al., “An Improved YOLO-Based Road Traffic Monitoring System,” *Computing*, vol. 102, no. 6, pp. 1231–1243, Jun. 2020.
- [2] H. Lu et al., “Research on Small Target Detection Method of Traffic Signs Improved Based on YOLOv3,” in *Proc. 2022 2nd Int. Conf. Consumer Electronics and Computer Engineering (ICCECE)*, Guangzhou, China, 2022, pp. 476–481.
- [3] S. Roy, “Emergency Vehicle Detection on Heavy Traffic Road from CCTV Footage Using Deep Convolutional Neural Network,” in *Proc. 2019 Int. Conf. Comput. Sci. Eng. Appl.*, Dhaka, Bangladesh, 2019, pp. 1–6.
- [4] S. Ren et al., “Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 39, no. 6, pp. 1137–1149, Jun. 2017.
- [5] S. Zhang et al., “Single-Shot Refinement Neural Network for Object Detection,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Salt Lake City, UT, USA, 2018, pp. 4203–4212.
- [6] J. Zhang et al., “Traffic Sign Detection and Recognition Using YOLOv3,” *Mathematics*, vol. 12, no. 2, p. 297, Feb. 2024.
- [7] Y. Zhang et al., “MME-YOLO: Multi-Sensor Multi-Level Enhanced YOLO for Robust Vehicle Detection in Traffic Surveillance,” *Sensors*, vol. 21, no. 1, p. 27, Jan. 2021.
- [8] Y. L. Kuo et al., “Applications of Deep Learning to Road Sign Detection in DVR Images,” in *Proc. 2019 IEEE Int. Symp. Measurement and Control in Robotics (ISMCR)*, Houston, TX, USA, 2019, p. A2-1.
- [9] Y. Zhang et al., “Traffic Management System Using YOLO Algorithm,” *Eng. Proc.*, vol. 59, no. 1, p. 210, Jan. 2024.
- [10] A. Abraham et al., “Traffic Lights and Traffic Signs Detection System Using Modified YOLO,” in *Proc. 2021 Int. Seminar on Intelligent Technology and Its Applications (ISITIA)*, Surabaya, Indonesia, 2021, pp. 141–146.



THANK YOU!