

S.No.	Assignment Name	Date of Experiment	Student's Sign	Submission Date	Teacher's Sign.
1.	Introduction to HTML	5/9/26	R	10/9/26	} 2m 16/9
2.	Advantage & Disadvantages of HTML	5/9/26	R	10/9/26	
3.	Basic Structure of HTML	10/9/26	R	10/9/26	
4.	Webpage with Different headings	10/9/26	R	19/9/26	} 2m 19/9
5.	Webpage with Different formatting tags	17/9/26	R	19/9/26	
6.	Square of nos in different lines	17/9/26	R	19/9/26	
7.	Using tags for Colors.	18/9/26	R	24/9/26	} 2m 24/9
8.	Making GV.	19/9/26	R	24/9/26	
9.	C Program in HTML	24/9/26	R	1/10/26	} 2m 3/10
10.	Using and <ins> tag.	24/9/26	R	1/10/26	
11.	Using Definition tags	25/9/26	R	1/10/26	
12.	Using Acronym/Abbreviation tags	25/9/26	R	1/10/26	

Teacher's Signature _____

Assignment-1:- Introduction of HTML.

- Webpages are written in HTML.
- HTML:- Hyper Text Markup Language.
- ⇒ Hyper Text ⇒ Piece of text that works as a link.
- ⇒ Markup Lang ⇒ Way of writing layout info within Document.
- When a browser opens an HTML file, it will look for HTML form in the text and use them to change layout, insert image and create links to other pages.
- Since HTML Doc. are just text file they can be written in any text editor.
- Popular choices is to use a special text editor mainly the one that puts focus on the visual result; rather than the course - called WYSIWYG Editor (What you see is what you get).
- Sum of Most Popular HTML Editors:- Front Page, Dream viewer, Notepad++, etc.-
- Will let you create pages more or less as you write doc in words.
- It is forgiving ⇒ Duality associated with all the browsers is that they could not give any error, if you have not put any HTML tag or attribute properly.
- They will just ignore that tag or Attribute and will apply only correct tags and Att. before displaying the result.
- ⇒ Disadvantages of HTML:-
 - ① Only Static & Plain webpages are made.
 - ② Need to write a lot of code for simple webpages.
 - ③ Security features are not good.
 - ④ Complexity is produces when code is longer.

Assignment-21- Advantage & Disadvantage of HTML.

- Advantages:-
- ① Widely Used and supported by Every Browser.
 - ② Easy to learn/Use.
 - ③ By default installed in every windows OS, Don't need extra paid software.
 - ④ It would not give any error.
- Disadvantages:-
- ① Only Static & Plain-Webpages are made.
 - ② Need to write a lot of code for simple webpage.
 - ③ Security features are not good.
 - ④ Complexity is produced when code is long.

This is my first Webpage.

This is heading.

Assignment-31- Basic Structure of HTML.

- HTML Document start and end with html tag.
- Document is split in two sections.
- `<head>.....</head>` this contain information about Document.
- `<body>.....</body>` this contain the real content of Document that you see on the screen.
- Tag and attribute name are not case sensitive.

`<html>`

`<head>`

`<title> This is my first Webpage </title>`

`</head>`

`<body>`

`<h1> This is heading </h1>`

`</body>`

`</html>`

Our Rajasthan.

Our Rajasthan, Our Pride

Rajasthan is a beautiful state of India, famous for its rich history and royal culture.

Rajasthan is also known for its colorful festivals, folk dances. Its culture makes it unique.

It has Thar Desert, beautiful lakes, and Aravali hills at its beauty.

Assignment - 4

- Q. Create a web page using different heading tags which describes information about Rajasthan.

```
<html>
```

```
<head>
```

```
<title> Our Rajasthan </title>
```

```
<h1> Our Rajasthan, Our Pride </h1>
```

```
</head>
```

```
<body>
```

```
<h3> Rajasthan is a beautiful state of India,  
famous for its rich history and royal culture.
```

```
</h3>
```

```
<h4> Rajasthan is also known for its colorful  
festivals, folk dances. Its culture make it unique.
```

```
</h4>
```

```
<h4> It has Thar Desert, beautiful lakes, and  
Aravali hills at its beauty.
```

```
</h4>
```

```
</body>
```

```
</html>
```

Independence Day of India.

Independence Day of India.

→ India gained Independence from British rule on 15 August 1947.

It is a day to remember the sacrifices of our freedom fighters.

Many freedom fighters contributed to India's struggle for freedom.

We celebrate ~~to~~ 15 August as Independence Day.

Assignment - 5

→ Create HTML Page using various formatting text as on 'Independence Day of India'.

<html>

<head>

<title> Independence Day of India </title>

< <h1> Independence Day of India </h1>. <h2>

<head>

<body>

<p> India gained independence from British rule on 15 August 1947 </p>

<p><u> It is a day to remember the sacrifices of our freedom fighters </u> </p>

<p><i> Many freedom fighters contributed to India's struggle for freedom </i> </p>

<p> We celebrate 16 15 August as Independence day. </p>

</body>

</html>

Squared HTML:

Square of Numbers (1 to 10).

$$1^2 = 1$$

$$2^2 = 4$$

$$3^2 = 9$$

$$4^2 = 16$$

$$5^2 = 25$$

$$6^2 = 36$$

$$7^2 = 49$$

$$8^2 = 64$$

$$9^2 = 81$$

$$10^2 = 100$$

Assignment-6

→ Print the sq. of the no. 1 to 10. Each no. should be separate line.

```
<html>
```

```
<head>
```

```
<title> Squared html </title>
```

```
</head>
```

```
<body>
```

```
<h1> Square of Numbers (1 to 10) </h1> <h2>
```

```
<p> 1 <sup> 2 </sup> = 1 <br>
```

```
2 <sup> 2 </sup> = 4 <br>
```

```
3 <sup> 2 </sup> = 9 <br>
```

```
4 <sup> 2 </sup> = 16 <br>
```

```
5 <sup> 2 </sup> = 25 <br>
```

```
6 <sup> 2 </sup> = 36 <br>
```

```
7 <sup> 2 </sup> = 49 <br>
```

```
8 <sup> 2 </sup> = 64 <br>
```

```
9 <sup> 2 </sup> = 81 <br>
```

```
10 <sup> 2 </sup> = 100 <br>
```

```
</p>
```

```
</body>
```

```
</html>
```

gm
9/9

Coloured HTML

Coloured HTML

I wake up at 7:30 am.

Then I get ready for College.

yellow → I come to college at 9:00 am.

My classes starts from 10:00 am.

And End at 2:00 pm.

Then I go Home.

yellow → Eat food and Sleep.

Assignment - 7

→ Create a webpage of daily routine in 7 line using different color theme.

```
<html>
```

```
<head>
```

```
<title> Colored HTML </title> <h1> Colored HTML </h1> <h2>
```

```
</head>
```

```
<body>
```

```
<h3> <font color="Red"> I wake up at 7:30am </font> </h3>
```

```
<h3> <font color="Orange"> Then I get ready for College </font> </h3>
```

```
<h3> <font color="Yellow"> I come to college at 9:00am </font> </h3>
```

```
<h3> <font color="00ff00"> My classes starts from 10:00am </font> </h3>
```

```
<h3> <font color="0000ff"> And end at 2:00pm. </font> </h3>
```

```
<h3> <font color="ff0000"> Then I go home. </font> </h3>
```

```
<h3> <font color="ffff00"> Eat food and sleep. </font> </h3>
```

```
</body>
```

```
</html>
```

My CV

My CV

Mohammed Rehan Moyal

BCA-1st-Sem-Student

Ghandaghar, Jodhpur
no-reply@gmail.com
+91-9823456789

Skill

C/C++, HTML, CSS, Java, Python.

Assignment - 8

→ Prepare your C.V. Using Various Character formatting and font tag.

```
<html>
```

```
<head>
```

```
<div style="text-align:center">
```

```
<title> My CV </title>
```

```
<h1><font size="7"> My CV </font> </h1> <h2>
```

```
</div>
```

```
</head>
```

```
<body>
```

```
<div style="text-align:center">
```

```
<h1><font color="green"> Mohammed Rehan Moyal </font> </h1> <h2>
```

```
<h3><font color="green"> BCA-1st-Sem-Student </font> </h3>
```

```
<h4><font face="Arial">
```

```
Ghantaghar, Jodhpur. <h2>
```

```
no-reply@gmail.com <h2>
```

```
+91-9823456789 <h2>
```

```
</font> </h3> <h2>
```

```
<h3><font color="green"> Skills </font> </h3>
```

```
<h4><font face="Arial"> C/C++, HTML, CSS, Java, Python.
```

```
</font> </h3> <h2>
```

```
</div>
```

```
</body>
```

```
</html>
```

C Program

C Program for Addition of two Numbers.

```
#include <stdio.h>
```

```
int main()
```

```
{ int a, b, c;
```

```
  a = 1;
```

```
  b = 2;
```

```
  c = a + b;
```

```
  printf("The Sum is %d", c);
```

```
  return 0;
```

Assignment - 9

→ Write a C program using `<pre>` tag.

```
<html>
```

```
  <head>
```

```
    <title> C Program </title>
```

```
  <h4> C Program for Addition of two Numbers </h4> <hr>
```

```
</head>
```

```
<body>
```

```
  <pre>
```

```
#include <stdio.h>
```

```
int main()
```

```
{ int a, b, c;
```

```
  a = 1;
```

```
  b = 2;
```

```
  c = a + b;
```

```
  printf("The Sum is %d.", c);
```

```
  return 0;
```

```
</pre> <hr>
```

```
</body>
```

```
</html>
```

C Program

C Program for ~~Substraction~~ Addition.

```
#include <stdio.h>
void int main()
{ int a, b, c;
  a = 1;
  b = 2;
  c = a + b;
  printf("Addition is :- %d", c);
  return 0;
```

Output:- Addition is :- 3

Assignment - 10

→ Create a webpage to print some deleted and inserted tags of your choice.

```
<html>
  <head>
    <title> C Program </title>
    <h4> C Program for Substraction Addition </h4> <h3>
  </head>
  <body>
    <pre>

# include <stdio.h>
<del> void </del> int main()
{
  int a, b, c;
  a = 1;
  b = 2;
  c = a + b;
  printf ("Addition is:- %d", c);
  return 0;
</pre> <h3>
<p> Output:- <ins> Addition is:- 3 </ins>
</p>
</body>
</html>
```

Definition List:-

Definition List

HTML:

Hyper Text Markup Language.

Head Tag:

About Doc.

Body Tag:

Content of the Doc.

h1, h2, ... h6 Tags:

Different Heading Tags.

p Tag:

Paragraph Tag.

poc Tag:

Paragraph Tag with Formatting.

br Tag:

Line Break.

hr Tag:

Horizontal Line.

del Tag:

Delete Tag (Similar to Strike Tag).

ins Tag:-

insert Tag (Similar to Underline Tag).

Assignment - II

→ Point a defⁿ list with 10 items of definitions:-

```
<html>
```

```
<head>
```

```
<title> Definition Tag </title>
```

```
</head>
```

```
<body>
```

```
<h1> <b> Definition List </b> <h2>
```

```
</h1>
```

```
<dl> <dt> HTML: </dt>
```

```
<dd> Hyper Text Markup Language </dd>
```

```
<dt> Head tag: </dt>
```

```
<dd> info about doc. </dd>
```

```
<dt> Body tag: </dt>
```

```
<dd> Content of doc. </dd>
```

```
<dt> h1, h2, ... h6 tags: </dt>
```

```
<dd> different Heading tags </dd>
```

```
<dt> p tag: </dt>
```

```
<dd> Paragraph tag </dd>
```

```
<dt> pre tag: </dt>
```

```
<dd> Para tag with formatting </dd>
```

```
<dt> br tag: </dt>
```

```
<dd> Line Break </dd>
```

```
<dt> hr tag: </dt>
```

```
<dd> Horizontal Line </dd>
```

```
<dt> del tag: </dt>
```

```
<dd> delete tag </dd>
```

```
<dt> ins tag: </dt>
```

```
<dd> insert tag </dd>
```

```
</dl> </body>
```

```
</html>
```

Teacher's Signature _____

Acronym Tag

Acronym Tag

govt

Government

Rly.

LMC

ASAP

DIY

DOB

e.g.

A.M.

P.M.

Ho.

Assignment-12

→ Print 10 Acronym or Abbreviation of your choice.

<html>

<head>

<title> Acronym Tag </title>

</head>

<body>

<h1> Acronym Tag </h1> <h2>

- 1 <abbr title = "Government"> govt. </abbr>
- 2 <abbr title = "Railway"> RLY. </abbr>
- 3 <abbr title = "Lachoo"> LMC </abbr>
- 4 <abbr title = "As Soon As Possible"> ASAP </abbr>
- 5 <abbr title = "Do It Yourself"> DIY </abbr>
- 6 <abbr title = "Date of Birth"> DOB </abbr>
- 7 <abbr title = "For example"> e.g. </abbr>
- 8 <abbr title = "Before Midday"> A.M. </abbr>
- 9 <abbr title = "After Midday"> P.M. </abbr>
- 10 <abbr title = "Hour"> Hr </abbr> <h2>

</body>

</html>

Order List tag

Various Courses in College

1. BCA
2. MCA
3. B.Sc.
4. M.Sc.

Assignment - 13

→ Design a Webpage to create order list to show various courses running in your college.

```
<html>
```

```
<head>
```

```
<title> Order List Tags:- </title>
```

```
</head>
```

```
<body>
```

```
<center><h2> Various Courses in College </h2> </center>
```

```
<ol><li> BCA </li>
```

```
<li> MCA </li>
```

```
<li> B.Sc. </li>
```

```
<li> M.Sc. </li>
```

```
</ol>
```

```
</body>
```

```
</html>
```

Different types of Lists

Different Types of Lists

1. Cities of Rajasthan

- a. Jodhpur
- b. Jaipur
- c. Ajmer

2. Cities of Madhya Pradesh.

- A. Bhopal
- B. Indore
- C. Jabalpur

3. Cities of Uttar Pradesh.

- i. Lucknow
- ii. Agra
- iii. Noida

4. Cities of Gujarat.

- I. Ahmedabad
- II. Gandhinagar
- III. Surat.

Assignment-14

→ Design a webpage to show different types of ordered list.

```
<html>
```

```
  <head> <title> Different Types of Lists </title>
```

```
  </head>
```

```
  <body> <h1> Different Types of Lists </h1> <h2>
```

```
  <ol> <li> Cities of Rajasthan </li>
```

```
    <ol type="a"> <li> Jodhpur </li>
```

```
      <li> Jaipur </li>
```

```
      <li> Ajmer </li>
```

```
    </ol> <br>
```

```
  <li> Cities of Madhya Pradesh </li>
```

```
  <ol type="A"> <li> Bhopal </li>
```

```
    <li> Indore </li>
```

```
    <li> Jabalpur </li>
```

```
  </ol> <br>
```

```
  <li> Cities of Uttar Pradesh </li>
```

```
  <ol type="i"> <li> Lucknow </li>
```

```
    <li> Agra </li>
```

```
    <li> Noida </li>
```

```
  </ol> <br>
```

```
  <li> Cities of Gujarat </li>
```

```
  <ol type="I"> <li> Ahmedabad </li>
```

```
    <li> Gandhinagar </li>
```

```
    <li> Surat </li>
```

```
  </ol> <br> </ol>
```

```
  </body>
```

```
</html>
```