

Introduction to HTML:-

- Hyper text Markup Language.
- Website Dev.

Divisions:- Frontend - users can see on screen.

Backend - Program designing (codes), users can't see, they can just run or execute (Database Set).

Client Side Lang. - Works on our devices i.e. Bank account details.

Server Side Lang. - huge connection and our data is stored in some far away server base i.e. UG Admission form.
In ^{PHP}

- Hyper Text :- A piece of text that works as a link.
- Markup Lang. - It is way of writing layout info within document.
- It opens in Browser, the browser searches for HTML Code inside the text and use them to change layout, insert image or create links to other pages.
- HTML Docs are text files, so can be created or edited in a simple text editor.
- WYSIWYG :- "What you see is what you get" editor which is editable like MS Word, instead of focusing on Code, it focuses on visuals.
- Some Most popular editors:- Front Page or Dream Viewer or Notepad & Notepad++ etc.

→ HTML Acquires Forgiving Nature which means unlike any lang which gives you error if not written correctly it will just run the part of code which is correctly written and the tag/Attributes not closed or completed will not be shown on browser.

Basic Structure of HTML:-

```

<html>
  <head>
    <Title>...</title>
  </head>
  <body>
    <h1-6>...</h1-6>
  </body>
</html>

```

→ Info about file

→ Content of Doc.

→ Tag are not Case-Sensitive.

Character formatting tags:-

 ⇒ Bold ⇒ Bold = Bold

<U> ⇒ Underline ⇒ <U> Underline </U> = Underline [ins]

<I> ⇒ Italic ⇒ <I> Italic </I> = Italics

 ⇒ Strike ⇒ Strike = Strike [del]

 ⇒ Line Break ⇒ 1
 2
 = 1
2
3

<hr> ⇒ Horizontal Line ⇒ 1 <hr> = 1

$\langle \text{sup} \rangle \Rightarrow \text{Superscript} \Rightarrow 3 \langle \text{sup} \rangle 2 \langle / \text{sup} \rangle \Rightarrow 3^2$
 $\langle \text{sub} \rangle \Rightarrow \text{Subscript} \Rightarrow (5) \langle \text{sub} \rangle 10 \langle / \text{sub} \rangle = (101) \langle \text{sub} \rangle 2 \langle / \text{sub} \rangle$
 $= (5)_{10} = (101)_2$

Generation of HTML:-

- 1) HTML 1.0 - (1993) - Could link Document, Had fonts, Don't support tables.
- 2) HTML 2.0 - (1996) - Introduced "forms" and "tables"
- 3) HTML 3.2 - (1997) - Forms were more interactive.
 Supports CSS [Cascading Style Sheet]
 Has extended char. set.
 Image handling got easier.
- 4) HTML 4.01 - (1999) - $\langle \text{header} \rangle$, $\langle \text{footer} \rangle$ etc introduced.
 Colspan, Rowspan used in tables.
- 5) XHTML 1.0 - (2000) - Extended Markup Lang. 1.0
 Strict Standard.
 Compatibility b/w Browsers.
- 6) HTML 5.0 - (2014) - Supports Desktop & Mobiles
 Email & Password Validation.
 Audio & Video tags.
 Section tag.
 Latest version.

Shades of
 #ff00ff - Pink
 #ff0000 - Red
 #00ff00 - Green
 #0000ff - Blue
 #ffff00 - Yellow

Font:-

Size

→ 1 → 7 → Large
 Small 3 (default)

```
<font size="1">  
Size is 1  
</font>
```

Color

→ Name of Colour
 or Hexadecimal Code
 for Colour.

```
<font color="RED">  
In Red Color  
</font>
```

Face

→ Typeface of Font/text
 → font should be
 installed [Both Dev. & User]

```
<font face="Arial">  
In Arial font  
</font>
```

Pre-tag: This tag keep the formatting as it is written in the HTML text editor.

```
<pre> Hey!  
My name is Rehan.  
At LMC in BCA  
</pre>
```

⇒

```
Hey!  
My name is Rehan.  
At LMC in BCA.
```

Otherwise it would have looked like:-

Hey! My name is Rehan. At LMC in BCA.

 ⇒ Similar to <strike> tag.
 <ins> ⇒ Similar to <u> tag.

Defining tags:-

- <dl> :- start of the list
- <dt> :- for Defining Term
- <dd> :- for Definition of Term.
- </dl> :- End of the list.

eg:- <html>

<body>

<dl> <dt> HTML </dt>

<dd> Hyper Text Markup Language </dd>

</body>

=> HTML

: Hyper Text Markup Language.

Abbreviation Tag:- "<abbr>"

<html>

<body>

<abbr title = "World Wide Web" > WWW </abbr>

<acronym title = "World Wide Web" > WWW </acronym>

</body>

</html>