

→ Assignment ⇒ 01 ⇒ Write a program to print a simple message.

→ Code:-

```
# Include <stdio.h>
```

```
int main()
```

```
{ printf("Hello, World");
```

```
return 0;
```

```
}
```

→ Output:- Hello World.

→ Assignment ⇒ 02 ⇒ Write a program to display your name, Roll no., Course & College Name.

→ Code:-

```
# Include <stdio.h>
```

```
int main()
```

```
{ printf(" My Data \n");
```

```
printf(" Name :- Rehan \n");
```

```
printf(" Roll no. :- 21 \n");
```

```
printf(" Course :- BCA \n");
```

```
printf(" College :- Lachoo \n");
```

```
return 0;
```

```
}
```


→ Output :-

My Data

Name :- Rehan

Roll no. :- 21

Course :- BCA

College :- Lachoo

→ Assignment ⇒ Q3 ⇒ Write a program to swap two integers using temp. variable.

→ Code ⇒

```
#include <stdio.h>
```

```
int main()
```

```
{ int a, b, c;
```

```
    printf("Enter value of A :- ");
```

```
    scanf("%d", &a);
```

```
    printf("Enter value of B :- ");
```

```
    scanf("%d", &b);
```

```
    c = a;
```

```
    a = b;
```

```
    b = c;
```

```
    printf("Value of A = %d\n Value of B = %d\n", a, b);
```

```
    return 0;
```

```
}
```


→ Output:-

Enter value of A :- 2

Enter value of B :- 5

Value of A :- 5

Value of B :- 2

→ Assignment → 04 → Write a program to Calc. Area & Circumference of Circle.
Take Radius input from user.

→ Code:-

```
#include <stdio.h>
```

```
int main()
```

```
{ int r;
```

```
float a, c;
```

```
printf("Enter Radius:- ");
```

```
scanf("%d", &r);
```

```
a = (3.141) * r * r;
```

```
c = 2 * (3.141) * r;
```

```
printf("Area = %.2f, \n Circumference = %.2f, ", a, c);
```

```
return 0; }
```

→ Output:- Enter the radius:- 5

Area = 78.53

Circumference = 31.41.

→ Assignment 05 → Write a program to calculate Area and Perimeter of Rectangle. Taking Length and Breadth input from user.

→ Code:-

```
#include <stdio.h>
```

```
int main()
```

```
{ float l, b, a, p;
```

```
printf("Enter the Length:- ");
```

```
scanf("%f", &l);
```

```
printf("Enter the Breadth:- ");
```

```
scanf("%f", &b);
```

```
a = l * b;
```

```
p = 2 * (l + b);
```

```
printf("Area = %.2f; \n Perimeter = %.2f; ", a, p);
```

```
return 0;
```

```
}
```

→ Output:- Enter the Length:- 5

Enter the Breadth:- 4

Area = 20.00

Perimeter = 18.00

→ Assignment ⇒ Q6 ⇒ Write a program to Convert Temperature from Celsius to Fahrenheit and vice-versa. Take respective Temp. input from user.

→ Code:-

```
#include <stdio.h>
```

```
int main()
```

```
{ int A;
```

```
float c, f;
```

```
printf("Press 1 for C to F \n Press 2 for F to C:-");
```

```
scanf("%d", &A);
```

```
if (A == 1)
```

```
{ printf("Celsius:- ");
```

```
scanf("%f", &c);
```

```
f = (c * 1.8) + 32;
```

```
printf("%.2f degree Celsius is %.2f in Fahrenheit,\n c, f);
```

```
}
```

```
if (A == 2)
```

```
{ printf("Fahrenheit:- ");
```

```
scanf("%f", &f);
```

```
c = (f - 32) * (0.55555);
```

```
printf("%.2f degree in Fahrenheit is %.2f in Celsius\n", f, c);
```

```
}
```

```
return 0;
```

```
}
```


→ Output-I

Press 1 for C to F

Press 2 for F to C - 1

Celsius = 100

Fahrenheit = 212.00


→ Output-II

Press 1 for C to F,

Press 2 for F to C - 2

Fahrenheit = 212

Celsius = 100.00



15/9/26