
Start the Jenkins


```
C:\Windows\System32\cmd.exe - java -jar jenkins.war --httpPort=8081
D:\Technology\Devops\Jenkins\Software>java -jar jenkins.war --httpPort=8081
Running from: D:\Technology\Devops\Jenkins\Software\jenkins.war
webroot: $user.home/.jenkins
2020-05-19 14:18:22.784+0000 [id=1]
                                                                                    INFO
                                                                                                    org.eclipse.jetty.util.log.Log#initialized: Logging initialize
d @713ms to org.eclipse.jetty.util.log.JavaUtilLog
                                                                                                     winstone.Logger#logInternal: Beginning extraction from war fil
2020-05-19 14:18:22.854+0000 [id=1]
                                                                                    INFO
2020-05-19 14:18:22.880+0000 [id=1]
                                                                                    WARNING o.e.j.s.handler.ContextHandler#setContextPath: Empty contextPa
                                                                                                     org.eclipse.jetty.server.Server#doStart: jetty-9.4.27.v2020022
2020-05-19 14:18:22.941+0000 [id=1]
                                                                                    INFO
7; built: 2020-02-27T18:37:21.340Z;
                                                                           git: a304fd9f351f337e7c0e2a7c28878dd536149c6c; jvm 11.0.6+8-LTS
2020-05-19 14:18:31.074+0000 [id=1]
                                                                                                    \verb"o.e.j.w.StandardDescriptorProcessor#visitServlet: NO JSP Suppo
                                                                                    TNFO
rt for /, did not find org.eclipse.jetty.jsp.JettyJspServlet
2020-05-19 14:18:31.109+0000 [id=1]
                                                                                    INFO
                                                                                                     \verb"o.e.j.s.s.DefaultSessionIdManager#doStart: DefaultSessionIdManager#doStart: DefaultSessionIdMan
ager workerName=node0
2020-05-19 14:18:31.110+0000 [id=1]
                                                                                    INFO
                                                                                                     \hbox{\tt o.e.j.s.s.} Default Session Id {\tt Manager\#doStart:}\ \ \hbox{\tt No}\ \ Session Scavenger
  set, using defaults
2020-05-19 14:18:31.113+0000 [id=1]
                                                                                    INFO
                                                                                                     \verb"o.e.j.server.session.HouseKeeper#startScavenging: node 0 Scaven"
ging every 600000ms
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by com.thoughtworks.xstream.core.util.Fields (file:/C:/Users/Makarand/.jenk
ins/war/WEB-INF/lib/xstream-1.4.7-jenkins-1.jar) to field java.util.TreeMap.comparator
WARNING: Please consider reporting this to the maintainers of com.thoughtworks.xstream.core.util.Fields
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
          , O 닭 🧑 🛂
                                                                                  9
                                                                                                                                                                                        へ 🧀 🗔 🦟 🕼 ENG 19
```

2. Open browser and type <a href="http://localhost:8081">http://localhost:8081</a>. Log in → It will take you to home page




3. Create new "Freestyle Job" as "1-GitJob" → Go to "Source code management" section

## Page | 2 Jenkins Guide with Makarand- Git Jenkins Configuration




4. Click on "Git" radio button → Enter git URL → Enter git Credentials




5. Click on "Build Triggers" tab and click "Poll SCM" checkbox

## Page | 3 Jenkins Guide with Makarand- Git Jenkins Configuration




6. Click on "Save" button

7. Switch back to eclipse and add one new class to project



8. Right click on project → Team → Commit.... Drag the files to staging area and add some commit message → "Commit and Push..."

## Page | 4 Jenkins Guide with Makarand- Git Jenkins Configuration



9. Once you push files to git repository, check "1-GitJob" should have trigger

