Courseware   Course Info   Discussion   Syllabus   Download R and RStudio   R Tutorials   Readings   Contact Us

Progress   Office Hours   Community

Question 4

4. A group of hedgehogs were released in the south-Austin area. Each year, the size of the population was recorded. Their population growth over time was modeled with a logistic growth curve. The model fit was 0.972.

Here are the model parameters:

C = 2,000

a = 152.10

b = 2.17

(1/1 point)

4a. According to this model, what will be the maximum number of hedgehogs in South Austin?

2000

2000

Answer: 2000

| Hide Answer | *You have used 1 of 1 submissions* |

Help

(1/1 point)

4b. What was the size of the hedgehog population when the growth rate began to slow down?

1000

1000

Answer: 1000

| Hide Answer | *You have used 1 of 1 submissions* |

(1/1 point)

4c. How many years had passed when the population growth rate began to slow down? *(Round to 1 decimal place.)*

6.5

6.5

Answer: 6.5

Hide Answer   *You have used 1 of 1 submissions*

Help

(1 point possible)

4d. The hedgehogs were released in South Austin in 2001. How many hedgehogs were living in South Austin by 2010, according to the model? *(Round to zero decimal places.)*

1877

1877

Answer: 1750

Hide Answer   *You have used 1 of 1 submissions*

edX

EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics,

About edX

About

News

Contact

Follow Us

Twitter

Facebook

01/28/2015 04:12 PM

Help

FAQ

edX Blog

Donate to edX

Jobs at edX

Meetup

LinkedIn

Google+

01/28/2015 04:12 PM