


[Courseware](#) [Course Info](#) [Discussion](#) [Syllabus](#) [Download R and RStudio](#) [R Tutorials](#) [Readings](#) [Contact Us](#)
[Progress](#) [Office Hours](#)



Primary Research Question

How long do animals stay in the shelter before they are adopted?

Breakdown Your Analysis

Let's break this analysis into its required steps:

1. Determine which animals in the dataset were adopted.
2. Generate a histogram for the length of time these adopted animals were in the shelter.
3. Select the appropriate measures of center and spread to describe the distribution.
4. Identify which animal was an outlier on this particular variable.

Here is the code you will use:

```
#Find the number of animals that were adopted
table(animaldata$Outcome.Type)

#Pull out only adopted animals
adopted <- animaldata[animaldata$Outcome.Type=="Adoption",]


#Pull out just the days in shelter for the adopted animals
daystoadopt <- adopted$Days.Shelter

#Visualize and describe this variable
hist(daystoadopt)
fivenum(daystoadopt)
mean(daystoadopt)
sd(daystoadopt)
which(animaldata$Days.Shelter==max(daystoadopt))
```

(1/1 point)

What will the line of the code do for us?

table(animaldata\$Outcome.Type)

- ☐ It will assign the outcome "adopted" to all animals.
- ☐ It will count the number of variables in the dataset.
- ☒ It will generate a frequency table to show us how many animals experienced each type of outcome. 

Final Check


Save

Show Answer

You have used 1 of 2 submissions

(1/1 point)

We are creating a new object called *daystoadopt*. What does this object contain?

- ☒ The number of days that animals spent in the shelter if their outcome type was "Adoption." 
- ☐ The names of all of the animals that were in the shelter and adopted.
- ☐ The outcome types for all of the animals that were in the shelter.

Final Check


Save

Show Answer

You have used 1 of 2 submissions

(1/1 point)

Which line in the R code produces a visual of the distribution of *daystoadopt*?

- ☐ `summary(daystoadopt)`
- ☒ `hist(daystoadopt)` 
- ☐ `table(animldata$Outcome.Type)`

Final Check

Save

Show Answer

You have used 1 of 2 submissions

(1/1 point)

The following line of R code will produce a row number:

```
which(animldata$Days.Shelter==max(daystoadopt)).
```

What will this row number tell us?

- ☒ It will tell us the row that contains the animal that took the longest to be adopted. ✓
- ☐ It will tell us the row that contains the animal that was in the shelter the longest.
- ☐ It will tell us the row that contains the animal that never got adopted.

Final Check

Save

Show Answer

You have used 1 of 2 submissions

UTx and many other universities. Topics include biology, Prepare for the Analysis | Pre-Lab | UT.7.01x Courseware | edX business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2014 edX, some rights reserved.

Help

[Terms of Service and Honor Code](#)

[Privacy Policy \(Revised 4/16/2014\)](#)

[News](#)

[Contact](#)

[FAQ](#)

[edX Blog](#)

[Donate to edX](#)

[Jobs at edX](#)



Facebook

<https://courses.edx.org/courses/UTAustinX/UT.7.01x/3T2014/c...>



Meetup



LinkedIn



Google+