



- Courseware
- Course Info
- Discussion
- Syllabus
- Download R and RStudio
- R Tutorials
- Readings
- Contact Us
- Progress
- Office Hours
- Community

Question 2

The table below shows several points for the function $C = f(h)$, where C is the cost (in dollars) for a band of 4 members to play at a wedding, based on the number of hours, h , they perform.

c	140	280	420	560
h	0	2	4	6

(1 point possible)

2a. Which variable is the **independent** variable?☐ C☒ h

Help

Hide Answer

You have used 0 of 1 submissions

(1 point possible)

2b. Identify the **y-intercept** for this function.☒ 140☐ 280☐ 420☐ Unknown

Hide Answer

You have used 0 of 1 submissions

(1 point possible)

2c. How much does the band charge **per hour** that they perform?

☐ \$35☒ \$70 ✓☐ \$100☐ \$140[Hide Answer](#)*You have used 0 of 1 submissions*

(1 point possible)

2d. If each member of the band earned \$175 for the night and profits were split evenly among them, how many hours did the band perform?

☐ 1 hour☐ 2.5 hours☐ 6 hours☒ 8 hours ✓[Hide Answer](#)*You have used 0 of 1 submissions*



Help

EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2015 edX Inc.

EdX, Open edX, and the edX and Open edX logos are registered trademarks or trademarks of edX Inc.

[Terms of Service and Honor Code](#)

[Privacy Policy \(Revised 10/22/2014\)](#)

About edX

[About](#)

[News](#)

[Contact](#)

[FAQ](#)

[edX Blog](#)

[Donate to edX](#)

[Jobs at edX](#)

Follow Us

 [Twitter](#)

 [Facebook](#)

 [Meetup](#)

 [LinkedIn](#)

 [Google+](#)