







Lab 8

- Download the lab8 template
 - WebGL.js is the same as WebGL.js in Ex08-3 (sonic)
- Let's firstly use texture image, marioD.jpg, to color the mario
- Then,
 - Replace mario's blue cloth to LV one
 - Decorate mario's red hat and red cloth with "hearts"
- https://www.youtube.com/watch?v=76lZnT39CNI&ab_channel=Ko-ChihWang



The First Task

- You can simply modify the
 - object file name
 - content of the variable, “imgNames”
 - content of the variable, “objComplmgIndex”
 - and, the value of the variable “objScale”
- in WebGL.js to get this result
- Then, the challenge comes



The Second Task



- 1.
 - You should load the other two texture images, “LVTexture.jpg” and “heart.jpg”
 - Create texture objects for them
- 2.
 - In this task, you need the three texture objects (marioD, LVTexture, heart) at the same time
 - **So, before drawing (call `gl.drawArrays()`), you should assign them to three different texture units, such as, `gl.TEXTURE0`, `gl.TEXTURE1` and `gl.TEXTURE2`**
 - **In the fragment shader, you also need three `sampler2D` variables for these three textures**

The Second Task



- 3. To “replace mario’s blue cloth to LV one”
 - you should identify the fragment which supposed to be colored by blue
 - then, you color the fragment using the color from the LV texture (look up the texture color using the same texture coordinate) instead of blue color
 - This is a condition I suggest to identity the blue cloth
 - `distance(colorFromMarioImage, vec3(0.0, 0.0, 1.0)) < 0.6`

The Second Task



- 4. Decorate mario's red hat and red cloth with "hearts"
 - Idea:
 - if you find a fragment which should be colored by red (this means the fragment belongs to the hat and the red cloth region)
 - If you use the same texture coordinate to look up "heart texture" and the color from "heart texture" is white, this fragment belongs to "heart contour"
 - If a fragment belongs to red hat/cloth and heart contour, use the color mixed by marioD texture and heart texture to color the fragment
 - Otherwise, you still use the color (red) from marioD to color the hat and cloth
- This is the equation I suggest to mix the two colors (the fragment inside both red hat/cloth and white heart contour)
 - $\text{colorFromMarioD} * 0.4 + \text{colorFromHeartTexture} * 0.6$
- To identify red cloth and hat
 - I suggest this equation: $\text{distance}(\text{colorFromMarioDImage}, \text{vec3}(1.0, 0.0, 0.0)) < 0.3$
- To identify heart contour
 - I suggest this equation: $\text{distance}(\text{colorFromHeartTexture}, \text{vec3}(1.0, 1.0, 1.0)) < 0.7$

What You Should Do for “Submission”



Submission Instruction

- Create a folder
 - Put the html and js files in the folder
 - Zip the folder
 - Rename the zip file to your student ID
 - For example, if your student ID is “40312345s”, rename the zip file to “40312345s.zip”
 - Submit the renamed zip file to Moodle
- Make sure
 - you put all files in the folder to zip
 - You submit the zip file with correct name
- You won't get any point if
 - the submitted file does not follow the naming rule,
 - TA cannot run your code,
 - or cannot unzip your zip file.