




# STEP 1

Assemble the platform  
using Platform Legs.





## STEP 2

Secure the connection of platform and Platform legs using Wooden clips




## STEP 3

Fix the Ring bracket to the Handle.





## STEP 4

Place one Rim lock to the space of Arm Bracket.





## STEP 5

Peel one edge of a Female to Female Jumper wire and connect it to the Washer. Then Place the Washer in the Handle.




## STEP 6

Fix the other Rim lock to the  
and secure the Washer.




## STEP 7

Fix the Ring lock and Wooden clip to secure the Handle and Ring locks.



## STEP 8


Wrap the metal wire around the bolt and form a loop at both ends.






## STEP 9

Change the shape of Iron rod to make it challenging and insert the Handle in to the Metal wire.




## STEP 10

Place the Iron rod on the platform and screw it to the platform.




# STEP 11

Connect the Positive Wire (Red) of the Battery pack to the small washer.




# STEP 12

Insert the Buzzer to the Platform




## STEP 13

Connect the jumper wire connected to the Washer to the positive pin of Buzzer and Jumper wire connected to the Battery snap to the negative pin.



## STEP 14


Place the small washer before the nut and screw the nut to make it tight.



Paste the Battery to the Platform using double tape.

# STEP 15

Insert the Handle rests to the Platform



## STEP 16

Move the Handle through the Iron rod and check whether it Buzzes when the Washer touches the Iron rod.

