Created on: 10/18/2026
Control No.:

KickIt

Company:
Department:
Name: User
Address:
Phone:
Fax:

Project Settings

System

☐ Display a Picture at Startup:
Start Time (sec): 0

Screen Number Format
❍ BCD ◉ BIN
Default Screen: 1

Backlight
☐ Auto OFF
☐ Halve the Brightness

☑ Enable Touch Sound
◉ Beep Sound
❍ Sound File
☐ Control by Device Address:

☑ Enable Maintenance
☐ Use Large Font
☑ Enable Two-point Push
☑ Notify when clock data is initialized
☑ Show script error
System Language: English

☐ Use System Area

Flashing Cycle
◉ 1.0 sec ❍ 0.5 sec

☐ Watch Dog

☐ Disable Switch

☐ Use Device Cache
☑ Start Part with synchronous
☐ Start from 0 in Always Entry Mode of Numerical Input
Storage Method of String Data: from Upper byte
Storage Method of 32-bit Numerical Data for HMI Devices: from Upper word

Communication Interface

Ethernet
IP Settings
❍ Obtain an IP address automatically (DHCP)
◉ Use the following IP address:
IP Address: 192.168.1.150
Subnet Mask: 255.255.255.0
☑ Default Gateway: 0.0.0.0
Port Number: 2537
☐ Forbid Maintenance Communication
DNS Settings
❍ Obtain DNS Server Address Automatically (DHCP)
◉ Use the Following DNS Server Addresses:
Preferred DNS Server: 0.0.0.0
Alternate DNS Server: 0.0.0.0

Protocol1
Function: External Device Communication 1

Communication Driver

External Device Communication 1
Manufacture: IDEC
Communication Driver: MICROSmart(FC6A)(Ethernet)

Communication Driver Network

External Device ID	External Device Name	External Device Communication	Communication Driver	Slave Number	IP Address	Port Number
0	0	External Device Communication1	MICROSmart(FC6A)(Ethernet)		192.168.1.5	2101

User Communication

This settings are not being used.

Autorun

☑ Enable USB Autorun
☐ Open Popup Screen when USB flash drive is inserted

Web Server

☑ Use System Web Page
◉ Enable Remote Control and Monitor
❍ Enable Remote Monitor only
❍ Disable
☐ Go back to System Information if operation is not performed for the following period:
☑ Display Goto Screen Tool on Remote Function Page
☑ Use Custom Web Page
Execution Interval (msec): 1000
Port Number: 80
Default Showing Page: System Information

FTP Server

☐ Enable FTP Server function

External Memory Device

External Memory Device Folder: HGDATA01
☐ Remove Files

E-mail

General Setting
Outgoing mail server (SMTP):
◉ Host Name
❍ IP Address
Outgoing mail server (SMTP) port number: 25
Sender E-mail Address:
Sender Name:

☐ Use secure connection (SSL/TLS)

Authentication Setting

☐ Require authentication (LOGIN) to send E-mail

Advanced Setting

☐ Specify General setting and Authentication setting by Value of Device Address:

O/I Link

The settings are empty.

Internal Clock

SNTP Server

☑ Host Name:

☐ IP Address:

Obtain the date and time automatically with the following condition or operation

☐ Fixed Time:

☐ Turn on the power

Time Zone: (UTC) Coordinated Universal Time

☐ Enable Daylight Saving Time

Start:

End:

Alarm Log Settings

The settings are empty.

Data Log Settings

The settings are empty.

Operation Log Settings

Target Events to record

- ☐ Power ON
- ☐ Switch to Base Screen
- ☐ Change Users
- ☐ Change Operation Modes
- ☐ Press buttons
- ☐ Write Data to any Device Addresses

☐ Batch
☐ Real Time

Recipe Settings

The settings are empty.

Data Copy Settings

The settings are empty.

Preventive Maintenance Settings

The settings are empty.

E-mail Settings

The settings are empty.

Social Media Settings

The settings are empty.

File Transfer

The settings are empty.

FTP Server Manager

The settings are empty.

Sound Settings

The settings are empty.

User Accounts

☐ Use Security functions
User Name: User

Security Settings

The settings are empty.

Global Script

The settings are empty.

Script Manager

The settings are empty.

Text Manager

The settings are empty.

Tag Editor

Target: **MICRO/I**

Device Type: LM (HMI Internal Relay)

Device Address	Tag Name	Comment
LM 0000		
LM 0001		
LM 0002		
LM 0003		

Device Type: LSM (HMI Special Internal Relay)

Device Address	Tag Name	Comment
LSM 05		When Popup Screen is opened, a value of this bit is 1 only on the first scan.

Device Type: LDR (HMI Data Register)

Device Address	Tag Name	Comment
LDR 00001		
LDR 00002		
LDR 00003		
LDR 00004		
LDR 00005		
LDR 00006		
LDR 00007		
LDR 00008		
LDR 00009		
LDR 00100	L_arr	
LDR 00101	Dwn_arr	
LDR 00102	up_arr	
LDR 00103	rght_arr	
LDR 00104	space	

Device Type: LKR (HMI Keep Register)

Device Address	Tag Name	Comment
LKR 0001		
LKR 0002		
LKR 0003		
LKR 0004		
LKR 0005		
LKR 0006		
LKR 0007		
LKR 0008		
LKR 0009		

Device Type: LSD (HMI Special Data Register)

Device Address	Tag Name	Comment
LSD 013		Stores the current Year data from the main unit. “Year” (4 BCD digits)
LSD 014		Stores current time data from main unit. “Month” (2 BCD digits)
LSD 015		Stores current time data from main unit. “Day” (2 BCD digits)
LSD 016		Stores current time data from main unit. “Hour” (2 BCD digits)
LSD 017		Stores current time data from main unit. “Minute” (2 BCD digits)
LSD 018		Stores current time data from main unit. “Second” (2 BCD digits)
LSD 019		Stores current time data from main unit. “Day-of-week” (1 BCD digit) (0: Sunday, 1: Monday, 2: Tuesday, 3: Wednesday, 4: Thursday, 5: Friday, 6: Saturday)
LSD 020-00		
LSD 021		Write a “Year” value to store in the main unit internal clock. (2 BCD digits)
LSD 022		Stores set value for “Month” in main unit internal clock. (2 BCD digits)
LSD 023		Stores set value for “Day” in main unit internal clock. (2 BCD digits)
LSD 024		Stores set value for “Hour” in main unit internal clock. (2 BCD digits)
LSD 025		Stores set value for “Minute” in main unit internal clock. (2 BCD digits)
LSD 026		Stores set value for “Second” in main unit internal clock. (2 BCD digits)

Device Type: LBR (HMI Temporary Register)

Device Address	Tag Name	Comment
LBR 000		

LBR 001		
LBR 002		
LBR 004		
LBR 005		
LBR 006		
LBR 007		
LBR 008		
LBR 009		

Target: **External Device 0:0**


Device Type: I (Input(Bit))

Device Address	Tag Name	Comment
I 00000		

Screens

Screen Type: Base Screen
Screen No.: 1

OFF




Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	BitButton1	Bit Button		lm0 start	LM 0000	3:Always Enabled	3:Always Visible
2	WordButton1	Word Button		4	LDR 00004	3:Always Enabled	3:Always Visible
3	help	Goto Screen Button		HELP	11	3:Always Enabled	3:Always Visible
4	KeyButton1	Key Button		0		3:Always Enabled	3:Always Visible
5	- Group	Part					
6	KeyButton2	Key Button		A		3:Always Enabled	3:Always Visible
7	KeyButton3	Key Button		B		3:Always Enabled	3:Always Visible
8	KeyButton4	Key Button		C		3:Always Enabled	3:Always Visible
9	KeyButton5	Key Button		D		3:Always Enabled	3:Always Visible
10	KeyButton6	Key Button		E		3:Always Enabled	3:Always Visible
11	KeyButton7	Key Button		F		3:Always Enabled	3:Always Visible
12	KeyButton8	Key Button		DEL		3:Always Enabled	3:Always Visible
13	KeyButton9	Key Button		G		3:Always Enabled	3:Always Visible
14	KeyButton10	Key Button		H		3:Always Enabled	3:Always Visible
15	KeyButton11	Key Button		I		3:Always Enabled	3:Always Visible
16	KeyButton12	Key Button		J		3:Always Enabled	3:Always Visible
17	KeyButton13	Key Button		K		3:Always Enabled	3:Always Visible
18	KeyButton14	Key Button		L		3:Always Enabled	3:Always Visible
19	KeyButton15	Key Button		M		3:Always Enabled	3:Always Visible
20	KeyButton16	Key Button		N		3:Always Enabled	3:Always Visible
21	KeyButton17	Key Button		O		3:Always Enabled	3:Always Visible
22	KeyButton18	Key Button		P		3:Always Enabled	3:Always Visible
23	KeyButton19	Key Button		Q		3:Always Enabled	3:Always Visible
24	KeyButton20	Key Button		R		3:Always Enabled	3:Always Visible
25	KeyButton21	Key Button		CLR		3:Always Enabled	3:Always Visible
26	KeyButton22	Key Button		S		3:Always Enabled	3:Always Visible
27	KeyButton23	Key Button		T		3:Always Enabled	3:Always Visible
28	KeyButton24	Key Button		U		3:Always Enabled	3:Always Visible
29	KeyButton25	Key Button		V		3:Always Enabled	3:Always Visible
30	KeyButton26	Key Button		W		3:Always Enabled	3:Always Visible
31	KeyButton27	Key Button		X		3:Always Enabled	3:Always Visible
32	KeyButton28	Key Button		CAN		3:Always Enabled	3:Always Visible

33	KeyButton29	Key Button		Y		3:Always Enabled	3:Always Visible
34	KeyButton30	Key Button		Z		3:Always Enabled	3:Always Visible
35	KeyButton31	Key Button		SP		3:Always Enabled	3:Always Visible
36	KeyButton32	Key Button		<Cur		3:Always Enabled	3:Always Visible
37	KeyButton33	Key Button		Cur>		3:Always Enabled	3:Always Visible
38	KeyButton34	Key Button		ENT		3:Always Enabled	3:Always Visible
39	- Group	Part					
40	KeyButton35	Key Button		7		3:Always Enabled	3:Always Visible
41	KeyButton36	Key Button		4		3:Always Enabled	3:Always Visible
42	KeyButton37	Key Button		1		3:Always Enabled	3:Always Visible
43	KeyButton38	Key Button		0		3:Always Enabled	3:Always Visible
44	KeyButton39	Key Button		8		3:Always Enabled	3:Always Visible
45	KeyButton40	Key Button		5		3:Always Enabled	3:Always Visible
46	KeyButton41	Key Button		2		3:Always Enabled	3:Always Visible
47	KeyButton42	Key Button		+/-		3:Always Enabled	3:Always Visible
48	KeyButton43	Key Button		9		3:Always Enabled	3:Always Visible
49	KeyButton44	Key Button		6		3:Always Enabled	3:Always Visible
50	KeyButton45	Key Button		3		3:Always Enabled	3:Always Visible
51	KeyButton46	Key Button		.		3:Always Enabled	3:Always Visible
52	KeyButton47	Key Button		CLR		3:Always Enabled	3:Always Visible
53	KeyButton48	Key Button		CAN		3:Always Enabled	3:Always Visible
54	KeyButton49	Key Button		ENT		3:Always Enabled	3:Always Visible
55	WordButton1	Word Button		SPACE	space	3:Always Enabled	3:Always Visible
56	WordButton1	Word Button		<-	L_arr	3:Always Enabled	3:Always Visible
57	WordButton1	Word Button		->	rght_arr	3:Always Enabled	3:Always Visible
58	WordButton1	Word Button		| v	Dwn_arr	3:Always Enabled	3:Always Visible
59	WordButton1	Word Button		^ |	up_arr	3:Always Enabled	3:Always Visible
60	WordButton1	Word Button		5	LDR 00005	3:Always Enabled	3:Always Visible
61	WordButton1	Word Button		6	LDR 00006	3:Always Enabled	3:Always Visible
62	WordButton1	Word Button		7	LDR 00007	3:Always Enabled	3:Always Visible
63	WordButton1	Word Button		8	LDR 00008	3:Always Enabled	3:Always Visible
64	WordButton1	Word Button		9	LDR 00009	3:Always Enabled	3:Always Visible
65	WordButton1	Word Button		1	LDR 00001	3:Always Enabled	3:Always Visible
66	WordButton1	Word Button		2	LDR 00002	3:Always Enabled	3:Always Visible
67	WordButton1	Word Button		3	LDR 00003	3:Always Enabled	3:Always Visible
68	BitButton1	Bit Button		lm1	LM 0001	3:Always Enabled	3:Always Visible
69	BitButton1	Bit Button		lm2	LM 0002	3:Always Enabled	3:Always Visible
70	BitButton1	Bit Button		lm3	LM 0003	3:Always Enabled	3:Always Visible
71	Lamp1	Pilot Lamp		lm67		4:While ON [LM 0000]	3:Always Visible
72	Lamp1	Pilot Lamp		lm66		4:While ON [LM 0000]	3:Always Visible
73	ScreenButton2	Goto Screen Button		page 2	2	3:Always Enabled	3:Always Visible
74	ScreenButton2	Goto Screen Button		page 3	3	3:Always Enabled	3:Always Visible
75	ScreenButton2	Goto Screen Button		page 4	4	3:Always Enabled	3:Always Visible
76	ScreenButton2	Goto Screen Button		page 5	5	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 2

OFF




Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	MessageDisplay1	Message Display		IDEC		3:Always Enabled	
2	MessageDisplay2	Message Display		IDEC		3:Always Enabled	
3	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
4	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
5	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
6	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
7	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
8	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
9	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
10	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 3

OFF




Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	WordButton1	Word Button		LBR 4	LBR 004	3:Always Enabled	3:Always Visible
2	WordButton1	Word Button		LBR 5	LBR 005	3:Always Enabled	3:Always Visible
3	WordButton1	Word Button		LBR 6	LBR 006	3:Always Enabled	3:Always Visible
4	WordButton1	Word Button		LBR 7	LBR 007	3:Always Enabled	3:Always Visible
5	WordButton1	Word Button		LBR 8	LBR 008	3:Always Enabled	3:Always Visible
6	WordButton1	Word Button		LBR 9	LBR 009	3:Always Enabled	3:Always Visible
7	WordButton1	Word Button		LBR0	LBR 000	3:Always Enabled	3:Always Visible
8	WordButton1	Word Button		LBR 1	LBR 001	3:Always Enabled	3:Always Visible
9	WordButton1	Word Button		LBR 3	LBR 002	3:Always Enabled	3:Always Visible
10	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
11	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
12	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
13	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
14	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
15	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
16	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
17	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 4

OFF




Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	WordButton1	Word Button		LKR 4	LKR 0004	3:Always Enabled	3:Always Visible
2	WordButton1	Word Button		LKR 5	LKR 0005	3:Always Enabled	3:Always Visible
3	WordButton1	Word Button		LKR 6	LKR 0006	3:Always Enabled	3:Always Visible
4	WordButton1	Word Button		LKR 7	LKR 0007	3:Always Enabled	3:Always Visible
5	WordButton1	Word Button		LKR 8	LKR 0008	3:Always Enabled	3:Always Visible
6	WordButton1	Word Button		LKR 9	LKR 0009	3:Always Enabled	3:Always Visible
7	WordButton1	Word Button		LKR 1	LKR 0001	3:Always Enabled	3:Always Visible
8	WordButton1	Word Button		LKR 2	LKR 0002	3:Always Enabled	3:Always Visible
9	WordButton1	Word Button		LKR 3	LKR 0003	3:Always Enabled	3:Always Visible

10	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
11	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
12	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
13	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
14	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
15	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
16	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
17	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 5

OFF




Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
2	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
3	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
4	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
5	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
6	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
7	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
8	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible
9	Lamp1	Pilot Lamp		I0		4:While ON [0:I 00000]	3:Always Visible
10	Lamp1	Pilot Lamp		I1		4:While ON [0:I 00000]	3:Always Visible
11	Lamp1	Pilot Lamp		I2		4:While ON [0:I 00000]	3:Always Visible
12	Lamp1	Pilot Lamp		I3		4:While ON [0:I 00000]	3:Always Visible
13	Lamp1	Pilot Lamp		I4		4:While ON [0:I 00000]	3:Always Visible
14	Lamp1	Pilot Lamp		I5		4:While ON [0:I 00000]	3:Always Visible
15	Lamp1	Pilot Lamp		I6		4:While ON [0:I 00000]	3:Always Visible
16	Lamp1	Pilot Lamp		I7		4:While ON [0:I 00000]	3:Always Visible

Screen Type: Base Screen
Screen No.: 6

OFF



Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
2	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
3	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
4	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
5	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
6	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
7	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
8	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 7

OFF



Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
2	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
3	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
4	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
5	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
6	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
7	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
8	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 8

OFF



Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
2	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
3	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
4	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
5	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
6	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
7	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
8	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 9

OFF




Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
2	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
3	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
4	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
5	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
6	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
7	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
8	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 10

OFF




Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	ScreenButton1	Goto Screen Button		HOME	1	3:Always Enabled	3:Always Visible
2	ScreenButton2	Goto Screen Button		B	3	3:Always Enabled	3:Always Visible
3	ScreenButton2	Goto Screen Button		C	4	3:Always Enabled	3:Always Visible
4	ScreenButton2	Goto Screen Button		C#	5	3:Always Enabled	3:Always Visible
5	ScreenButton2	Goto Screen Button		D	6	3:Always Enabled	3:Always Visible
6	ScreenButton2	Goto Screen Button		E	7	3:Always Enabled	3:Always Visible
7	ScreenButton2	Goto Screen Button		F	8	3:Always Enabled	3:Always Visible
8	ScreenButton2	Goto Screen Button		A	2	3:Always Enabled	3:Always Visible

Screen Type: Base Screen
Screen No.: 11
Title: help

OFF



Object List

No.	Name	Type	Text ID	Text	Device Address	Trigger Type Trigger Condition	Trigger Type (Visible Condition) Trigger Condition (Visible Condition)
1	ScreenButton1	Goto Screen Button		home	1	3:Always Enabled	3:Always Visible