

CWIP: Coupling With Interpolation Parallel Interface

Eric Quémerais¹, Bastien Andrieu¹, and Karmijn Hoogveld¹

¹ DMPE, ONERA, Université Paris-Saclay, 92320 Châtillon, France

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Editor: [Open Journals](#) ↗

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](#)).

Summary

CWIP is an open-source library for the parallel coupling of independent simulation codes in multi-physics research. It provides MPI-based communication and fully distributed data exchange on non-coincident meshes, including on-the-fly spatial interpolation. Unlike other frameworks such as MUI ([Tang et al., 2015](#)) and preCICE ([Chourdakis et al., 2022](#)), CWIP focuses on spatial interpolation and allows users to leverage solver-specific numerical methods, including finite volumes, finite elements, discontinuous Galerkin, and spectral methods. Advanced users can combine CWIP's geometric algorithms with solvers' internal interpolation through callbacks, improving accuracy across heterogeneous solvers.

CWIP supports a wide range of interface geometries, from linear, surface and volumetric elements to higher-order elements with curved edges and faces. Performance-critical algorithms have been optimized for dynamic and adaptive meshes. Recent developments in the ParaDiGM library ([Quémerais et al., 2026](#)) provide dynamic load and memory balancing for large-scale simulations. Ongoing work includes GPU acceleration of geometric algorithms ([Cazalbou et al., 2024](#)) and the development of complementary temporal interpolation methods ([Simon et al., 2025](#)).

Statement of Need

Multi-physics problems can be approached either through monolithic methods — where all physical phenomena are solved simultaneously within a single solver — or through partitioned methods, where independent solvers exchange data across shared interfaces. Partitioned approaches are particularly attractive in high-performance computing (HPC) contexts, as they allow the reuse of existing specialized codes while maintaining their native parallel architecture.

Robust and efficient coupling tools are essential to enable data exchange between solvers operating on distinct meshes, geometries, and discretization schemes. CWIP was initially developed in 2009 to provide an open-source solution complementary to MPCCI ([Joppich & Kürschner, 2006](#)), whose black-box nature limited flexibility and transparency for multi-physics research.

A key strength of CWIP lies in its ability to **adapt to solvers' own numerical methods** — finite volumes, finite elements, discontinuous Galerkin, or spectral methods — and to leverage their internal interpolation capabilities. In an advanced mode, CWIP exposes the results of its geometric algorithms, allowing users to combine them with the solver's internal methods via a *callback*. For example, it is possible to use the functional bases of high-order elements from the source mesh while knowing the coordinates of target points from a finite-difference solver ([Léger et al., 2012](#)), improving accuracy between heterogeneous solvers while maintaining consistency with each solver's numerical scheme.

State of the Field

Existing coupling frameworks differ significantly in scope, geometry support, and interpolation capabilities. MUI (Tang et al., 2015) primarily supports point clouds and focuses on temporal and spatial interpolation in a general-purpose fashion. preCICE (Chourdakis et al., 2022) supports point clouds or meshes composed of planar triangular or quadrilateral elements and provides a broad ecosystem of adapters for established simulation codes. OpenPALM (Duchaine et al., 2015) is a higher-level coupler that relies on CWIPI as its interpolation engine.

CWIPI addresses several limitations of these frameworks. It supports a broader range of interface representations, including linear, surface and volumetric elements, polygons and polyhedra, as well as higher-order elements with curved edges and faces. Where preCICE (Chourdakis et al., 2022) and MUI (Tang et al., 2015) focus on generic coupling workflows, CWIPI focuses primarily on spatial interpolation fidelity, leaving temporal interpolation strategies to the user's implementation — an approach well suited to research contexts where solver-specific accuracy is paramount.

Software Design

Since version 1.0, CWIPI is built on top of the ParaDiGM library (Quémerais et al., 2026), originally created specifically to meet the needs of CWIPI. ParaDiGM provides the low-level geometric algorithms and parallel data structures. The coupling workflow is organized around three main components: geometric localization (finding which source mesh element contains each target point), data redistribution (MPI-based parallel exchange of located data), and interpolation (computing field values at target locations from source element data).

CWIPI provides three APIs — C/C++, Fortran, and Python/NumPy — making it compatible with a wide range of scientific codes. The integration of CWIPI into an existing solver is designed to be **minimally intrusive**: it does not require modifying the code structure, and the API relies solely on simple arrays, keeping the coupling layer lightweight and straightforward to adopt.

A major design challenge lies in the **performance of geometric algorithms**, especially when the coupling interface moves during the simulation or when solvers employ dynamic mesh adaptation. In the 0.x branch of CWIPI, algorithms relied on the FVM library from Code_Saturne (Archambeau et al., 2004), which later evolved into PLE, a lightweight coupling library (Fournier, 2020). New algorithms (Andrieu et al., 2026) developed within ParaDiGM provide **dynamic load and memory balancing** at each coupling step, which is critical because coupling problems are inherently unbalanced across MPI processes. These developments bring significant performance gains for large-scale and complex simulations.

Future Directions

Two main research directions are currently pursued. The first concerns the **GPU porting** of the most computationally expensive geometric algorithms, for which new algorithms have recently been designed (Cazalbou et al., 2024) and will be integrated in an upcoming release. The second focuses on the development of **temporal interpolation methods** (François & Massot, 2023; Simon et al., 2025), complementary to those provided by existing frameworks such as preCICE, aiming to improve accuracy and flexibility for dynamic interfaces and heterogeneous solvers.

Research Impact Statement

From a scientific perspective, CWIPI is primarily used within the aeronautics and aerospace community from which it originated. The library is integrated into several codes developed

at ONERA, including elsA (Cambier et al., 2013) for computational fluid dynamics, CEDRE (Refloch et al., 2011) for multiphysics simulations, Z-set (Garaud et al., 2019) for structural and materials mechanics, MoDeTheC (Dellinger et al., 2024) for thermal degradation of materials, and SPACE (Delorme et al., 2005) for acoustic propagation. Through these tools, CWIPI enables advanced multiphysics simulations in aerothermodynamics (Errera et al., 2019), aeroacoustics (Langenais et al., 2019), magnetohydrodynamics (Rocamora et al., 2025), electric arc propagation, and fire safety (Dellinger et al., 2023).

CWIPI is also employed as both an internal and external coupling library in leading combustion simulation environments such as YALES2 (Moureau et al., 2011) and AVBP (Schonfeld & Rudgyard, 1999). A notable HPC application (Dombard et al., 2018) combining CWIPI with AVBP on a complex geometry demonstrated the robustness and scalability of the coupling approach on massively parallel architectures. Its capabilities were highlighted as early as 2017 (Duchaine et al., 2017) and confirmed by an invitation to the ExCALIBUR workshop (Andrieu & Quémerais, 2021). Recent work in aeroelasticity with YALES2 (Fabbri et al., 2023) further demonstrates its versatility. CWIPI's integration into the software stack of national HPC facilities such as the CCRT confirms its recognition at a national level.

Beyond its original ecosystem, the open-source community has adopted CWIPI through GitHub-based interfacing projects with OpenFOAM (Moratilla, 2022; nd-92, 2025; Weller et al., 1998) and Nektar++ (Cantwell et al., 2015), enabling applications in aeroacoustics and data assimilation (Valero, 2026). Finally, CWIPI serves as the interpolation engine of the OpenPALM coupler (Duchaine et al., 2015), illustrating its central role in the broader multiphysics and HPC coupling ecosystem.

AI Usage Disclosure

Generative AI tools were used to assist with the writing of this paper: translation, formatting, and improving the fluency of the text. No AI was used in the development of the CWIPI software. All scientific content was written and validated by the authors.

Acknowledgements

The authors would like to thank the following people for their contributions to the development, testing, and dissemination of the CWIPI library within the community:

Romain Casta¹, Nicolas Dellinger², Florent Duchaine¹, Bastien Frisulli², Jean-Didier Garaud², Thomas Hennion², Stéphanie Lala², Xavier Lamboley¹², Bruno Maugars², Thierry Morel¹, Christophe Peyret²

¹ CERFACS — ² ONERA

The authors also wish to thank BPI France, the Directorate General for Civil Aviation (DGAC), and the General Scientific Directorate of ONERA for their financial support.

Author Contributions

The contributions to this software are listed according to the CRediT taxonomy:

- **Eric Quémerais:** Conceptualization, Methodology, Software, Validation, Writing – Original Review & Editing, Project Administration, Funding Acquisition, Supervision
- **Bastien Andrieu:** Software, Validation, Writing – Original Draft
- **Karmijn Hoogveld:** Software, Validation, Writing – Original Draft

References

- Andrieu, B., Maugars, B., & Quémerais, E. (2026). Dynamic load-balanced point location algorithm for data mapping. *Comptes Rendus. Mécanique*, 354(G1), 53–70. <https://doi.org/10.5802/crmeca.335>
- Andrieu, B., & Quémerais, E. (2021, December). The CWIPI library. *ExCALIBUR ISE Code Coupling Workshop 1*. https://excalibur-coupling.github.io/workshop1_content/slides/B-Andrieu_ISE_CWIPI.pdf
- Archambeau, F., Méchitoua, N., & Sakiz, M. (2004). Code_Saturne: A finite volume code for the computation of turbulent incompressible flows. *International Journal on Finite Volumes*. <https://hal.archives-ouvertes.fr/hal-01115371/document>
- Cambier, L., Heib, S., & Plot, S. (2013). The onera elsA CFD software: Input from research and feedback from industry. *Mechanics & Industry*, 14, 159–174. <https://doi.org/10.1051/meca/2013056>
- Cantwell, C. D., Moxey, D., Comerford, A., Bolis, A., Rocco, G., Mengaldo, G., De Grazia, D., Yakovlev, S., Lombard, J.-E., Ekelschot, D., Jordi, B., Xu, H., Mohamied, Y., Eskilsson, C., Nelson, B., Vos, P., Biotto, C., Kirby, R. M., & Sherwin, S. J. (2015). Nektar++: An open-source spectral/hp element framework. *Computer Physics Communications*, 192, 205–219. <https://doi.org/10.1016/j.cpc.2015.02.008>
- Cazalbou, R., Duchaine, F., Quémerais, E., Andrieu, B., Staffebach, G., & Maugars, B. (2024). *Hybrid multi-GPU distributed octrees construction for massively parallel code coupling applications*. <https://doi.org/10.1145/3659914.3659928>
- Chourdakis, G., Davis, K., Rodenberg, B., Schulte, M., Simonis, F., Uekermann, B., Abrams, G., Bungartz, H., Cheung Yau, L., Desai, I., Eder, K., Hertrich, R., Lindner, F., Rusch, A., Sashko, D., Schneider, D., Totounferoush, A., Volland, D., Vollmer, P., & Koseomur, O. (2022). preCICE v2: A sustainable and user-friendly coupling library. *Open Research Europe*, 2, 51. <https://doi.org/10.12688/openreseurope.14445.2>
- Dellinger, N., Donjat, D., Laroche, E., & Reulet, P. (2023). Experimental and numerical modelling of the interaction between a turbulent premixed propane/air flame and a composite flat plate. *Fire Safety Journal*, 141, 103959. <https://doi.org/10.1016/j.firesaf.2023.103959>
- Dellinger, N., Leplat, G., Huchette, C., Biasi, V., & Feyel, F. (2024). Numerical modeling and experimental validation of heat and mass transfer within decomposing carbon fibers/epoxy resin composite laminates. *International Journal of Thermal Sciences*, 201, 109040. <https://doi.org/10.1016/j.ijthermalsci.2024.109040>
- Delorme, Ph., Mazet, P.-A., Peyret, C., & Ventribout, Y. (2005). Computational aeroacoustics applications based on a discontinuous galerkin method. *Comptes Rendus Mécanique*, 333(9), 676–682. <https://doi.org/10.1016/j.creme.2005.07.007>
- Dombard, J., Duchaine, F., Gicquel, L. Y. M., Staffebach, G., Buffaz, N., & Trébinjac, I. (2018). *Large eddy simulations in a transonic centrifugal compressor*. V02BT44A030. <https://doi.org/10.1115/GT2018-77023>
- Duchaine, F., Berger, S., Staffebach, G., & Gicquel, L. (2017). Partitioned high performance code coupling applied to CFD. In E. Di Napoli, M. A. Hermanns, H. Iliev, A. Lintermann, & A. Peyser (Eds.), *High-performance scientific computing* (Vol. 10164). Springer. https://doi.org/10.1007/978-3-319-53862-4_1
- Duchaine, F., Jauré, S., Poitou, D., Quémerais, E., Staffebach, G., Morel, T., & Gicquel, L. (2015). Analysis of high performance conjugate heat transfer with the OpenPALM coupler. *Computational Science & Discovery*, 8(1), 015003. <https://doi.org/10.1088/1749->

172 [4699/8/1/015003](#)

173 Errera, M.-P., Moretti, R., Salem, R., Bachelier, Y., Arrivé, T., & Nguyen, M. (2019). A
174 single stable scheme for steady conjugate heat transfer problems. *Journal of Computational*
175 *Physics*, 394, 491–502. <https://doi.org/10.1016/j.jcp.2019.05.036>

176 Fabbri, T., Balarac, G., Moureau, V., & Benard, P. (2023). Design of a high fidelity fluid-
177 structure interaction solver using LES on unstructured grid. *Computers & Fluids*, 265,
178 105963. <https://doi.org/10.1016/j.compfluid.2023.105963>

179 Fournier, Y. (2020). Massively parallel location and exchange tools for unstructured meshes.
180 *International Journal of Computational Fluid Dynamics*, 34(7-8), 1–20. [https://doi.org/10.](https://doi.org/10.1080/10618562.2020.1810676)
181 [1080/10618562.2020.1810676](https://doi.org/10.1080/10618562.2020.1810676)

182 François, L., & Massot, M. (2023). Multistep interface coupling for high-order adaptive
183 black-box multiphysics simulations. *Proceedings of the 10th International Conference*
184 *on Computational Methods for Coupled Problems in Science and Engineering*. [https:](https://doi.org/10.23967/c.coupled.2023.027)
185 [//doi.org/10.23967/c.coupled.2023.027](https://doi.org/10.23967/c.coupled.2023.027)

186 Garaud, J.D., Rannou, J., Bovet, C., Feld-Payet, S., Chiaruttini, V., Marchand, B., Lacourt,
187 L., Yastrebov, V. A., Osipov, N., & Quilici, S. (2019, May). Z-set -suite logicielle pour la
188 simulation des matériaux et structures. *14ème Colloque National en Calcul de Structures*
189 *(CSMA 2019)*. <https://hal.science/hal-02115875>

190 Joppich, W., & Kürschner, M. (2006). MpCCI – a tool for the simulation of coupled
191 applications. *Concurrency and Computation: Practice and Experience*, 18(2), 183–192.
192 <https://doi.org/10.1002/cpe.913>

193 Langenais, A., Vuillot, F., Troyes, J., & Bailly, C. (2019). Accurate simulation of the noise
194 generated by a hot supersonic jet including turbulence tripping and nonlinear acoustic
195 propagation. *Physics of Fluids*, 31(1), 016105. <https://doi.org/10.1063/1.5050905>

196 Léger, R., Peyret, C., & Piperno, S. (2012). Coupled discontinuous galerkin/finite difference
197 solver on hybrid meshes for computational aeroacoustics. *AIAA Journal*, 50, 338–349.
198 <https://doi.org/10.2514/1.J051110>

199 Moratilla, M. (2022). *Coupling-API: Open source API to connect OpenFOAM to Nektar++ for*
200 *aeroacoustic simulations*. GitHub repository. <https://github.com/mimove/Coupling-API>

201 Moureau, V., Domingo, P., & Vervisch, L. (2011). Design of a massively parallel CFD
202 code for complex geometries. *Comptes Rendus Mécanique*, 339(2), 141–148. [https:](https://doi.org/10.1016/j.crme.2010.12.001)
203 [//doi.org/10.1016/j.crme.2010.12.001](https://doi.org/10.1016/j.crme.2010.12.001)

204 nd-92. (2025). *cwipiFoam: Coupling between compressible OpenFOAM solvers and Nektar++*
205 *AcousticSolver*. GitHub repository. <https://github.com/nd-92/cwipiFoam>

206 Quémerais, E., Andrieu, B., Maugars, B., & Hoogveld, K. (2026). *ParaDiGM*. [https://github.](https://github.com/onera/paradigm)
207 [com/onera/paradigm](https://github.com/onera/paradigm).

208 Refloch, A., Courbet, B., Murrone, A., Villedieu, P., Laurent, C., Gilbank, P., Troyes, J., Tessé,
209 L., Chaineray, G., Dargaud, J. B., Quémerais, E., & Vuillot, F. (2011). CEDRE Software.
210 *Aerospace Lab*, 2, p. 1–10. <https://hal.science/hal-01182463>

211 Rocamora, A., Labaune, J., Laux, C. O., & Tholin, F. (2025). Numerical study of plasma-
212 assisted ignition and stabilisation of a supersonic hydrogen–air combustion in LAERTE
213 facility by a quasi-DC gliding arc. *Plasma Sources Science and Technology*, 34(10), 105002.
214 <https://doi.org/10.1088/1361-6595/ae00ee>

215 Schonfeld, T., & Rudgyard, M. (1999). Steady and unsteady flow simulations using the hybrid
216 flow solver AVBP. *AIAA Journal*, 37(11), 1378–1385. <https://doi.org/10.2514/2.636>

217 Simon, A., François, L., & Massot, M. (2025). High-order multistep coupling: Convergence,
218 stability and PDE application. *Comptes Rendus. Mécanique*, 353, 1159–1184. <https://doi.org/10.1016/j.crme.2025.115911>

219 [//doi.org/10.5802/crmeca.333](https://doi.org/10.5802/crmeca.333)

220 Tang, Y.-H., Kudo, S., Bian, X., Li, Z., & Karniadakis, G. E. (2015). Multiscale universal
221 interface: A concurrent framework for coupling heterogeneous solvers. *Journal of*
222 *Computational Physics*, 297, 13–31. <https://doi.org/10.1016/j.jcp.2015.05.004>

223 Valero, M. (2026). *CONES: Coupling OpenFOAM with Numerical EnvironmentS*. GitHub
224 repository. <https://github.com/MiguelMValero/CONES>

225 Weller, H. G., Tabor, G., Jasak, H., & Fureby, C. (1998). A tensorial approach to computational
226 continuum mechanics using object-oriented techniques. *Computers in Physics*, 12(6),
227 620–631. <https://doi.org/10.1063/1.168744>

DRAFT