

CWIP: Coupling With Interpolation Parallel Interface

Eric Quémerais¹, Bastien Andrieu¹, and Karmijn Hoogveld¹

¹ DMPE, ONERA, Université Paris-Saclay, 92320 Châtillon, France

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](#))

Summary

CWIP is an open-source library for the parallel coupling of independent simulation codes in multi-physics research. It provides MPI-based communication and fully distributed data exchange on non-coincident meshes, including on-the-fly spatial interpolation. Unlike other frameworks such as MUI and preCICE, CWIP focuses on spatial interpolation and allows users to leverage solver-specific numerical methods, including finite volumes, finite elements, discontinuous Galerkin, and spectral methods. Advanced users can combine CWIP's geometric algorithms with solvers' internal interpolation through callbacks, improving accuracy across heterogeneous solvers.

CWIP supports a wide range of interface geometries, from linear surface and volumetric elements to higher-order elements with curved edges and faces. Performance-critical algorithms have been optimized for dynamic and adaptive meshes, and recent developments in the ParaDiGM library (Quémerais et al., 2026) provide dynamic load and memory balancing for large-scale simulations. Ongoing work includes GPU acceleration of geometric algorithms (Cazalbou et al., 2024) and the development of complementary temporal interpolation methods (Simon et al., 2025), expanding CWIP's capabilities for complex, coupled multi-physics simulations.

Statement of Need

Multi-physics problems can be approached either through monolithic methods, in which all physical phenomena are solved simultaneously within a single solver, or through partitioned methods, where independent solvers exchange data across shared interfaces. Partitioned approaches are particularly attractive in high-performance computing contexts, as they allow the reuse of existing specialized codes while maintaining their native parallel architecture.

CWIP was initially developed in 2009 to provide an open-source solution complementary to MPCCI (Joppich & Kürschner, 2006), whose black-box nature limited flexibility and transparency for multi-physics research. In this context, robust and efficient coupling tools are essential to enable data exchange between solvers operating on distinct meshes, geometries, and discretization schemes. Such tools must handle parallel communication, data distribution, and interpolation between non-coincident meshes while maintaining good performance and scalability.

CWIP provides MPI-based communication, distributed data exchange, and a wide range of on-the-fly spatial interpolation methods. Unlike some existing frameworks such as MUI (Tang et al., 2015) or preCICE (Chourdakis et al., 2022), CWIP focuses primarily on spatial interpolation, leaving temporal interpolation strategies to the user's implementation.

Existing coupling tools often restrict supported interface geometries. For instance, MUI primarily supports point clouds, while preCICE supports point clouds or meshes composed of planar triangular or quadrilateral elements. CWIP addresses these limitations by supporting

a broad range of interface representations, including linear, surface and volumetric elements, polygons and polyhedra, as well as higher-order elements with curved edges and faces.

A key strength of CWIPI lies in its ability to **adapt to solvers' own numerical methods** — including finite volumes, finite elements, discontinuous Galerkin, or spectral methods — and to leverage their internal interpolation capabilities. In an advanced mode, CWIPI exposes the results of its geometric algorithms, allowing users to combine them with the solver's internal methods via a *callback*. For example, it is possible to use the functional bases of high-order elements from the source mesh while knowing the coordinates of target points from a finite-difference solver (Léger et al., 2012), improving the accuracy of data exchange between heterogeneous solvers while maintaining consistency with each solver's numerical scheme.

Performance of Geometric Algorithms

A major challenge for CWIPI lies in the **performance of geometric algorithms**, especially when the coupling interface is moving during the simulation or when solvers employ dynamic mesh adaptation techniques. In these situations, geometric algorithms are invoked repeatedly during computation, requiring careful optimization.

In the 0.x branch of CWIPI, the algorithm relied on the FVM library from the computational fluid dynamics code Code_Saturne (Archambeau et al., 2004), as well as on PLE, a lightweight coupling library (Fournier, 2020). To improve performance, new algorithms (Andrieu et al., 2026) were developed within the ParaDiGM library (Quémerais et al., 2026), originally created specifically to meet the needs of CWIPI. These algorithms provide **dynamic load and memory balancing** at each step, which is critical because coupling problems are inherently unbalanced. These developments bring a significant performance gain for large-scale and complex simulations.

Ongoing Work / Future Directions

A major focus for CWIPI's future development is the **GPU porting** of the most computationally expensive elements in the coupling phase, particularly the geometric algorithms. Recent research has led to the design of new algorithms (Cazalbou et al., 2024), which will be integrated in an upcoming release.

The second research direction concerns the development of **temporal interpolation methods** (François & Massot, 2023; Simon et al., 2025) complementary to those provided by existing frameworks such as preCICE. These methods aim to improve the accuracy and flexibility of coupled multi-physics simulations, especially for dynamic interfaces and heterogeneous solvers.

Mentions

From a scientific perspective, CWIPI is primarily used within the aeronautics and aerospace community from which it originated. The library is integrated into several software packages developed at ONERA, including elsA (Cambier et al., 2013) for computational fluid dynamics, CEDRE (Refloch et al., 2011) for multiphysics simulations, Z-set (Garaud et al., 2019) for structural and materials mechanics, MoDeTheC (Dellinger et al., 2024) for thermal degradation of materials, and SPACE (Delorme et al., 2005) for acoustic propagation. Through these tools, CWIPI enables advanced multiphysics simulations in aerothermodynamics (Errera et al., 2019), aeroacoustics (Langenais et al., 2019), magnetohydrodynamics (MHD) (Rocamora et al., 2025), electric arc propagation and fire safety (Dellinger et al., 2023).

CWIPI is also employed as both an internal and external coupling library in leading combustion simulation environments such as YALES2 (Moureau et al., 2011) and AVBP (Schonfeld & Rudgyard, 1999), where it supports efficient coupling between distinct physical models, meshes, and numerical resolutions. A notable HPC application (Dombard et al., 2018), involving

a complex geometry and combining CWIPI with AVBP, demonstrated the robustness and scalability of the coupling approach on massively parallel architectures. Its capabilities had already been highlighted as early as 2017 (Duchaine et al., 2017) and are widely recognized by the community, as evidenced by the invitation to the ExCALIBUR workshop (Andrieu & Quémerais, 2021). CWIPI has also enabled recent work in aeroelasticity with YALES2 (Fabbri et al., 2023). This technological maturity is reflected by CWIPI's integration into the software stack of national facilities such as the CCRT, confirming its recognition at a national level within large-scale high-performance computing environments.

Beyond its original ecosystem, the open-source community has also adopted CWIPI through GitHub-based interfacing projects, notably (Moratilla, 2022; nd-92, 2025) with OpenFOAM (Weller et al., 1998) and Nektar++ (Cantwell et al., 2015). These developments have enabled applications in aeroacoustics as well as data assimilation strategies with OpenFOAM (Valero, 2026), illustrating the openness, flexibility, and growing impact of CWIPI within the broader multiphysics and HPC communities. Finally, CWIPI serves as the interpolation engine of the OpenPALM coupler (Duchaine et al., 2015), a higher-level reference coupling tool, demonstrating its central role in the ecosystem of multiphysics coupled simulations.

Acknowledgements

The authors would like to thank the following people for their contributions to the development, testing, and dissemination of the CWIPI library within the community:

Romain Casta¹, Nicolas Dellinger², Florent Duchaine¹, Bastien Frisulli², Jean-Didier Garaud², Thomas Hennion², Stéphanie Lala², Xavier Lambole^{1,2}, Bruno Maugars², Thierry Morel¹, Christophe Peyret²

¹ CERFACS ² ONERA

The authors also wish to thank BPI France, the Directorate General for Civil Aviation (DGAC), and the General Scientific Directorate of ONERA for their financial support.

Author contributions

The contributions to this software are listed according to the CRediT taxonomy:

- **Eric Quémerais:** Conceptualization, Methodology, Software, Validation, Writing – Original Review & Editing, Project Administration, Funding Acquisition, Supervision
- **Bastien Andrieu:** Software, Validation, Writing – Original Draft
- **Karmijn Hoogveld:** Software, Validation, Writing – Original Draft

References

- Andrieu, B., Maugars, B., & Quémerais, E. (2026). Dynamic load-balanced point location algorithm for data mapping. *Comptes Rendus. Mécanique*, 354(G1), 53–70. <https://doi.org/10.5802/crmeca.335>
- Andrieu, B., & Quémerais, E. (2021, December). The CWIPI library. *ExCALIBUR ISE Code Coupling Workshop 1*. <https://excalibur-coupling.github.io/workshop1/>
- Archambeau, F., Méchitoua, N., & Sakiz, M. (2004). Code_Saturne: A finite volume code for the computation of turbulent incompressible flows. *International Journal on Finite Volumes*. <https://hal.archives-ouvertes.fr/hal-01115371/document>
- Cambier, L., Heib, S., & Plot, S. (2013). The onera elsA CFD software: Input from research and feedback from industry. *Mechanics & Industry*, 14, 159–174. <https://doi.org/https://doi.org/10.1051/meca/2013056>

- 130 Cantwell, C. D., Moxey, D., Comerford, A., Bolis, A., Rocco, G., Mengaldo, G., De Grazia, D.,
131 Yakovlev, S., Lombard, J.-E., Ekelschot, D., Jordi, B., Xu, H., Mohamied, Y., Eskilsson,
132 C., Nelson, B., Vos, P., Biotto, C., Kirby, R. M., & Sherwin, S. J. (2015). Nektar++:
133 An open-source spectral/hp element framework. *Computer Physics Communications*, 192,
134 205–219. <https://doi.org/https://doi.org/10.1016/j.cpc.2015.02.008>
- 135 Cazalbou, R., Duchaine, F., Quémerais, E., Andrieu, B., Staffebach, G., & Maugars, B. (2024).
136 *Hybrid multi-GPU distributed octrees construction for massively parallel code coupling*
137 *applications*. <https://doi.org/10.1145/3659914.3659928>
- 138 Chourdakis, G., Davis, K., Rodenberg, B., Schulte, M., Simonis, F., Uekermann, B., Abrams,
139 G., Bungartz, H., Cheung Yau, L., Desai, I., Eder, K., Hertrich, R., Lindner, F., Rusch,
140 A., Sashko, D., Schneider, D., Totounferoush, A., Volland, D., Vollmer, P., & Koseomur,
141 O. (2022). preCICE v2: A sustainable and user-friendly coupling library. *Open Research*
142 *Europe*, 2, 51. <https://doi.org/10.12688/openreseurope.14445.2>
- 143 Dellinger, N., Donjat, D., Laroche, E., & Reulet, P. (2023). Experimental and numerical
144 modelling of the interaction between a turbulent premixed propane/air flame and a
145 composite flat plate. *Fire Safety Journal*, 141, 103959. <https://doi.org/10.1016/j.firesaf.2023.103959>
- 147 Dellinger, N., Leplat, G., Huchette, C., Biasi, V., & Feyel, F. (2024). Numerical modeling and
148 experimental validation of heat and mass transfer within decomposing carbon fibers/epoxy
149 resin composite laminates. *International Journal of Thermal Sciences*, 201, 109040.
150 <https://doi.org/10.1016/j.ijthermalsci.2024.109040>
- 151 Delorme, Ph., Mazet, P.-A., Peyret, C., & Ventribout, Y. (2005). Computational aeroacoustics
152 applications based on a discontinuous galerkin method. *Comptes Rendus Mécanique*,
153 333(9), 676–682. <https://doi.org/10.1016/j.crme.2005.07.007>
- 154 Dombard, J., Duchaine, F., Gicquel, L. Y. M., Staffebach, G., Buffaz, N., & Trébinjac, I.
155 (2018). *Large eddy simulations in a transonic centrifugal compressor*. V02BT44A030.
156 <https://doi.org/10.1115/GT2018-77023>
- 157 Duchaine, F., Berger, S., Staffebach, G., & Gicquel, L. (2017). Partitioned high performance
158 code coupling applied to CFD. In E. Di Napoli, M. A. Hermanns, H. Iliev, A. Lintermann,
159 & A. Peyser (Eds.), *High-performance scientific computing* (Vol. 10164). Springer.
160 https://doi.org/10.1007/978-3-319-53862-4_1
- 161 Duchaine, F., Jauré, S., Poitou, D., Quémerais, E., Staffebach, G., Morel, T., & Gicquel,
162 L. (2015). Analysis of high performance conjugate heat transfer with the OpenPALM
163 coupler. *Computational Science & Discovery*, 8(1), 015003. <https://doi.org/10.1088/1749-4699/8/1/015003>
- 165 Errera, M.-P., Moretti, R., Salem, R., Bachelier, Y., Arrivé, T., & Nguyen, M. (2019). A
166 single stable scheme for steady conjugate heat transfer problems. *Journal of Computational*
167 *Physics*, 394, 491–502. <https://doi.org/10.1016/j.jcp.2019.05.036>
- 168 Fabbri, T., Balarac, G., Moureau, V., & Benard, P. (2023). Design of a high fidelity
169 fluid?structure interaction solver using LES on unstructured grid. *Computers & Fluids*,
170 265, 105963. <https://doi.org/10.1016/j.compfluid.2023.105963>
- 171 Fournier, Y. (2020). Massively parallel location and exchange tools for unstructured meshes.
172 *International Journal of Computational Fluid Dynamics*, 34(7-8), 1–20. <https://doi.org/10.1080/10618562.2020.1810676>
- 174 François, L., & Massot, M. (2023). Multistep interface coupling for high-order adaptive
175 black-box multiphysics simulations. *Proceedings of the 10th International Conference*
176 *on Computational Methods for Coupled Problems in Science and Engineering*. <https://doi.org/10.23967/c.coupled.2023.027>

- 178 Garaud, J.D., Rannou, J., Bovet, C., Feld-Payet, S., Chiaruttini, V., Marchand, B., Lacourt,
179 L., Yastrebov, V. A., Osipov, N., & Quilici, S. (2019, May). Z-set -suite logicielle pour la
180 simulation des matériaux et structures. *14ème Colloque National en Calcul de Structures*
181 *(CSMA 2019)*. <https://hal.science/hal-02115875>
- 182 Joppich, W., & Kürschner, M. (2006). MpCCI – a tool for the simulation of coupled
183 applications. *Concurrency and Computation: Practice and Experience*, 18(2), 183–192.
184 <https://doi.org/10.1002/cpe.913>
- 185 Langenais, A., Vuillot, F., Troyes, J., & Bailly, C. (2019). Accurate simulation of the noise
186 generated by a hot supersonic jet including turbulence tripping and nonlinear acoustic
187 propagation. *Physics of Fluids*, 31(1), 016105. <https://doi.org/10.1063/1.5050905>
- 188 Léger, R., Peyret, C., & Piperno, S. (2012). Coupled discontinuous galerkin/finite difference
189 solver on hybrid meshes for computational aeroacoustics. *AIAA Journal*, 50, 338–349.
190 <https://doi.org/10.2514/1.J051110>
- 191 Moratilla, M. (2022). *Coupling-API: Open source API to connect OpenFOAM to Nektar++ for*
192 *aeroacoustic simulations*. GitHub repository. <https://github.com/mimove/Coupling-API>
- 193 Moureau, V., Domingo, P., & Vervisch, L. (2011). Design of a massively parallel CFD
194 code for complex geometries. *Comptes Rendus Mécanique*, 339(2), 141–148. <https://doi.org/10.1016/j.crme.2010.12.001>
- 195 nd-92. (2025). *cwipiFoam: Coupling between compressible OpenFOAM solvers and Nektar++*
196 *AcousticSolver*. <https://github.com/nd-92/cwipiFoam>; GitHub.
- 197 Quémérais, E., Andrieu, B., Maugars, B., & Hoogveld, K. (2026). *ParaDiGM*. <https://github.com/onera/paradigm>.
- 200 Refloch, A., Courbet, B., Murrone, A., Villedieu, P., Laurent, C., Gilbank, P., Troyes, J., Tessé,
201 L., Chaineray, G., Dargaud, J. B., Quémérais, E., & Vuillot, F. (2011). CEDRE Software.
202 *Aerospace Lab*, 2, p. 1–10. <https://hal.science/hal-01182463>
- 203 Rocamora, A., Labaune, J., Laux, C. O., & Tholin, F. (2025). Numerical study of plasma-
204 assisted ignition and stabilisation of a supersonic hydrogen–air combustion in LAERTE
205 facility by a quasi-DC gliding arc. *Plasma Sources Science and Technology*, 34(10), 105002.
206 <https://doi.org/10.1088/1361-6595/ae00ee>
- 207 Schonfeld, T., & Rudgyard, M. (1999). Steady and unsteady flow simulations using the hybrid
208 flow solver AVBP. *AIAA Journal*, 37(11), 1378–1385. <https://doi.org/10.2514/2.636>
- 209 Simon, A., François, L., & Massot, M. (2025). High-order multistep coupling: Convergence,
210 stability and PDE application. *Comptes Rendus. Mécanique*, 353, 1159–1184. <https://doi.org/10.5802/crmeca.333>
- 211 Tang, Y.-H., Kudo, S., Bian, X., Li, Z., & Karniadakis, G. E. (2015). *Journal of Computational*
212 *Physics*, 297, 13–31. <https://doi.org/10.1016/j.jcp.2015.05.004>
- 213 Valero, M. (2026). *CONES: Coupling OpenFOAM with Numerical EnvironmentS*. <https://github.com/MiguelMValero/CONES>; GitHub.
- 214 Weller, H. G., Tabor, G., Jasak, H., & Fureby, C. (1998). A tensorial approach to computational
215 continuum mechanics using object-oriented techniques. *Computers in Physics*, 12(6),
216 620–631. <https://doi.org/10.1063/1.168744>