

# Portfolio — Project Guide

*A practical guide to how your portfolio site is built and how to keep working on it.*

**Live site:** <https://maks333.github.io> · **Repo:** [github.com/Maksi333/Maksi333.github.io](https://github.com/Maksi333/Maksi333.github.io)

---

## 1. The 30-second overview

This is a **static website** — plain HTML, CSS, and JavaScript. There is **no build step, no framework, and no dependencies**. The browser runs the files directly, and GitHub Pages serves them exactly as they sit in the repo.

The whole site is **data-driven from one file**: everything you'll ever want to change — your name, bio, skills, contact links, and every project — lives in `scripts/projects.js`. You edit that file, commit, push, and the live site updates. You never touch the layout or styling to add a project.

```
Edit scripts/projects.js → git commit → git push → GitHub Pages redeploys → live in ~1 min
```

## 2. The one rule to remember

**Content lives in `scripts/projects.js`. Everything else renders from it.**

- Want to add/remove/edit a **project**? → `scripts/projects.js`
- Change your **name, roles, bio, skills, or contact links**? → `scripts/projects.js`
- Change **colors, fonts, spacing**? → `styles.css` (design tokens at the top)
- Change **behavior** (animations, the modal, filtering)? → `scripts/app.js` (rarely needed)

If you only ever open `scripts/projects.js`, you can run this site indefinitely.

---

### 3. The files, one by one

| File / folder                    | What it is                                                                                                                                                                                              | Do you edit it?                                                      |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <code>scripts/projects.js</code> | <b>Your content</b> — the <code>SITE</code> object (identity) + the <code>PROJECTS</code> array.                                                                                                        | ✅ <b>Yes — this is your file.</b>                                    |
| <code>index.html</code>          | The page shell: <code>&lt;head&gt;</code> (meta, fonts, favicon), the fixed background, header, empty section containers, footer. It has no hard-coded content — JS fills it in.                        | Rarely (e.g. to change the fixed sub-headings like "Selected Work"). |
| <code>styles.css</code>          | All styling. Design tokens (colors, fonts) are CSS variables in <code>:root</code> at the top; component styles below.                                                                                  | Only to restyle the design.                                          |
| <code>scripts/app.js</code>      | The engine. Reads <code>SITE</code> / <code>PROJECTS</code> and renders the hero, grid, skills, contact, modal, lightbox, and all interactions (constellation, scroll reveal, filtering, keyboard nav). | Rarely — only to change behavior.                                    |
| <code>assets/</code>             | Images and files. Ships with <code>favicon.svg</code> and <code>og-image.png</code> . You add <code>resume.pdf</code> , <code>profile.jpg</code> , and per-project images here.                         | ✅ You add files here.                                                |
| <code>.nojekyll</code>           | Empty file that tells GitHub Pages to serve every file untouched.                                                                                                                                       | No.                                                                  |
| <code>.gitignore</code>          | Keeps IDE junk ( <code>.vs/</code> , <code>node_modules</code> ) out of the repo.                                                                                                                       | No.                                                                  |
| <code>.gitattributes</code>      | Normalizes line endings across machines.                                                                                                                                                                | No.                                                                  |
| <code>README.md</code>           | Short public-facing readme (shown on the GitHub repo page).                                                                                                                                             | Optional.                                                            |
| <code>reference/</code>          | The original design prototype ( <code>Portfolio.dc.html</code> ) and the full pixel-accurate design spec ( <code>DESIGN-SPEC.md</code> ). Kept for reference; <b>not part of the live site</b> .        | No.                                                                  |
| <code>docs/</code>               | This guide, plus the design spec and implementation plan under <code>docs/superpowers/</code> .                                                                                                         | Optional.                                                            |

### 4. How it works (data flow)

- `index.html` loads two scripts with `defer`, in order: `projects.js` **first**, then `app.js`.
- `projects.js` sets two globals: `window.SITE` and `window.PROJECTS`.
- `app.js` reads those globals and **builds the DOM**:
  - Fills the hero (name, rotating roles), about text, footer, and résumé links.
  - Builds the **filter chips** from the unique `category` values across your projects (plus "All").
  - Renders the **project cards**, sorted **featured-first, then newest year first**.
  - Renders the **skills** groups and **contact** cards.
  - Wires up interactions: clicking a card opens the **detail modal**; gallery images open a **lightbox**; the email card **copies to clipboard**; the background **constellation** and **scroll-reveal** animations run (and switch off for users who prefer reduced motion).

You don't call any of this — it just runs when the page loads.

## 5. ⚠️ Your fix-it checklist (placeholders to replace)

The site currently ships with **placeholder content**. Work through this before sharing the link with employers. Everything here is in `scripts/projects.js` unless noted.

- ☐ **Email** — `contact.email` is `simon@example.com`. Change to your real address (e.g. `simon_n_andersen@live.dk`, or a dedicated one).
- ☐ **GitHub link** — `contact.github` is `https://github.com/your-username` → `https://github.com/Maksi333`.
- ☐ **LinkedIn link** — `contact.linkedin` is `.../in/your-handle` → your real profile URL (or set to `""` to hide the card).
- ☐ **Résumé PDF** — add your CV as `assets/resume.pdf` (the Résumé buttons already point there). Until the file exists, the buttons 404.
- ☐ **About photo** — add `assets/profile.jpg` for the About section (a monogram placeholder shows until you do). (Note: wiring this image into the layout is a small `index.html` tweak — see §6.7.)
- ☐ **Sample projects** — delete the three demo entries you don't want: `portfolio-site`, `ride-insights`, `habit-garden`.
- ☐ **Real project links** — `esk8-tracker` and `calisthenics-app` have placeholder URLs (`your.app.id`, `your-username/...`). Fix or blank them.
- ☐ **Project images** — add `assets/projects/<id>/cover.png` (and gallery images) for each real project. Missing images degrade to a striped placeholder, so nothing breaks, but real screenshots look far better.
- ☐ **(Optional) Social preview image** — `assets/og-image.png` exists and works. If you want the link preview (when you paste your URL in LinkedIn/Slack) to be reliable, make the `og:image` in `index.html` an **absolute** URL: `https://maksi333.github.io/assets/og-image.png`.

## 6. Recipes (common tasks)

### 6.1 Add a new project

- (Optional but recommended) Put images in `assets/projects/<your-id>/` — at least `cover.png`.
- Open `scripts/projects.js`, copy an existing `{ ... }` block inside `window.PROJECTS`, paste it, and edit the fields. A fully-annotated template:

```

{
  id: "my-cool-app",          // unique slug; also the image folder name
  title: "My Cool App",
  tagline: "One punchy line shown on the card",
  category: "Mobile App",     // becomes a filter chip automatically
  tags: ["Kotlin", "Android", "AI"], // small pills on the card
  description:
    "The longer paragraph shown in the detail popup when someone " +
    "clicks the card. Explain what it does and why it's interesting.",
  thumbnail: "assets/projects/my-cool-app/cover.png",
  gallery: [                  // optional; shown in the popup, click to enlarge
    "assets/projects/my-cool-app/1.png",
    "assets/projects/my-cool-app/2.png",
  ],
  status: "Live",             // Live | In Development | Prototype
  year: 2026,
  featured: true,             // featured projects sort to the top
  links: {                    // leave any "" to hide that button
    github: "https://github.com/Maksi333/my-cool-app",
    demo: "",
    playStore: "",
    appStore: "",
    video: "",
    caseStudy: "",
  },
},

```

3. Save, commit, push. Done — no layout edits.

## 6.2 Change your name / rotating roles

In the `SITE` object:

```

name: "Simon Nørgaard Andersen",
roles: ["Software Developer", "AI App Builder", "Data Scientist", "Indie Maker"],

```

The first role shows immediately; the rest rotate in the hero every ~2.8s.

## 6.3 Edit the About paragraph

`SITE.about` — a single string. Rewrite freely.

## 6.4 Edit skills

`SITE.skills` is a list of groups. Add/remove groups or items:

```

skills: [
  { group: "Languages", items: ["Kotlin", "TypeScript", "Python", "SQL"] },
  { group: "Mobile", items: ["Android", "Jetpack Compose"] },
],

```

## 6.5 Edit contact links

`SITE.contact` — set any field to `""` to hide that card. The **email card copies to the clipboard** on click (with a "copied ✓" confirmation); the others open in a new tab.

## 6.6 Add project images

Convention: `assets/projects/<id>/`. The `<id>` must match the project's `id`. Use `cover.png` for the card/popup cover; name gallery images anything and list them in `gallery`.

## 6.7 Add your About photo (small layout tweak)

The About panel currently shows an "SNA" monogram placeholder. To use a real photo, add `assets/profile.jpg`, then in `index.html` find the `.profile` block and replace the placeholder `<div>` with:

```

```

(If you'd like, I can wire this up so it auto-shows the photo when the file exists.)

## 6.8 Change the accent color or theme

Open `styles.css`. The top `:root` block defines every color as a variable. The brand accent is one line:

```
--accent: #4F8CFF; /* change this to re-tint the whole site */
```

Change a token once and it updates everywhere it's used.

# 7. Data model reference

### `SITE` (your identity)

| Field                | Type                            | Notes                                                                                                                  |
|----------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <code>name</code>    | string                          | Shown in the hero H1 and footer.                                                                                       |
| <code>roles</code>   | string[]                        | Rotating hero subtitles. First shows immediately.                                                                      |
| <code>about</code>   | string                          | About-section paragraph.                                                                                               |
| <code>skills</code>  | <code>{group, items[][]}</code> | Grouped skill pills.                                                                                                   |
| <code>contact</code> | object                          | <code>email</code> , <code>github</code> , <code>linkedin</code> , <code>resume</code> . <code>""</code> hides a card. |

## A PROJECTS entry

| Field                                                                | Type     | Notes                                                                                                                                                                      |
|----------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>id</code>                                                      | string   | Unique slug; also the <code>assets/projects/&lt;id&gt;/</code> folder name.                                                                                                |
| <code>title</code> , <code>tagline</code> , <code>description</code> | string   | Card + popup copy.                                                                                                                                                         |
| <code>category</code>                                                | string   | Drives the filter chips (built automatically).                                                                                                                             |
| <code>tags</code>                                                    | string[] | Small pills on the card.                                                                                                                                                   |
| <code>thumbnail</code>                                               | string   | Path to cover image; missing → striped placeholder.                                                                                                                        |
| <code>gallery</code>                                                 | string[] | Optional; images in the popup (click to enlarge).                                                                                                                          |
| <code>status</code>                                                  | string   | <code>Live</code> , <code>In Development</code> , or <code>Prototype</code> (colored dot).                                                                                 |
| <code>year</code>                                                    | number   | Used for sorting.                                                                                                                                                          |
| <code>featured</code>                                                | boolean  | <code>true</code> sorts it to the top.                                                                                                                                     |
| <code>links</code>                                                   | object   | <code>github</code> , <code>demo</code> , <code>playStore</code> , <code>appStore</code> , <code>video</code> , <code>caseStudy</code> . <code>""</code> hides the button. |

### Auto-derived behavior (you don't configure these):

- Filter chips = `All` + every unique `category` .
- Sort order = featured first, then newest `year` first.
- Only links with a non-empty URL show a button. Button order: GitHub → Live Demo → Play Store → App Store → Video → Case Study.
- A project with a non-empty `gallery` shows the gallery + lightbox.
- Status dot colors: Live = teal, In Development = amber, Prototype = purple.

## 8. How it looks & behaves

**Fonts** (loaded from Google Fonts): Space Grotesk (headings), Inter (body), JetBrains Mono (labels/eyebrows).

**Key design tokens** (in `styles.css` `:root` ):

- Background `#0B0D10` , card surface `#14181D` , accent `#4F8CFF` , teal glow `#22D3A8` , primary text `#E6E9EC` , muted text `#8A93A0` .

**Interactions** (all in `app.js` ):

- Rotating hero roles, an interactive **constellation** canvas background (particles link up and follow your cursor), scroll-reveal fade-ins, active-section nav highlighting, a **project modal** with prev/next + arrow-key navigation, an image **lightbox**, a back-to-top button, and **email copy-to-clipboard**.
- **Accessibility & motion:** cards are keyboard-operable (Enter/Space), the modal manages focus, and everything respects `prefers-reduced-motion` — the constellation and animations switch off for users who ask for reduced motion.

## 9. Everyday workflow

1. Edit `scripts/projects.js` (or add images to `assets/`)
2. Preview locally → see §10
3. `git add / commit` → in Visual Studio, VS Code, or the terminal
4. `git push` → pushes to `Maksi333.github.io`
5. Wait ~1 minute → GitHub Pages rebuilds; refresh the live site

Preview locally before pushing:

- **Quick server (Python):** in the project folder run `python -m http.server 8137`, then open `http://localhost:8137`. (Using `localhost` — not opening the file directly — makes the email-copy feature work.)
- **VS Code:** install the **Live Server** extension → right-click `index.html` → *Open with Live Server* → auto-reloads on save at `localhost:5500`.
- **Don't** just double-click `index.html` for full testing — over `file://` the clipboard copy won't work (everything else does).

## 10. Deploy & hosting facts

- Your repo is a **GitHub user site**: it must stay named exactly `Maksi333.github.io` to serve at `https://maksi333.github.io`.
- Pages is set to **Deploy from a branch** → `main` / (root). Every push to `main` triggers a rebuild (watch it in the repo's **Actions** tab).
- All paths in the site are **relative**, so it works at the root domain without changes.
- **Custom domain later (optional):** buy a domain, add a `CNAME` file (GitHub can do this from Settings → Pages → Custom domain), point DNS at GitHub. Not required.

## 11. Gotchas & FAQ

- **"I see 404s for images in the browser console."** Expected until you add real images — missing covers/gallery/résumé degrade to striped placeholders by design. They disappear once the files exist.
- **Script order matters.** `projects.js` must load before `app.js` (it already does in `index.html`). If you rename or reorder them, the site won't render.
- **Editing `reference/` or `docs/` does nothing to the live site** — those are documentation only.
- **Email copy needs `https` or `localhost`**. It works on your live site and local server, but not from a raw `file://` open.
- **Don't commit `.vs/`**. It's IDE state and is already git-ignored.
- **Nothing shows below the hero until you scroll.** That's the scroll-reveal animation — sections fade in as they enter the viewport.

## 12. Where to look

- **Full design spec** (every color, size, and interaction, pixel-accurate): `reference/DESIGN-SPEC.md`.
- **Original design prototype:** `reference/Portfolio.dc.html` (needs a proprietary runtime to render — kept for provenance only).
- **How this rebuild was designed & planned:** `docs/superpowers/specs/` and `docs/superpowers/plans/`.

## 13. Ideas for going further

- Swap in real project screenshots and a polished `og-image.png` — biggest visual upgrade for the least effort.
- Add a short "Now / Currently building" line to the hero or About.
- Add a downloadable one-pager or link to a blog/devlog.
- A contact form would need a third-party service (e.g. Formspree) since a static site has no backend — the mailto/copy approach avoids that entirely and is usually enough.
- Analytics (privacy-friendly options like Plausible/GoatCounter) if you want to see who's visiting.

---

*Built as a zero-dependency static site. Keep it simple, edit one file, ship often.*