Assignment8: Regression and Neural Networks

Dmitrii, Maksimov dmitrii.maksimov@fau.de ko65beyp Ilia, Dudnik
ilia.dudnik@fau.de
ex69ahum

Aleksandr, Korneev aleksandr.korneev@fau.de uw44ylyz

July 15, 2022

Exercise 8.3 (Support Vectors)

1. Give a linear separator in the form $h(\mathbf{x}) = \mathbf{w} \cdot \mathbf{x} + b$ for the dataset without x5.

$$h(\mathbf{x}) = (1,1) \cdot \mathbf{x} - 1$$

2. Explain informally why no linear separator exists for the full dataset of all 5 vectors.

All points belonging to class -1 cannot be separated by a line from points belonging to class 1.

3. Transform the dataset into a 3-dimensional dataset by applying the function $F(\langle u, v \rangle) = \langle u_2, v_2, u + v \rangle$.

$$F(\mathbf{X}) = \{\langle 0, 0, 0 \rangle, \langle 0, 0.25, 0.5 \rangle, \langle 0.25, 0, 0.5 \rangle, \langle 1, 1, 2 \rangle, \langle 4, 4, 4 \rangle\}$$

4. Give a linear separator for the transformed full dataset in the form $h(\mathbf{x}) = \mathbf{w} \cdot \mathbf{x} + b$.

$$h(\mathbf{x}) = (-1, -1, 2) \cdot \mathbf{x} - 1$$