

Wazu Manager and Wazu agent Configurations

FIXES — Enable Missing Modules

Fix 1 — Enable File Integrity Monitoring (FIM)

On your **Windows Client** , edit the Wazuh agent config:

```
File location:  
C:\Program Files (x86)\ossec-agent\ossec.conf
```

Find this section (already in your file):

```
<syscheck>  
  
  <disabled>no</disabled>  
  
  <!-- Frequency that syscheck is executed default every 12 hours -->  
  <frequency>43200</frequency>
```

Replace the entire syscheck section with this:

```
<syscheck>  
  
  <disabled>no</disabled>  
  
  <!-- Changed from 43200 (12hrs) to 300 (5 mins) for lab -->  
  <frequency>300</frequency>
```

```

<!-- ADDED: Monitor Downloads in realtime (EICAR path) -->
<directories check_all="yes" realtime="yes" report_changes="yes">
  C:\Users\Public\Downloads
</directories>

<!-- ADDED: Monitor Desktop in realtime -->
<directories check_all="yes" realtime="yes" report_changes="yes">
  C:\Users\malai\Desktop
</directories>

<!-- ADDED: Monitor Temp folders (malware drops here) -->
<directories check_all="yes" realtime="yes">
  C:\Windows\Temp
</directories>
<directories check_all="yes" realtime="yes">
  C:\Users\malai\AppData\Local\Temp
</directories>

<!-- KEEP EXISTING: Default Windows monitoring below -->
<directories recursion_level="0" restrict="regedit.exe|system.ini|win.ini">%WINDIR%</directories>

  <directories recursion_level="0" restrict="at.exe|attrib.exe|cacls.exe|cmd.exe|eventcreate.exe|ftp.exe|lsass.exe|net.exe|net1.exe|netsh.exe|reg.exe|regedt32.exe|regsvr32.exe|runas.exe|sc.exe|schtasks.exe|sethc.exe|subst.exe">%WINDIR%\SysNative</directories>
  <directories recursion_level="0">%WINDIR%\SysNative\drivers\etc</directories>
  <directories recursion_level="0" restrict="WMIC.exe">%WINDIR%\SysNative\wbem</directories>
  <directories recursion_level="0" restrict="powershell.exe">%WINDIR%\SysNative\WindowsPowerShell\v1.0</directories>
  <directories recursion_level="0" restrict="winrm.vbs">%WINDIR%\SysNative</directories>

  <directories recursion_level="0" restrict="at.exe|attrib.exe|cacls.exe|cmd.exe|eventcreate.exe|ftp.exe|lsass.exe|net.exe|net1.exe|netsh.exe|reg.exe|regedt32.exe|regsvr32.exe|runas.exe|sc.exe|schtasks.exe|sethc.exe|subst.exe">%WINDIR%\System32</directories>
  <directories recursion_level="0">%WINDIR%\System32\drivers\etc</directories>
  <directories recursion_level="0" restrict="WMIC.exe">%WINDIR%\System32\wbem</directories>
  <directories recursion_level="0" restrict="powershell.exe">%WINDIR%\System32\WindowsPowerShell\v1.0</directories>
  <directories recursion_level="0" restrict="winrm.vbs">%WINDIR%\System32</directories>

<!-- KEEP: Startup folder realtime (persistence detection) -->
<directories realtime="yes">%PROGRAMDATA%\Microsoft\Windows\Start Menu\Programs\Startup</directories>

<ignore>%PROGRAMDATA%\Microsoft\Windows\Start Menu\Programs\Startup\desktop.ini</ignore>

```

```

re>
<ignore type="sregex">.log$|.htm$|.jpg$|.png$|.chm$|.pnf$|.evtx$</ignore>

<!-- KEEP ALL EXISTING registry monitoring below unchanged -->
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\batfile</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\cmdfile</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\comfile</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\exefile</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\piffile</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\AllFilesystemObjects</windows_r
egistry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\Directory</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Classes\Folder</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Classes\Protocols</windows_
registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Policies</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Security</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Internet Explorer
</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services</windows_regis
try>
<windows_registry>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Control\Session Manager
\KnownDLLs</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Control\SecurePipeServe
rs\winreg</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVe
rsion\Run</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVe
rsion\RunOnce</windows_registry>
<windows_registry>HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\RunOnc
eEx</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVe
rsion\URL</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVe
rsion\Policies</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Windows NT\Curren
tVersion\Windows</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Windows NT\Curren
tVersion\Winlogon</windows_registry>
<windows_registry arch="both">HKEY_LOCAL_MACHINE\Software\Microsoft\Active Setup\Inst
alled Components</windows_registry>

<registry_ignore>HKEY_LOCAL_MACHINE\Security\Policy\Secrets</registry_ignore>
<registry_ignore>HKEY_LOCAL_MACHINE\Security\SAM\Domains\Account\Users</registry_igno
re>
<registry_ignore type="sregex">\Enum$</registry_ignore>
<registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\MpsSvc\Paramete
rs\AppCs</registry_ignore>
<registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\MpsSvc\Paramete
rs\PortKeywords\DHCP</registry_ignore>
<registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\MpsSvc\Paramete
rs\PortKeywords\IPTLSIn</registry_ignore>

```

```

    <registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\MpsSvc\Parameters\PortKeywords\IPTLSOut</registry_ignore>
    <registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\MpsSvc\Parameters\PortKeywords\RPC-EPMap</registry_ignore>
    <registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\MpsSvc\Parameters\PortKeywords\Teredo</registry_ignore>
    <registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\PolicyAgent\Parameters\Cache</registry_ignore>
    <registry_ignore>HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\RunOnceEx</registry_ignore>
    <registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\ADOVMPPackage\Final</registry_ignore>

    <windows_audit_interval>60</windows_audit_interval>
    <process_priority>10</process_priority>
    <max_eps>50</max_eps>

    <synchronization>
      <enabled>yes</enabled>
      <interval>5m</interval>
      <max_eps>10</max_eps>
    </synchronization>

</syscheck>

```


After Saving — Restart Agent

```

# On Windows – PowerShell as Administrator
Restart-Service -Name "WazuhSvc"

# Verify it restarted
Get-Service -Name "WazuhSvc"
# Should show: Status = Running

```



```
Select Administrator: Command Prompt

The Wazuh service is starting.
The Wazuh service was started successfully.

C:\Windows\system32>NET START WazuhSvc
The requested service has already been started.

More help is available by typing NET HELPMSG 2182.

C:\Windows\system32>C:\Program Files (x86)\ossec-agent\ossec.conf
'C:\Program' is not recognized as an internal or external command,
operable program or batch file.

C:\Windows\system32>NET STOP WazuhSvc
The Wazuh service is not started.

More help is available by typing NET HELPMSG 3521.

C:\Windows\system32>NET START WazuhSvc

The Wazuh service was started successfully.

C:\Windows\system32>Start-Service -Name "WazuhSvc"
'Start-Service' is not recognized as an internal or external command,
operable program or batch file.

C:\Windows\system32>
```

Test FIM is Now Working:

```
# Create a test file in monitored Downloads folder
New-Item -Path "C:\Users\Public\Downloads\fim_test.txt" -ItemType File
Add-Content -Path "C:\Users\Public\Downloads\fim_test.txt" -Value "FIM Test"

# Wait 30 seconds then delete it
Start-Sleep -Seconds 30
Remove-Item -Path "C:\Users\Public\Downloads\fim_test.txt"

# Create file → triggers Rule 554 (file added)
New-Item -Path "C:\Users\Public\Downloads\fim_test.txt" `
    -ItemType File -Force

# Write to it → triggers Rule 550 (file modified)
Set-Content -Path "C:\Users\Public\Downloads\fim_test.txt" `
    -Value "SOC Lab FIM Test $(Get-Date)"

# Wait 15 seconds
Start-Sleep -Seconds 15

# Delete it → triggers Rule 553 (file deleted)
Remove-Item -Path "C:\Users\Public\Downloads\fim_test.txt" -Force

Write-Host "FIM test complete - check Wazuh in 1 minute"
```

```
PS C:\Windows\system32> Start-Service -Name "WazuhSvc"
PS C:\Windows\system32> New-Item -Path "C:\Users\Public\Downloads\fim_test.txt" `
>> -ItemType File -Force
>>

Directory: C:\Users\Public\Downloads

Mode                LastWriteTime         Length Name
----                -
-a-----         4/26/2026  12:12 AM              0 fim_test.txt

PS C:\Windows\system32> Set-Content -Path "C:\Users\Public\Downloads\fim_test.txt" `
>> -Value "SOC Lab FIM Test $(Get-Date)"
PS C:\Windows\system32> Start-Sleep -Seconds 15
PS C:\Windows\system32> Remove-Item -Path "C:\Users\Public\Downloads\fim_test.txt" -Force
PS C:\Windows\system32> Write-Host "FIM test complete - check Wazuh in 1 minute"
FIM test complete - check Wazuh in 1 minute
PS C:\Windows\system32>
```

Check FIM on Wazuh Server Side:

On your **Ubuntu Wazuh Server** terminal:

```
# Check if Wazuh manager is receiving syscheck data
sudo grep "syscheck" /var/ossec/logs/ossec.log | tail -20

# Check agent connection
sudo /var/ossec/bin/agent_control -l

# Force agent to send FIM data
sudo /var/ossec/bin/agent_control -r -u 009


# Watch live logs for syscheck events
sudo tail -f /var/ossec/logs/alerts/alerts.log | grep -i "syscheck\|integrity"
```

```

malai@malai:~$ sudo /var/ossec/bin/agent_control -r -u 009
Wazuh agent_control: Restarting Syscheck/Rootcheck on agent: 009
malai@malai:~$ sudo tail -f /var/ossec/logs/alerts/alerts.log | grep -i "syscheck\[integrity"
** Alert 1777187748.2265876: - ossec,syscheck,syscheck_entry_modified,syscheck_registry,pcl_dss_11.5,gpg13_4.13,gdpr_II_5.1.f,hlpaa_164.312.c.1,hlpaa_164.312.c.2,nlst_
800_53.SI.7,tsc_P11.4,tsc_P11.5,tsc_CC6.1,tsc_CC6.8,tsc_CC7.2,tsc_CC7.3,
2026 Apr 26 12:15:48 (Windows_Client) 192.168.40.139->syscheck
Rule: 594 (level 5) -> 'Registry Key Integrity Checksum Changed'
** Alert 1777187748.2267045: - ossec,syscheck,syscheck_entry_modified,syscheck_registry,pcl_dss_11.5,gpg13_4.13,gdpr_II_5.1.f,hlpaa_164.312.c.1,hlpaa_164.312.c.2,nlst_
800_53.SI.7,tsc_P11.4,tsc_P11.5,tsc_CC6.1,tsc_CC6.8,tsc_CC7.2,tsc_CC7.3,
2026 Apr 26 12:15:48 (Windows_Client) 192.168.40.139->syscheck
Rule: 750 (level 5) -> 'Registry Value Integrity Checksum Changed'
** Alert 1777187769.2268272: - ossec,syscheck,syscheck_entry_modified,syscheck_registry,pcl_dss_11.5,gpg13_4.13,gdpr_II_5.1.f,hlpaa_164.312.c.1,hlpaa_164.312.c.2,nlst_
800_53.SI.7,tsc_P11.4,tsc_P11.5,tsc_CC6.1,tsc_CC6.8,tsc_CC7.2,tsc_CC7.3,
2026 Apr 26 12:16:09 (Windows_Client) 192.168.40.139->syscheck
Rule: 594 (level 5) -> 'Registry Key Integrity Checksum Changed'
** Alert 1777187769.2269768: - ossec,syscheck,syscheck_entry_modified,syscheck_registry,pcl_dss_11.5,gpg13_4.13,gdpr_II_5.1.f,hlpaa_164.312.c.1,hlpaa_164.312.c.2,nlst_
800_53.SI.7,tsc_P11.4,tsc_P11.5,tsc_CC6.1,tsc_CC6.8,tsc_CC7.2,tsc_CC7.3,
2026 Apr 26 12:16:09 (Windows_Client) 192.168.40.139->syscheck
Rule: 750 (level 5) -> 'Registry Value Integrity Checksum Changed'
** Alert 1777187769.2270915: - ossec,syscheck,syscheck_entry_modified,syscheck_registry,pcl_dss_11.5,gpg13_4.13,gdpr_II_5.1.f,hlpaa_164.312.c.1,hlpaa_164.312.c.2,nlst_
800_53.SI.7,tsc_P11.4,tsc_P11.5,tsc_CC6.1,tsc_CC6.8,tsc_CC7.2,tsc_CC7.3,
2026 Apr 26 12:16:09 (Windows_Client) 192.168.40.139->syscheck
Rule: 594 (level 5) -> 'Registry Key Integrity Checksum Changed'
** Alert 1777187769.2273480: - ossec,syscheck,syscheck_entry_modified,syscheck_registry,pcl_dss_11.5,gpg13_4.13,gdpr_II_5.1.f,hlpaa_164.312.c.1,hlpaa_164.312.c.2,nlst_
800_53.SI.7,tsc_P11.4,tsc_P11.5,tsc_CC6.1,tsc_CC6.8,tsc_CC7.2,tsc_CC7.3,
2026 Apr 26 12:16:09 (Windows_Client) 192.168.40.139->syscheck
Rule: 750 (level 5) -> 'Registry Value Integrity Checksum Changed'
** Alert 1777187769.2275751: - ossec,syscheck,syscheck_entry_modified,syscheck_registry,pcl_dss_11.5,gpg13_4.13,gdpr_II_5.1.f,hlpaa_164.312.c.1,hlpaa_164.312.c.2,nlst_
800_53.SI.7,tsc_P11.4,tsc_P11.5,tsc_CC6.1,tsc_CC6.8,tsc_CC7.2,tsc_CC7.3,
2026 Apr 26 12:16:09 (Windows_Client) 192.168.40.139->syscheck
Rule: 750 (level 5) -> 'Registry Value Integrity Checksum Changed'

```

On Wazuh Server Dashboard:



Wazuh

192.168.40.136:5601/app/file-integrity-monitoring#/overview/?tab=fim&tabView=events&_a=(filters:(),query:(language:kuery,query:))

File Integrity Monitoring

API default

17 hits

Apr 25, 2026 @ 12:42:31.551 - Apr 26, 2026 @ 12:42:31.551

Export Formatted Reset view 608 available fields Columns Density 1 fields sorted Full screen

timestamp	agent.name	syscheck.path	syscheck.event	rule.description	rule.level	rule.id
Apr 26, 2026 @ 12:16:09.722	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Value Integrity Check...	5	750
Apr 26, 2026 @ 12:16:09.721	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Value Integrity Check...	5	750
Apr 26, 2026 @ 12:16:09.679	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Value Integrity Check...	5	750
Apr 26, 2026 @ 12:16:09.667	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Key Integrity Checks...	5	594
Apr 26, 2026 @ 12:16:09.664	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Value Integrity Check...	5	750
Apr 26, 2026 @ 12:16:09.664	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Value Integrity Check...	5	750
Apr 26, 2026 @ 12:16:09.646	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Key Integrity Checks...	5	594
Apr 26, 2026 @ 12:15:48.407	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Value Integrity Check...	5	750
Apr 26, 2026 @ 12:15:48.372	Windows_Client	HKEY_LOCAL_MACHINE\System\CurrentControlSet\Ser...	modified	Registry Key Integrity Checks...	5	594
Apr 26, 2026 @ 11:40:19.496	malaika	/etc/cups/subscriptions.conf	modified	Integrity checksum changed.	7	550
Apr 26, 2026 @ 11:40:19.488	malaika	/etc/cups/subscriptions.conf.O	modified	Integrity checksum changed.	7	550
Apr 26, 2026 @ 11:40:07.116	malaika	/boot/efi/EFI/ubuntu/grub.cfg	modified	Integrity checksum changed.	7	550
Apr 26, 2026 @ 11:40:07.037	malaika	/boot/efi/EFI/ubuntu/BOOTX64.CSV	modified	Integrity checksum changed.	7	550
Apr 25, 2026 @ 19:44:05.830	malaika	/etc/cups/subscriptions.conf	modified	Integrity checksum changed.	7	550
Apr 25, 2026 @ 19:44:05.826	malaika	/etc/cups/subscriptions.conf.O	modified	Integrity checksum changed.	7	550

Rows per page: 15

MITRE ATT&CK:

Wazuh

192.168.40.136:5601/app/rules#/manager/?tab=rules&redirectRule=594

Rules (4,513)

From here you can manage your rules.

Search

ID ↑	Description
1	Generic template for all syslog rules.
2	Generic template for all firewall rules.
3	Generic template for all ids rules.
4	Generic template for all web rules.
5	Generic template for all web proxy rules.
6	Generic template for all windows rules.
7	Generic template for all wazuh rules.
200	Grouping of wazuh rules.
201	Agent event queue rule
202	Agent event queue is level full.

Rows per page: 10

Registry Key Integrity Checksum Changed

View alerts of this Rule

Information

ID	Level	File	Path
594	5	0015-ossec_rules.xml	ruleset/rules

Groups

syscheck, syscheck_entry_modified, syscheck_registry, ossec

Details

Category: ossec

Decoded_as: syscheck_registry_key_modified

Compliance

PCI DSS	GPG 13	GDPR	HIPAA
11.5	4.13	II_5.1.f	164.312.c.1, 164.312.c.2

NIST-800-53	TSC	MITRE Techniques	MITRE Tactics
SI.7	PI1.4, PI1.5, CC6.1, CC6.8, CC7.2, CC7.3	Stored Data Manipulation, Modify Registry	Impact, Defense Evasion

Related rules

Fix 2 — Enable Vulnerability Detection

Fix 2 — Enable Vulnerability Detection

On your **Ubuntu Wazuh Server**, run:

bash

```
# SSH into or open terminal on Ubuntu Wazuh Server
# Edit Wazuh manager config
sudo nano /var/ossec/etc/ossec.conf
```

Find and change:


xml

```
<vulnerability-detection>
  <enabled>yes</enabled>          <!-- Change no → yes -->
  <index-status>yes</index-status>
  <feed-update-interval>60m</feed-update-interval>
</vulnerability-detection>
```

Save and restart:

bash

```
sudo systemctl restart wazuh-manager
```



```
GNU nano 6.2 /var/osse
<ports all="no">yes</ports>
<processes>yes</processes>

<!-- Database synchronization settings -->
<synchronization>
  <max_eps>10</max_eps>
</synchronization>
</wodle>

<sca>
  <enabled>yes</enabled>
  <scan_on_start>yes</scan_on_start>
  <interval>12h</interval>
  <skip_nfs>yes</skip_nfs>
</sca>

<vulnerability-detector>
  <enabled>yes</enabled>
  <interval>5m</interval>
  <min_full_scan_interval>6h</min_full_scan_interval>
  <run_on_start>yes</run_on_start>

<!-- Ubuntu OS vulnerabilities -->
<provider name="canonical">
  <enabled>no</enabled>
  <os>trusty</os>
  <os>xenial</os>
  <os>bionic</os>
  <os>focal</os>
  <os>jammy</os>
  <update_interval>1h</update_interval>
</provider>

<!-- Debian OS vulnerabilities -->
<provider name="debian">
  <enabled>no</enabled>
  <os>buster</os>
  <os>bullseye</os>
```



Create Your First Alert Monitor (Image 4 Fix)

Since Alerting is empty, let's create a useful monitor:

The screenshot shows the Wazuh Alerts dashboard in a web browser. The browser's address bar displays the URL: `192.168.40.136:5601/app/alerting#/dashboard?alertState=ALL&from=0&search=&severityLevel=ALL&size=10000&sortDirection=de`. The dashboard has a navigation bar with 'Alerting' and 'Alerts' tabs, and a sidebar with 'Alerts', 'Monitors', and 'Destinations' options. The main content area is titled 'Alerts by triggers' and includes a search bar, a 'View alert details' button, and an 'Acknowledge' button. Below these are two dropdown menus: 'All severity levels' and 'All alerts'. A table with the following headers is shown: 'Alerts', 'Active', 'Acknowledged', 'Errors', 'Trigger name', 'Trigger start time ↓', 'Trigger last updated', 'Severity', and 'Monitor name'. The table is currently empty, and a message states: 'There are no existing alerts. Create a monitor to add triggers and actions. Once an alarm is triggered, the state will show in this table.' A 'Create monitor' button is located at the bottom of the table area.

Wazuh

192.168.40.136:5601/app/alerting#/create-monitor

AlertingMonitorsCreate monitor

Create monitor

Monitor details

Monitor name

High-Severity-Attack-Alert

Monitor type

☒ **Per query monitor**

Per query monitors run a query and generate alerts based on trigger criteria that match query results.

☐ **Per bucket monitor**

Per bucket monitors run a query that evaluates trigger criteria based on aggregated values in the dataset.

☐ **Per cluster metrics monitor**

Per cluster metrics monitors run API requests to monitor the cluster's health.

☐ **Per document monitor**

Per document monitors run queries that return individual documents matching the trigger conditions.

☐ **Composite monitor**

Composite monitors chain the outputs of different monitor types and focus trigger conditions to reduce alert noise and generate finer results.

Monitor defining method

Specify the way you want to define your query and triggers. [Learn more](#)

☒ **Visual editor**☐ **Extraction query editor**☐ **Anomaly detector**

Wazu Manager and Wazu agent Configurations

13

Select data

Select clusters

Select a local cluster or remote clusters from cross-cluster connections. [Learn more](#)

wazuh-cluster (Local)

terminal

Indexes

Select one or more indexes or wildcard patterns

wazuh-alerts-4.x-2026.04.12 (wazuh-cluster) ×

You can use * as a wildcard or date math index resolution in your index pattern.

Time field

@timestamp

Choose the time field you want to use for your x-axis

Data filter - optional

rule.level is greater than equal 7 ×

ADD DATA FILTER

rule.level

is greater than equal

7

Triggers (1)

✓ High-Severity-Detected

Remove trigger

Trigger name

High-Severity-Detected

Severity level

1 (Highest)

Trigger condition

IS ABOVE

0

Actions (0)


Define actions when trigger conditions are met.

There are no existing channels. Add a channel to create an action.

[Manage channels](#)

[Add another trigger](#)

You can add up to 9 more triggers.



Name

Name: SOC-Lab-Alerts

Description - optional: Home SOC Lab alert channel

Configurations

Channel type
Channel type cannot be changed after the channel is created.
Custom webhook

Method
POST

Define endpoints by

☒ Webhook URL
☐ Custom attributes URL



Webhook URL
http://192.168.40.136:5601

SOC-Lab-Alerts • Active

Actions Mute channel

Name and description		
Channel name	Description	Last updated
SOC-Lab-Alerts	Home SOC Lab alert channel	04/26/26 3:04 pm PKT

Configurations		
Channel type	Method	Type
Custom webhook	POST	HTTP
Host	Port	Path
192.168.40.136	5601	-
Query parameters	Webhook headers	
-	Content-Type: application/json	



The screenshot shows the Webhook.site interface for a POST request. The URL is `https://webhook.site/#!/view/81127d3c-acc4-4407-880e-17af7fabe1ad/e7c3ceaa-0f9b-4c50-b307-9f720d1a14bf/1`. The request details include the following headers:

- `accept-encoding`: `gzip, deflate`
- `user-agent`: `Apache-HttpClient/4.5.14 (Java/21.0.8)`
- `host`: `webhook.site`
- `content-length`: `538`
- `content-type`: `application/json`

The request content is a JSON alert from Wazuh:

```
{
  "SOC": {
    "L1": {
      "ALERT": {
        "WAZUH": {
          "DETECTION": {
            "Monitor": "High-Severity-Attack-Alert",
            "Trigger": "High-Severity-Detected",
            "Severity": 1,
            "Time": "2026-04-26T10:25:58.752Z UTC"
          }
        }
      }
    }
  }
}
```

File location:
C:\Program Files (x86)\ossec-agent\ossec.conf

File location:
C:\Program Files (x86)\ossec-agent\ossec.conf

File location:
C:\Program Files (x86)\ossec-agent\ossec.conf

File location:


```
C:\Program Files (x86)\ossec-agent\ossec.conf
```

File location:
C:\Program Files (x86)\ossec-agent\ossec.conf

File location:
C:\Program Files (x86)\ossec-agent\ossec.conf

File location:
C:\Program Files (x86)\ossec-agent\ossec.conf

File location:
C:\Program Files (x86)\ossec-agent\ossec.conf



```
GNU nano 6.2 /var/ossec/etc/ossec.conf *

<localfile>
  <log_format>syslog</log_format>
  <location>/var/log/dpkg.log</location>
</localfile>

<localfile>
  <log_format>syslog</log_format>
  <location>/var/log/kern.log</location>
</localfile>

</ossec_config>
<ossec_config>

  <indexer>
    <enabled>yes</enabled>
    <hosts>
      <host>https://0.0.0.0:9200</host>
    </hosts>
    <ssl>
      <certificate_authorities>
        <ca>/etc/filebeat/certs/root-ca.pem</ca>
      </certificate_authorities>
      <certificate>/etc/filebeat/certs/filebeat.pem</certificate>
      <key>/etc/filebeat/certs/filebeat-key.pem</key>
    </ssl>
  </indexer>

  <integration>
    <name>virustotal</name>
    <api_key>[REDACTED]</api_key>
    <group>syscheck</group>
    <alert_format>json</alert_format>
  </integration>

</ossec_config>

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo      M-A Set Mark
^X Exit      ^R Read File  ^\ Replace    ^U Paste       ^J Justify    ^/_ Go To Line  M-E Redo      M-G Copy
```

```
*ossec - Notepad
File Edit Format View Help

<registry_ignore>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\ADOVMPPackage\Final</registry_ignore>

<windows_audit_interval>60</windows_audit_interval>
<process_priority>10</process_priority>
<max_eps>50</max_eps>

<synchronization>
  <enabled>yes</enabled>
  <interval>5m</interval>
  <max_eps>10</max_eps>
</synchronization>

<directories check_all="yes" realtime="yes"
  |check_sha256sum="yes">
  C:\Users\Public\Downloads
</directories>

</syscheck>

<!-- System inventory -->
<wodle name="syscollector">
  <disabled>no</disabled>
  <interval>1h</interval>
  <scan_on_start>yes</scan_on_start>
  <hardware>yes</hardware>
  <os>yes</os>
  <networks>yes</networks>
```

