SOC INCIDENT REPORT

Network Reconnaissance & Enumeration Attack

Network Attacks - Port Scanning, Service Enumeration & SMB Enumeration

Home SOC Lab • Documentation • Network Attacks

Incident ID	INC-2026-04-22-002
Date	22 April 2026
Time Window	19:54 – 22:05 (UTC+5)
Analyst	Malaika Umbreen
Severity	**MEDIUM**
Attack Type	Network Reconnaissance - Port Scanning, OS Fingerprinting, Service Enumeration, SMB Enumeration
Tools Used	Nmap v7.99, Netcat, Nikto, enum4linux, smbclient
SIEM Platform	Wazuh v4.x (Threat Hunting Module)
Status	**DETECTED & CONTAINED**

Summary

A systematic network reconnaissance attack was detected targeting a Windows 10 Pro endpoint (Windows_Client) within the home SOC lab. The attacker used Nmap to perform subnet discovery, full port scanning with OS fingerprinting, stealth SYN scanning, and UDP enumeration. Service enumeration was performed via Nmap NSE scripts, Netcat banner grabbing, and Nikto. SMB enumeration used smbclient, enum4linux, and smb-vuln scripts. Wazuh SIEM generated 764 security alerts across two attack sessions (19 April and 22 April 2026), including a critical Level 9 alert. No exploitation or data breach occurred attack was contained at the reconnaissance phase.

1. Affected System

Hostname	Windows_Client
IP Address	192.168.XX.XX
Operating System	Windows 10 Pro 22H2
Exposed Services	SSH (22), MSRPC (135), NetBIOS (139), SMB (445), RDP (3389)
Wazuh Agent	Installed and actively monitored
Total Alerts	764 security alerts generated

2. Attacker Details

Source IP	192.168.XX.XX
Attacker Machine	Kali Linux (hostname: Malaika)
Attack Tools	Nmap v7.99, Netcat, Nikto, enum4linux v0.9.1, smbclient
Target Ports	22, 80, 135, 139, 445, 3389 + all 65535 TCP + top 20 UDP
Method	Network reconnaissance - scanning, fingerprinting, enumeration
Exploitation	NONE - reconnaissance only, no breach confirmed

3. Attack Evidence

3.1 Phase 1 — Port Scanning & OS Fingerprinting (from Kali Linux terminal)

Step 1.1 — Subnet Discovery (Ping Sweep)
nmap -sn 192.168.XX.XX/24
Step 1.2 — Full Port Scan + OS Fingerprinting
nmap -sV -sC -O -p- -T4 192.168.XX.XX -oN scan_results.txt
Step 1.3 — Stealth SYN Scan (IDS Alert Generator)
nmap -sS -p 22,80,139,445,3389 192.168.XX.XX
Step 1.4 — UDP Scan (SNMP/DNS/NetBIOS)
nmap -sU --top-ports 20 192.168.XX.XX

Open Ports Discovered:

Port	State	Service	Version
22/tcp	Open	SSH	OpenSSH for Windows 7.7 (protocol 2.0)
135/tcp	Open	MSRPC	Microsoft Windows RPC
139/tcp	Open	NetBIOS	Microsoft Windows netbios-ssn
445/tcp	Open	SMB	Microsoft-DS (Windows 10)
3389/tcp	Open	RDP	MS-WBT-Server (Microsoft Terminal Services)



```
┌──(malaika㉿Malaika)-[~]
└─$ nmap -sV -sC -O -p- -T4 192.168.40.139 -oN scan_results.txt
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 19:56 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.0011s latency).
Not shown: 65528 filtered tcp ports (no-response)
PORT      STATE SERVICE       VERSION
22/tcp    open  ssh           OpenSSH for_Windows_7.7 (protocol 2.0)
| ssh-hostkey:
|   3072 e2:82:42:35:8b:a7:56:0e:ac:1e:d7:2c:f4:25:3d:5b (RSA)
|   256 ad:57:b3:c8:55:b4:2d:22:08:9d:90:86:b8:80:70:d9 (ECDSA)
|_  256 0e:fa:fe:72:5d:7a:f0:0d:72:00:cd:25:a4:61:99:85 (ED25519)
135/tcp   open  msrpc         Microsoft Windows RPC
139/tcp   open  netbios-ssn   Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds?
3389/tcp  open  ms-wbt-server Microsoft Terminal Services
| ssl-cert: Subject: commonName=WIN-10-Client
| Not valid before: 2026-04-21T07:52:29
|_Not valid after:  2026-10-21T07:52:29
| rdp-ntlm-info:
|   Target_Name: WIN-10-CLIENT
|   NetBIOS_Domain_Name: WIN-10-CLIENT
|   NetBIOS_Computer_Name: WIN-10-CLIENT
|   DNS_Domain_Name: WIN-10-Client
|   DNS_Computer_Name: WIN-10-Client
|   Product_Version: 10.0.19041
|_  System_Time: 2026-04-22T14:58:40+00:00
| ssl-date: 2026-04-22T14:59:20+00:00; 0s from scanner time.
7680/tcp  open  pando-pub?
49668/tcp open  msrpc         Microsoft Windows RPC
MAC Address: 00:0C:29:C2:1F:B4 (VMware)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: general purpose
Running (JUST GUESSING): Microsoft Windows 10|11|2019 (97%)
OS CPE: cpe:/o:microsoft:windows_10 cpe:/o:microsoft:windows_11 cpe:/o:microsoft:windows_server_2019
Aggressive OS guesses: Microsoft Windows 10 1803 (97%), Microsoft Windows 10 1903 - 22H2 (97%), Microsoft Windows 10 22H2 (97%), M
icrosoft Windows 11 (92%), Microsoft Windows 10 1909 (91%), Microsoft Windows 10 1909 - 2004 (91%), Microsoft Windows Server 2019
```

OS Fingerprint Result:

OS Fingerprint Result	Microsoft Windows 10 22H2 - 97% confidence
OS CPE	cpe:/o:microsoft:windows_10
Computer Name	WIN-10-CLIENT
DNS Name	WIN-10-Client

3.2 Phase 2 — Service Enumeration

Step 2.1 — Banner Grabbing (Netcat)
nc -nv 192.168.XX.XX 22 nc -nv 192.168.XX.XX 80 nc -nv 192.168.XX.XX 445
Step 2.2 — SSH Algorithm Enumeration (NSE)
nmap -p 22 --script=ssh-auth-methods,ssh2-enum-algos 192.168.XX.XX
Step 2.3 — HTTP Enumeration (NSE)
nmap -sV -p 80 --script=http-title,http-headers,http-enum 192.168.XX.XX
Step 2.4 — Web Scanner
nikto -h http://192.168.XX.XX
Step 2.5 — Deep Version Detection
nmap -sV -p 1-1000 --version-intensity 9 192.168.XX.XX

```
┌──(malaika㉿Malaika)-[~]
└─$ nmap -sV -p 80 --script=http-title,http-headers,http-enum 192.168.40.139
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 21:29 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.00071s latency).

PORT   STATE    SERVICE VERSION
80/tcp filtered http
MAC Address: 00:0C:29:C2:1F:B4 (VMware)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 0.71 seconds

┌──(malaika㉿Malaika)-[~]
└─$ nmap -p 21 --script=ftp-anon,ftp-syst 192.168.40.139
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 21:30 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.00061s latency).

PORT   STATE    SERVICE
21/tcp filtered ftp
MAC Address: 00:0C:29:C2:1F:B4 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.80 seconds
```

Service Enumeration Results:

Key Exchange Algorithms	10 algorithms including curve25519-sha256, ecdh-sha2-nistp384
Host Key Algorithms	5 algorithms: ssh-rsa, rsa-sha2-512, ecdsa-sha2-nistp256, ssh-ed25519
Encryption Algorithms	6 algorithms: aes128-ctr, aes256-ctr, chacha20-poly1305, aes256-gcm
MAC Algorithms	10 algorithms including umac-64, hmac-sha2-256
HTTP (Port 80)	Filtered - not publicly accessible
FTP (Port 21)	Filtered - anonymous login not possible

```
┌──(malaika㉿Malaika)-[~]
└─$ nmap -p 22 --script=ssh-auth-methods,ssh2-enum-algos 192.168.40.139
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 21:30 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.00070s latency).

PORT   STATE SERVICE
22/tcp open  ssh
| ssh2-enum-algos:
|   kex_algorithms: (10)
|       curve25519-sha256
|       curve25519-sha256@libssh.org
|       ecdh-sha2-nistp256
|       ecdh-sha2-nistp384
|       ecdh-sha2-nistp521
|       diffie-hellman-group-exchange-sha256
|       diffie-hellman-group16-sha512
|       diffie-hellman-group18-sha512
|       diffie-hellman-group14-sha256
|       diffie-hellman-group14-sha1
|   server_host_key_algorithms: (5)
|       ssh-rsa
|       rsa-sha2-512
|       rsa-sha2-256
|       ecdsa-sha2-nistp256
|       ssh-ed25519
|   encryption_algorithms: (6)
|       chacha20-poly1305@openssh.com
|       aes128-ctr
|       aes192-ctr
|       aes256-ctr
|       aes128-gcm@openssh.com
|       aes256-gcm@openssh.com
|   mac_algorithms: (10)
|       umac-64-etm@openssh.com
|       umac-128-etm@openssh.com
|       hmac-sha2-256-etm@openssh.com
```

```
┌──(malaika㉿Malaika)-[~]
└─$ nmap -sV -p 1-1000 --version-intensity 9 192.168.40.139
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 21:34 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.0020s latency).
Not shown: 996 filtered tcp ports (no-response)
PORT    STATE SERVICE       VERSION
22/tcp  open  ssh           OpenSSH for_Windows_7.7 (protocol 2.0)
135/tcp open  msrpc         Microsoft Windows RPC
139/tcp open  netbios-ssn   Microsoft Windows netbios-ssn
445/tcp open  microsoft-ds?
MAC Address: 00:0C:29:C2:1F:B4 (VMware)
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 46.16 seconds
```

3.3 Phase 3 — SMB Enumeration

Step 3.1 — SMB OS Discovery
nmap -p 139,445 --script=smb-os-discovery 192.168.XX.XX
Step 3.2 — Share Enumeration (smbclient)
smbclient -L //192.168.XX.XX -N smbclient //192.168.XX.XX/IPC$ -N smbclient //192.168.XX.XX/LabShare -N
Step 3.3 — Full SMB Recon (enum4linux)
enum4linux -a 192.168.XX.XX enum4linux-ng -A 192.168.XX.XX
Step 3.4 — SMB Vulnerability Checks
nmap -p 445 --script=smb-vuln-ms17-010 192.168.XX.XX nmap -p 445 --script=smb-vuln-* 192.168.XX.XX nmap -p 445 --script=smb-security-mode 192.168.XX.XX

```
My Computer | Ubuntu-Wazu-Server | Windows 10 | Kali linux
1 2 3 4
malaika@Malaika: ~
Session Actions Edit View Help
┌──(malaika㉿Malaika)-[~]
└─$ nmap -p 445 --script=smb-vuln-ms17-010 192.168.40.139
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 21:45 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.00071s latency).

PORT    STATE SERVICE
445/tcp open  microsoft-ds
MAC Address: 00:0C:29:C2:1F:B4 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.46 seconds

┌──(malaika㉿Malaika)-[~]
└─$ nmap -p 445 --script=smb-vuln-* 192.168.40.139
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 21:45 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.00082s latency).

PORT    STATE SERVICE
445/tcp open  microsoft-ds
MAC Address: 00:0C:29:C2:1F:B4 (VMware)

Host script results:
|_smb-vuln-ms10-061: Could not negotiate a connection:SMB: Failed to receive bytes: ERROR
|_smb-vuln-ms10-054: false

Nmap done: 1 IP address (1 host up) scanned in 5.36 seconds

┌──(malaika㉿Malaika)-[~]
└─$ nmap -p 445 --script=smb-security-mode 192.168.40.139
Starting Nmap 7.99 ( https://nmap.org ) at 2026-04-22 21:47 +0500
Nmap scan report for 192.168.40.139 (192.168.40.139)
Host is up (0.00093s latency).

PORT    STATE SERVICE
445/tcp open  microsoft-ds
MAC Address: 00:0C:29:C2:1F:B4 (VMware)
```

SMB Enumeration Results:

Domain / Workgroup	WORKGROUP
Users Enumerated	administrator, guest, krbtgt, domain admins, root, bin, none
File Server Service	ACTIVE
Workstation Service	ACTIVE
MAC Address	00:0C:29:C2:1F:B4 (VMware NIC — victim identity confirmed)
RID Brute Force Range	500–550, 1000–1050
EternalBlue (MS17-010)	**NOT VULNERABLE - Patched**

4. Wazuh SIEM Detection (764 Alerts Generated)

Count	Rule ID	Level	Description	Triggered By
457	60107	4	Failed attempt to perform a privileged operation	Nmap + SMB scans
231	92217	6	Executable dropped in Windows root folder	SMB enumeration
134	67027	3	A process was created	NSE scripts
46	92154	4	Process loaded taskschd.dll module	Nmap NSE
24	92201	**9 ★**	PowerShell created new scripting file in Temp/User folder	enum4linux activity
18	92031	3	Discovery activity executed	Nmap discovery scans
TOTAL: 764				

★ Rule 92201 (Level 9) — Highest severity alert. Requires immediate Tier 2 escalation in production environment.



Export Formatted | Reset view | 579 available fields | Columns | Density | 1 fields sorted | Full screen

timestamp	agent.name	rule.description	rule.level	rule.id
Apr 22, 2026 @ 22:05:57.28	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:52.28	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:47.34	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:47.307	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:42.342	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:42.300	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:36.544	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:36.527	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:32.356	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:32.313	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:27.322	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:27.317	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:22.30	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:22.30	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:17.32	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:17.281	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:12.307	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:12.306	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:12.277	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:05:07.311	Windows_Client	Failed attempt to perform a privileged operation	4	60107

r outside or press Ctrl+Alt.

Activities | Firefox Web Browser | 22:10 22 ابريل

Wazuh

192.168.40.136:5601/app/threat-hunting#/overview/?tab=general&tabView=events&agentId=009&_a=(filters:!(),query:(langu 80%

Threat Hunting | Windows_Client | API

Apr 22, 2026 @ 22:04:49.294	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Security System Exte...	3	19010
Apr 22, 2026 @ 22:04:49.247	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Sensitive Privilege Us...	3	19010
Apr 22, 2026 @ 22:04:49.247	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit IPsec Driver' is set to '...	3	19010
Apr 22, 2026 @ 22:04:49.216	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Other Policy Change ...	3	19010
Apr 22, 2026 @ 22:04:49.201	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Authorization Policy C...	3	19010
Apr 22, 2026 @ 22:04:49.201	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit MPSSVC Rule-Level P...	3	19010
Apr 22, 2026 @ 22:04:49.154	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Removable Storage' is...	3	19010
Apr 22, 2026 @ 22:04:49.120	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Other Object Access ...	3	19010
Apr 22, 2026 @ 22:04:49.106	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Detailed File Share' is ...	3	19010
Apr 22, 2026 @ 22:04:49.10	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit File Share' is set to 'S...	3	19010
Apr 22, 2026 @ 22:04:49.058	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Other Logon/Logoff E...	3	19010
Apr 22, 2026 @ 22:04:49.01	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Group Membership' is...	3	19010
Apr 22, 2026 @ 22:04:49.013	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Account Lockout' is s...	3	19010
Apr 22, 2026 @ 22:04:48.980	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Process Creation' is s...	3	19010
Apr 22, 2026 @ 22:04:48.966	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit User Account Manage...	3	19010
Apr 22, 2026 @ 22:04:48.966	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit PNP Activity' is set to ...	3	19010
Apr 22, 2026 @ 22:04:48.903	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Credential Validation' i...	3	19010
Apr 22, 2026 @ 22:04:48.903	Windows_Client	CIS Microsoft Windows 10 Enterprise Benchmark v4.0.0: Ensure 'Audit Application Group Ma...	3	19010
Apr 22, 2026 @ 22:04:47.60	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:04:47.589	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:04:42.32	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:04:42.32	Windows_Client	Failed attempt to perform a privileged operation	4	60107
Apr 22, 2026 @ 22:04:41.900	Windows_Client	A process was created.	3	67027
Apr 22, 2026 @ 22:04:41.885	Windows_Client	A process was created.	3	67027
Apr 22, 2026 @ 22:04:41.83	Windows_Client			



5. MITRE ATT&CK Mapping

Tactic	Technique ID	Technique Name	Wazuh Rule
Reconnaissance	T1590	Gather Victim Network Information	67027
Reconnaissance	T1592	Gather Victim Host Information	67027
Discovery	T1046	Network Service Discovery	92031
Discovery	T1082	System Information Discovery	60107
Discovery	T1135	Network Share Discovery	92217
Lateral Movement	T1021.002	SMB / Windows Admin Shares	60107

6. Analysis

- Systematic multi-phase reconnaissance confirms this is deliberate, targeted activity not accidental scanning.
- Full 65,535-port sweep with OS fingerprinting (-O flag) indicates attacker was mapping the complete attack surface before any exploitation attempt.
- Stealth SYN scan (-sS) was used to avoid full TCP handshake logging, indicating awareness of detection mechanisms.
- SSH algorithm enumeration exposed the complete cryptographic profile of the SSH service useful for future attack planning.
- SMB null session was partially successful - IPC$ and LabShare were accessible without credentials, confirming a misconfiguration.

- enum4linux successfully dumped usernames (administrator, guest, root) and workgroup this data directly enables follow-on brute force attacks.
- Highest severity alert was Rule 92201 (Level 9) PowerShell scripting file creation triggered by enum4linux SMB interaction. In a real SOC, this is an immediate Tier 2 escalation.
- EternalBlue (MS17-010) check returned FALSE system is patched against this critical RCE vulnerability.
- 764 alerts across two sessions (April 19 and April 22) with attacker IP confirmed in 3 separate log files confirms persistent, repeated targeting.
- Attacker IP is stored in JSON data fields (data.srcip) in Wazuh alerts, not in plain-text log lines raw grep is insufficient for correlation.

7. Recommended Actions

Priority	Action	Timeframe
HIGH	Block attacker IP (192.168.XX.XX) at firewall level immediately	0–24 hrs
HIGH	Disable SMBv1: Set-SmbServerConfiguration -EnableSMB1Protocol $false -Force	0–24 hrs
HIGH	Restrict SMB (ports 139/445) to authorized hosts only via firewall ACL	1–3 days
MEDIUM	Enable Wazuh Active Response to auto-block IPs triggering Rule 92031	1–7 days
MEDIUM	Configure pfSense IDS/IPS with Snort or Suricata port scan signatures	1–7 days
MEDIUM	Restrict RDP (3389) access to specific management IP addresses only	1–7 days
LOW	Deploy honeypot SMB shares to detect enumeration activity early	2–4 weeks
LOW	Complete CIS Benchmark v4.0 hardening for Windows 10 Pro (resolve 19010 violations)	2–4 weeks

8. Conclusion

The activity is confirmed as a deliberate multi-phase network reconnaissance attack. The attacker (Kali Linux, IP 192.168.XX.XX) used Nmap, Netcat, Nikto, enum4linux, and smbclient to systematically discover, fingerprint, and enumerate the Windows 10 Pro victim (192.168.XX.XX). All 65,535 TCP ports were scanned, the OS was fingerprinted with 97% confidence, SSH cryptographic parameters were extracted, and SMB users and shares were enumerated via null session. Wazuh SIEM demonstrated effective detection, generating 764 alerts with a peak severity of Level 9 (Rule 92201- PowerShell scripting file). The attack was contained at the reconnaissance phase no exploitation, lateral movement, or data breach occurred.

This exercise validates the end-to-end SOC workflow: attack simulation → SIEM detection → log correlation → MITRE ATT&CK mapping → incident documentation. Immediate remediation of SMB exposure and firewall rules is required to prevent follow-on exploitation.

FINAL VERDICT CONFIRMED NETWORK RECONNAISSANCE — NO EXPLOITATION OCCURRED Wazuh SIEM detection was effective — 764 alerts generated. Immediate SMB restriction, firewall hardening, and Wazuh active response configuration required.

Analyst: Malaika Umbreen
Date: 22 April 2026 | Home SOC Lab