


UNIT NAME	DRIVE UNIT:END SEAL:	DRAW NO.	4D-32803
-----------	----------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-135-3824-03	DRIVE UNIT:END SEAL:	
1	000-101-1008-04	GEAR:SPIRAL:	1
2	000-101-1004-00	GEAR:SPIRAL:	1
3	000-101-1005-03	GEAR:SPIRAL:	1
4	000-094-6782-02	KEY:PARALLEL:BOTH ENDS ROUND	1
5	000-091-4987-00	COVER:LABYRINTH:	2
6	000-091-4988-03	HOUSING:PUSHER:SHIFT DOWN	1
7	000-091-4989-07	HOUSING:SHIFT DOWN:SUPPORT	1
8	000-094-6783-15	SHAFT:SHIFT DOWN:	1
9	000-091-4992-09	HOUSING:SHIFT DOWN:	1
10	000-094-6784-19	SHAFT:MAIN:	2
11	000-094-6785-03	HOUSING:MAIN:	1
12	000-094-6786-07	HOUSING:PUSHER:MAIN	2
13	000-094-6503-28	BOX:GEAR:	1
14	000-109-6470-09	BLOCK B:LUBRICOUS:	1
15	000-094-6788-04	BASE:MOTOR:M2	1
16	000-091-8236-01	TIMING PULLEY:P8M:BF	1
17	000-094-6789-08	COVER:GEAR BOX:	1
18	000-011-6025-01	JOINT:HOSE ELBOW:	1
19	000-134-5263-01	TIMING BELT:UP8M:	1
20	000-091-8240-06	ETP BUSH::	1
21	000-134-5296-04	MOTOR:AC SERVO:	1
22	100-030-2875-00	NUT:BEARING:	3
23	000-094-6975-04	BEARING:RADIAL:ANGULAR	2
24	000-091-8244-01	BEARING:RADIAL:DEEP GROOVE	2
25	000-092-2247-16	TIMING PULLEY:P8M:A	1
26	000-094-6790-02	BLOCK B:TENSION:M2	1
27	000-092-2306-03	POWER LOCK::	1
28	000-106-7708-06	PLATE A:GEAR BOX:	1
29	000-109-6366-04	JOINT:EXTENSION JOINT:	1






UNIT NAME	COMPRESSCONTROL UNIT:END SEAL:	DRAW NO.	4D-58215
-----------	--------------------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-135-3826-31	COMPRESSCONTROL UNIT:END SEAL:	
1	000-091-8169-13	SHMIDT COUPLING::	2
2	100-030-2875-00	NUT:BEARING:	4
3	000-094-6857-08	HOUSING:ROTARY JOINT:	1
4	000-094-6624-07	SHAFT:FRAME:REAR	2
5	000-091-8273-09	JOINT:SHAFT:	2
6	000-094-9182-18	SHAFT:DRIVEN:	2
7	000-091-8275-06	COLLAR:SPACER:	2
8	000-093-6606-02	HOUSING:PUSHER:	2
9	100-003-8894-00	HOLDER:SLIP RING:STOPPER	2
10	000-094-6975-04	BEARING:RADIAL:ANGULAR	4
11	000-096-9161-05	FRAME:FRONT:1	1
12	000-096-9143-17	FRAME:FRONT:2	1
13	000-109-6474-12	FRAME:REAR:1	1
14	000-109-6476-10	FRAME:REAR:2	1
15	000-094-6620-02	SHAFT:FRAME:SUPPORT	4
16	000-094-6621-24	SHAFT:FRAME:FRONT	4
17	100-028-0163-00	X RING::	3
18	000-134-5297-08	MOTOR:AC SERVO:	1
19	000-134-3220-13	FRAME AS:COMPRESSCONTROL UNIT:	1
20	000-094-6826-02	PLATE B:SENSOR:	1
21	000-092-2112-35	BRACKET:SENSOR:1	1
22	000-094-2411-15	BASE:MOTOR:M3	1
23	000-093-6594-01	BRACKET:SENSOR:1	2
24	000-000-4195-08	C RING:FOR SHAFT:	1
25	100-025-1368-00	PROXIMITY SWITCH AS::	1
26	000-043-5314-06	COUPLING:MECHANICAL LOCK:	1
27	000-051-4627-02	BEARING:RADIAL:DEEP GROOVE	1
28	000-051-4628-15	BEARING UNIT::	1
29	000-051-4629-00	COUPLING:MECHANICAL LOCK:	1
30	000-054-9352-09	COUPLING:SLIP RING:	2
31	000-096-9188-05	V RING::	4
32	000-110-4797-12	SWITCH AS::	1
33	000-094-9184-06	BEARING:BALL BUSH:	28
34	000-069-9110-00	SCRAPER:BALL BUSH:	40
35	000-069-9332-00	SPRING SCREW::	1






UNIT NAME	COMPRESSCONTROL UNIT:END SEAL:	DRAW NO.	4D-58215
-----------	--------------------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-135-3826-31	COMPRESSCONTROL UNIT:END SEAL:	
36	000-121-3989-03	TIMING BELT:UP8M:	1
37	000-074-7532-03	TIMING PULLEY:P8M:BF	1
38	000-074-7533-07	TIMING PULLEY:P8M:A	1
39	000-094-6623-03	BASE:MOTOR:	1
40	000-077-2477-05	BLOCK B:SENSOR:2	3
41	000-137-3668-01	BLOCK B:SENSOR:1	1
42	000-092-9722-05	BRACKET:HARNESS:	1
43	000-094-2187-01	BASE:CARRIER:FRONT	1
44	000-109-6472-06	BASE:CARRIER:REAR	1
45	000-093-6590-07	COLLAR:SPACER:	2
46	000-093-6585-17	HOUSING:PUSHER:	2
47	000-063-9910-18	JOINT:HALF UNION:	2
48	000-093-6591-01	BRACKET:SENSOR:M2	2
49	000-093-6638-11	STOPPER PLATE:SLIP RING:	2
50	000-093-6593-08	BLOCK B:SENSOR:	2
51	000-094-9186-03	PLATE B:FRAME:REAR	1
52	000-104-4179-10	GUIDE:SHUTTER:	2
53	000-105-3741-08	CAM:FRONT L:30	1
54	000-105-3742-01	CAM:REAR L:30	1
55	000-093-6734-06	PIN:PARALLEL:	2
56	000-101-4974-03	COVER:SIDE:ML	2
57	000-101-4973-00	COVER:SIDE:MR	2
58	000-101-4972-06	SPACER:COVER:ML	2
59	100-003-8896-00	COVER:SLIP RING:	2
60	100-003-8897-00	COVER:SLIP RING:	2
61	100-003-8898-00	THREADED ROD:ROUND:MF	4
62	100-003-9444-00	COVER:SLIP RING:	2
63	100-025-1371-00	HARNESS:C2:JUNCTION	1



FRONT SIDE




UNIT NAME	ARM UNIT:END SEAL:	DRAW NO.	4D-34773
-----------	--------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-115-9803-15	ARM UNIT:END SEAL:	
1	000-104-2173-01	HANGER:SPRING:	16
2	000-000-3727-05	BEARING:RADIAL:	32
3	000-109-6379-02	SPRING:COIL:TENSION	8
4	000-103-8718-05	PIN:THREADED:	16
5	000-103-8714-10	BRACKET:SPRING:	4
6	000-103-8715-13	BRACKET:SPRING:	4
7	000-004-3347-02	GROMMET:W/DIAPHRAGM:	2
8	000-000-2179-01	ACCESSORY:CLAMP:CKN CLAMP	6
9	000-017-0001-04	TAPE:SPONGE:ONE SIDE	6
10	000-094-9285-09	HEX SOCKET BOLT:HIGH STRENGTH:	28
11	000-094-9196-01	COVER:CAM FOLLOWER:	4
12	000-094-9324-10	LINK:CAM FOLLOWER:	4
13	000-095-0040-17	LINK:ADJUST:F	2
14	000-095-0043-18	LINK:ADJUST:R	2
15	000-095-0034-14	LINK:SPRING:F	2
16	000-095-0037-15	LINK:SPRING:R	2
17	000-094-2167-25	ARM:END SEAL:	2
18	000-094-2168-29	ARM:END SEAL:	2
19	000-101-8642-01	FRAME:ARM:	4
20	000-105-8716-11	BLOCK B:ARM:	2
21	000-115-9799-04	COVER:JUNCTION:	2
22	000-101-8548-04	COVER:JUNCTION:	2
23	000-102-8147-01	THREADED ROD:ROUND:FF	4
24	000-101-8622-07	GASKET::	1
25	000-096-9120-02	SHAFT:SUPPORT:	8
26	000-097-2046-01	COLLAR:STEP:	8
27	000-095-0025-01	KEY:PARALLEL:ONE END ROUND	8
28	000-092-2197-04	WASHER:THRUST:	8
29	000-093-6711-29	COVER:CAM:	4
30	000-092-2310-09	BEARING:THRUST:	8
31	000-092-2311-02	BEARING:NEEDLE:	8
32	000-092-2312-06	POWER LOCK::	4
33	000-057-9445-03	GREASE NIPPLE::	8
34	000-097-2324-07	CAM FOLLOWER:SPHERICAL:	4
35	000-097-2325-01	GREASE NIPPLE::	4



REAR SIDE




[Return to TOC](#)

UNIT NAME	ARM UNIT:END SEAL:	DRAW NO.	4D-34773
-----------	--------------------	----------	----------


[illegible]

REAR SIDE

No. 4D-64232




FRONT SIDE



UNIT NAME	HEATER UNIT:END SEAL:	DRAW NO.	4D-64232
-----------	-----------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-121-0663-10	HEATER UNIT:END SEAL:	
1	000-065-2951-01	HEAT BAR::	8
2	000-094-9036-08	BLOCK A:SEAL JAW:	4
3	000-094-9088-01	PLATE A:INSULATER:	8
4	000-066-2336-07	TUBE:SILICON:	0.2
5	000-103-0021-04	ACCESSORY:CLAMP:HEATPROOF	6
6	000-067-5244-06	ACCESSORY:TUBE:NET TUBE	2
7	000-050-6629-19	STOPPER:HEAT PIPE:	8
8	000-091-8187-11	BASE:SEAL JAW:	2
9	000-091-8188-14	BASE:SEAL JAW:	2
10	000-106-7723-11	BLOCK B:SEAL JAW:	2
11	000-106-7722-18	BLOCK B:SEAL JAW:	2
12	000-091-8215-11	BLOCK B:INSULATER:	2
13	000-091-8216-15	BLOCK B:INSULATER:	2
14	000-103-0023-01	BRACKET:HARNESS:	2
15	000-103-0024-05	BRACKET:HARNESS:	2
16	100-034-4709-00	SENSOR::	2
17	000-106-7707-02	HEATER::	4
18	000-091-8261-04	SPRING PLUNGERS::	16
19	000-100-8634-04	PLATE B:EARTH:	2
20	000-101-4970-18	BASE:SEAL JAW:U	2
21	000-105-3765-16	BASE:SEAL JAW:U	2
22	000-097-2391-16	BASE:SEAL JAW:L	4
23	000-105-8953-09	BRACKET:CONNECTOR:	2
24	000-105-8941-04	PLATE A:INSULATER:	4
25	000-107-4888-19	BRACKET:SENSOR:	1
26	000-107-4889-12	BRACKET:SENSOR:	1
27	100-017-2110-00	BRACKET:WIRING:	1
28	100-017-2111-00	BRACKET:WIRING:	1






[Return to TOC](#)

UNIT NAME	KNIFE UNIT:END SEAL:	DRAW NO.	4D-31721
-----------	----------------------	----------	----------


[illegible]



UNIT NAME	STRIPPING UNIT:END SEAL:	DRAW NO.	4D-32985
-----------	--------------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-110-4171-11	STRIPPING UNIT:END SEAL:	
1	000-108-2578-05	STOPPER:STRIPPING:	8
2	000-091-8221-05	PIN:THREADED:	8
3	000-110-4948-08	PIN:THREADED:	8
4	000-110-4964-17	BRACKET:STRIPPER:	4
5	000-110-4963-13	BRACKET:STRIPPER:	4
6	000-096-9077-05	HANGER:SPRING:	16
7	000-095-0163-02	SPRING:COIL:TENSION	8
8	000-052-3359-08	HANGER:SPRING:	32
9	000-065-2432-05	SPRING:COIL:TENSION	16
10	000-110-4753-09	SHEET:STRIPPER:	4
11	000-097-6096-02	LINK AS::	16
12	000-065-0677-30	WASHER:THRUST:	64
13	000-063-1259-17	PIN:THREADED:	16
14	000-050-2328-04	BEARING::	32
15	000-110-4752-05	LINK:STRIPPER:	4
16	000-096-9187-11	DAMPER::	4
17	000-102-8367-04	STRIPPER:PLATE:F	2
18	000-102-8368-08	STRIPPER:PLATE:R	2
19	000-059-7215-01	HEX SOCKET BOLT::	16
20	000-037-8246-07	HEX SOCKET FLAT BOLT::	16
21	000-096-9158-12	BLOCK B:STOPPER:1	4
22	000-096-9159-07	BLOCK B:STOPPER:2	4
23	000-098-6288-08	STRIPPER:PLATE:	2
24	000-108-2878-02	PIN:THREADED:	16
25	000-110-4751-11	ADJUST PLATE:VOLUME:	4
26	000-086-6220-01	PLATE B:SPRING:	8
27	000-086-6221-05	PIN:STEP:	16





[Return to TOC](#)

UNIT NAME	SHUTTER UNIT:END SEAL:	DRAW NO.	4D-32933
-----------	------------------------	----------	----------

[illegible]

