


UNIT NAME	HEATER UNIT:END SEAL:	DRAW NO.	4D-64232
-----------	-----------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-121-0663-10	HEATER UNIT:END SEAL:	
1	000-065-2951-01	HEAT BAR::	8
2	000-094-9036-08	BLOCK A:SEAL JAW:	4
3	000-094-9088-01	PLATE A:INSULATER:	8
4	000-066-2336-07	TUBE:SILICON:	0.2
5	000-103-0021-04	ACCESSORY:CLAMP:HEATPROOF	6
6	000-067-5244-06	ACCESSORY:TUBE:NET TUBE	2
7	000-050-6629-19	STOPPER:HEAT PIPE:	8
8	000-091-8187-11	BASE:SEAL JAW:	2
9	000-091-8188-14	BASE:SEAL JAW:	2
10	000-106-7723-11	BLOCK B:SEAL JAW:	2
11	000-106-7722-18	BLOCK B:SEAL JAW:	2
12	000-091-8215-11	BLOCK B:INSULATER:	2
13	000-091-8216-15	BLOCK B:INSULATER:	2
14	000-103-0023-01	BRACKET:HARNESS:	2
15	000-103-0024-05	BRACKET:HARNESS:	2
16	100-034-4709-00	SENSOR::	2
17	000-106-7707-02	HEATER::	4
18	000-091-8261-04	SPRING PLUNGERS::	16
19	000-100-8634-04	PLATE B:EARTH:	2
20	000-101-4970-18	BASE:SEAL JAW:U	2
21	000-105-3765-16	BASE:SEAL JAW:U	2
22	000-097-2391-16	BASE:SEAL JAW:L	4
23	000-105-8953-09	BRACKET:CONNECTOR:	2
24	000-105-8941-04	PLATE A:INSULATER:	4
25	000-107-4888-19	BRACKET:SENSOR:	1
26	000-107-4889-12	BRACKET:SENSOR:	1
27	100-017-2110-00	BRACKET:WIRING:	1
28	100-017-2111-00	BRACKET:WIRING:	1






[Return to TOC](#)

UNIT NAME	KNIFE UNIT:END SEAL:	DRAW NO.	4D-31721
-----------	----------------------	----------	----------


[illegible]



UNIT NAME	STRIPPING UNIT:END SEAL:	DRAW NO.	4D-32985
-----------	--------------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-110-4171-11	STRIPPING UNIT:END SEAL:	
1	000-108-2578-05	STOPPER:STRIPPING:	8
2	000-091-8221-05	PIN:THREADED:	8
3	000-110-4948-08	PIN:THREADED:	8
4	000-110-4964-17	BRACKET:STRIPPER:	4
5	000-110-4963-13	BRACKET:STRIPPER:	4
6	000-096-9077-05	HANGER:SPRING:	16
7	000-095-0163-02	SPRING:COIL:TENSION	8
8	000-052-3359-08	HANGER:SPRING:	32
9	000-065-2432-05	SPRING:COIL:TENSION	16
10	000-110-4753-09	SHEET:STRIPPER:	4
11	000-097-6096-02	LINK AS::	16
12	000-065-0677-30	WASHER:THRUST:	64
13	000-063-1259-17	PIN:THREADED:	16
14	000-050-2328-04	BEARING::	32
15	000-110-4752-05	LINK:STRIPPER:	4
16	000-096-9187-11	DAMPER::	4
17	000-102-8367-04	STRIPPER:PLATE:F	2
18	000-102-8368-08	STRIPPER:PLATE:R	2
19	000-059-7215-01	HEX SOCKET BOLT::	16
20	000-037-8246-07	HEX SOCKET FLAT BOLT::	16
21	000-096-9158-12	BLOCK B:STOPPER:1	4
22	000-096-9159-07	BLOCK B:STOPPER:2	4
23	000-098-6288-08	STRIPPER:PLATE:	2
24	000-108-2878-02	PIN:THREADED:	16
25	000-110-4751-11	ADJUST PLATE:VOLUME:	4
26	000-086-6220-01	PLATE B:SPRING:	8
27	000-086-6221-05	PIN:STEP:	16






[Return to TOC](#)

UNIT NAME	SHUTTER UNIT:END SEAL:	DRAW NO.	4D-32933
-----------	------------------------	----------	----------

[illegible]


No. 4D-20089



[Return to TOC](#)

UNIT NAME	ARM UNIT:BACK SEAL:	DRAW NO.	4D-20089
-----------	---------------------	----------	----------


[illegible]



UNIT NAME	PULL DOWN UNIT:BACK SEAL:	DRAW NO.	4D-41909
-----------	---------------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-133-3935-08	PULL DOWN UNIT:BACK SEAL:	
1	000-119-9424-07	TIMING PULLEY:H:AF	2
2	000-118-8957-04	TIMING PULLEY:H:AF	2
3	000-064-9354-05	SLIDE:BELT:PULL DOWN	2
4	000-118-8960-06	SHAFT:DRIVEN:	2
5	000-118-8961-00	COLLAR A:STEP:	2
6	000-111-7315-09	BASE:PULL BELT:	1
7	000-111-7316-02	BASE:PULL BELT:	1
8	000-064-9193-30	CHAMBER:VACUUM:	1
9	000-064-9194-33	CHAMBER:VACUUM:	1
10	000-062-1015-09	TIMING BELT:H:	2
11	000-000-3643-06	BEARING:RADIAL:DEEP GROOVE	4
12	000-086-1704-27	BASE:PULL DOWN:	1
13	000-064-9200-05	JOINT:HOSE:	1
14	000-064-9201-09	JOINT:HOSE:	1
15	000-094-9354-02	BEARING:BALL BUSH:	8
16	000-094-6917-18	SHAFT:SLIDER:	2
17	000-094-6919-05	THREADED ROD:HEX:MF	4
18	000-094-9444-13	BASE:MOTOR:	1
19	000-092-2161-10	BASE:MOTOR:	1
20	000-133-1249-07	MOTOR:AC SERVO:	1
21	100-030-5882-00	GEAR HEAD::	1
22	000-091-8456-03	TIMING PULLEY:S5M:A	1
23	000-094-6918-11	DISTANCE:M:	2
24	000-000-3659-05	BEARING:RADIAL:DEEP GROOVE	4
25	000-008-3343-07	C RING:FOR SHAFT:	2
26	000-091-8490-10	TIMING PULLEY:S5M:A	2
27	000-094-6922-07	METAL::	2
28	000-116-1469-03	SHAFT:TRIBALL:DRIVE R	2
29	000-028-1556-04	BEARING:RADIAL:DEEP GROOVE	8
30	000-094-6920-00	TIMING PULLEY:S5M:A	2
31	000-091-8500-04	TIMING BELT:S5M:	1
32	000-091-8307-01	BLOCK A:TENSION:	1
33	000-091-8308-05	BLOCK A:TENSION:	1
34	000-106-1723-01	COLLAR::	4
35	000-133-1254-06	JOINT AS::	2






[Return to TOC](#)

UNIT NAME	PULL DOWN UNIT:BACK SEAL:	DRAW NO.	4D-41909
-----------	---------------------------	----------	----------



[illegible]




UNIT NAME	HEATER UNIT:BACK SEAL:	DRAW NO.	4D-44223
-----------	------------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-116-5396-47	HEATER UNIT:BACK SEAL:	
1	000-064-5488-15	SUPPORTER:PULLEY:	1
2	000-072-3618-01	SHAFT:DRIVEN PULLEY:	1
3	000-070-8359-19	HOUSING:DRIVE:	1
4	000-050-6874-06	DISTANCE:HEATER:	2
5	000-064-7078-00	THREADED ROD:HEX:MF	4
6	000-072-3617-07	LEVER:TENSION:	1
7	000-094-9043-31	BASE:HEATER:	1
8	000-101-4878-18	BLOCK B:HEATER:	1
9	000-050-6895-13	PULLEY:HEATER:	1
10	000-050-6898-14	BELT:HEATER:	1
11	000-064-7075-09	HOUSING::	1
12	000-058-8830-17	SHAFT:DRIVE:	1
13	000-051-4615-17	PULLEY:HEATER:DRIVE	1
14	000-058-8831-01	KEY:PARALLEL:ONE END ROUND	2
15	000-058-1579-07	BEARING:RADIAL:DEEP GROOVE	2
16	000-058-1580-01	BEARING:RADIAL:DEEP GROOVE	2
17	000-058-1581-05	BEARING:RADIAL:DEEP GROOVE	2
18	000-113-1408-13	MOTOR:AC SERVO:	1
19	000-064-9111-07	SPRING:COIL:COMPRESSIVE	1
20	000-051-4867-19	COLLER:SPACER:OUTER	1
21	000-111-0211-02	HEATER AS:VERTICAL:	1
22	000-109-0161-06	MICRO SWITCH AS::	1
23	000-111-9209-04	TUBE:HEATPROOF:	1
24	000-094-9479-04	GEAR:FLAT:	2
25	000-051-4904-04	BUSH:DU:	2
26	000-094-9040-03	COVER:GEAR:	1
27	000-058-8832-23	COLLAR::	1
28	000-062-1330-11	NOZZLE:BACKSEAL:	1
29	000-101-8501-00	SPEED CONTROLL:ONE TOUCH:ELBOW	1
30	000-050-6804-14	COLLAR::	1
31	000-064-9208-04	WASHER::	1
32	000-117-8147-07	BRACKET:HEATER:VERTICAL	1
33	000-105-6719-15	BLOCK B:HEATER:	1
34	000-104-0496-16	PLATE A::	1
35	000-107-7072-18	SHIM::	1





No. 4D-61226




UNIT NAME	POSITIONING UNIT:BACK SEAL:	DRAW NO.	4D-61226
-----------	-----------------------------	----------	----------

NO.	PART CODE	PART NAME	QUANTITY
●	000-133-3937-41	POSITIONING UNIT:BACK SEAL:	
1	000-104-6608-09	SCREW:FEED:	1
2	000-104-6609-02	GUIDE:FEED:	2
3	000-000-4013-03	BUSH:DU:	2
4	000-003-6233-05	BUSH:DU:	4
5	000-002-1902-08	E RING::	2
6	000-104-6554-20	SUPPORTER:HEATER UNIT:	1
7	000-104-6559-00	COLLAR::	4
8	000-104-6558-06	COLLAR::	8
9	000-104-6602-07	L PLATE B:CYLINDER:	1
10	000-017-7386-03	ROD END:TYPE I:F	1
11	000-087-1996-07	SILENCER::	1
12	000-022-4233-18	JOINT:ELBOW UNION:	1
13	000-066-4974-03	PNEUMATIC CYLINDER::	1
14	000-106-5124-13	L PLATE B::	1
15	000-104-6606-01	LINK:DOUBLE:	1
16	000-104-6607-05	LINK:DOUBLE:	1
17	000-000-3727-05	BEARING:RADIAL:	8
18	000-140-1490-15	U PLATE B:LINK:1	1
19	000-068-3845-04	SPACER:HEAT:BACK	1
20	000-068-3846-08	DAMPER:HEAT:BACK	1
21	000-074-7846-02	KNOB::	1
22	000-104-6556-09	U PLATE B:LINK:2	1
23	000-137-7933-11	BASE:POSITIONING UNIT:	1
24	000-092-2074-29	SHAFT:SLIDER:	2
25	000-003-2567-04	HEX SOCKET FLAT BOLT::	6
26	000-094-9353-09	BEARING:BALL BUSH:	4
27	000-094-9405-09	PNEUMATIC CYLINDER::	1
28	000-067-3404-17	JOINT:ELBOW UNION:	2
29	000-092-2075-03	BLOCK B:SLIDER:	1
30	000-104-6555-14	BRACKET:LINK:	1
31	000-092-2082-00	SHAFT::	1
32	000-137-6956-05	PLATE B:JUNCTION:	1
33	000-136-9881-11	ACCESSORY:JOINT:	4
34	000-136-9882-15	ACCESSORY:LOCK NUT:	4
35	000-104-6593-16	ACCESSORY:FLEXIBLE:TUBE	2



No. 4D-61226




[Return to TOC](#)

UNIT NAME	POSITIONING UNIT:BACK SEAL:	DRAW NO.	4D-61226
-----------	-----------------------------	----------	----------

[illegible]

No. 4D-49045



[Return to TOC](#)

UNIT NAME	OPERATION UNIT: FRONT:	DRAW NO.	4D-49045
-----------	------------------------	----------	----------

[illegible]

