

CHAPTER



Overview

1.1	Unit Configuration	1-3
1.1.1	Appearance	1-3
1.1.2	Component Description	1-4
1.2	Model Name Field Codes	1-5
1.3	System Configuration	1-6

1.1 Unit Configuration

1.1.1 Appearance


■ DACS-GN-S015-24/SS-I-S



1.1.2 Component Description

Name	Function
(1) Infeed conveyor	Transfers the product to the weigh conveyor.
(2) Photo sensor unit	Detects that the product was transferred from the infeed conveyor to the weigh conveyor.
(3) Weigh conveyor	Weighs the product and transfer it to the rejector device.
(4) Rejector device (Optional)	Sorts and rejects the products according to the weigh results.
(5) Electrical control unit	Incorporates the control boards and power unit of the equipment.
(6) Operation panel (Touch-screen Panel)	Sets the operational conditions and operates the equipment. (Touch-screen panel: high-grade specification)
(7) Color LCD display	Displays the operational conditions and setting status of the equipment. (Standard 7inch)
(8) USB slot	USB memory can be connected.
(9) Power switch	Turns on or shuts off the power supply to the equipment.
(10) Printer (optional)	Prints the total data of weigh, etc.
(11) Signal tower (optional)	Lights according to the machine conditions.

1.2 Model Name Field Codes




This document was provided by ISHIDA CO., LTD. to HEAT AND CONTROL INC. (2060849-01) on April 17, 2018. No reproduction or copy in whole or in part without permission.

This document was provided by ISHIDA CO., LTD. to HEAT AND CONTROL INC. (2060849-01) on April 17, 2018. No reproduction or copy in whole or in part without permission.

1.3 System Configuration

This equipment consists of the infeed conveyor unit, weigh conveyor unit, main body unit, and operation/display unit. This is used as a system by combining it with the rejector device (optional), metal detector (optional).

■ Standard model



The above three rejectors are the typical types. For the other types of rejector, refer to “9.1.2 Types of Rejector Device”.

REFERENCE