


|           |                                |          |          |
|-----------|--------------------------------|----------|----------|
| UNIT NAME | COMPRESSCONTROL UNIT:END SEAL: | DRAW NO. | 4D-51668 |
|-----------|--------------------------------|----------|----------|


| NO. | PART CODE       | PART NAME                      | QUANTITY |
|-----|-----------------|--------------------------------|----------|
| ●   | 000-137-1862-21 | COMPRESSCONTROL UNIT:END SEAL: |          |
| 1   | 000-091-8169-13 | SHMIDT COUPLING::              | 2        |
| 2   | 000-091-8242-03 | NUT:BEARING:                   | 4        |
| 3   | 000-094-6857-08 | HOUSING:ROTARY JOINT:          | 1        |
| 4   | 000-094-6624-07 | SHAFT:FRAME:REAR               | 2        |
| 5   | 000-091-8273-09 | JOINT:SHAFT:                   | 2        |
| 6   | 000-094-9182-18 | SHAFT:DRIVEN:                  | 2        |
| 7   | 000-091-8275-06 | COLLAR:SPACER:                 | 2        |
| 8   | 000-093-6606-02 | HOUSING:PUSHER:                | 2        |
| 9   | 100-003-8894-00 | HOLDER:SLIP RING:STOPPER       | 1        |
| 10  | 000-094-6975-04 | BEARING:RADIAL:ANGULAR         | 4        |
| 11  | 000-096-9161-05 | FRAME:FRONT:1                  | 1        |
| 12  | 000-096-9143-17 | FRAME:FRONT:2                  | 1        |
| 13  | 000-109-6474-12 | FRAME:REAR:1                   | 1        |
| 14  | 000-109-6476-10 | FRAME:REAR:2                   | 1        |
| 15  | 000-094-6620-02 | SHAFT:FRAME:SUPPORT            | 4        |
| 16  | 000-094-6621-24 | SHAFT:FRAME:FRONT              | 4        |
| 17  | 000-091-8458-01 | X RING::                       | 3        |
| 18  | 000-134-5297-08 | MOTOR:AC SERVO:                | 1        |
| 19  | 000-134-3220-13 | FRAME AS:COMPRESSCONTROL UNIT: | 1        |
| 20  | 000-094-6826-02 | PLATE B:SENSOR:                | 1        |
| 21  | 000-092-2112-35 | BRACKET:SENSOR:1               | 1        |
| 22  | 000-094-2411-15 | BASE:MOTOR:M3                  | 1        |
| 23  | 000-093-6594-01 | BRACKET:SENSOR:1               | 2        |
| 24  | 000-000-4195-08 | C RING:FOR SHAFT:              | 1        |
| 25  | 100-006-2875-00 | PROXIMITY SWITCH:MAGNETIC:     | 1        |
| 26  | 000-043-5314-06 | COUPLING:MECHANICAL LOCK:      | 1        |
| 27  | 000-051-4627-02 | BEARING:RADIAL:DEEP GROOVE     | 1        |
| 28  | 000-051-4628-15 | BEARING UNIT::                 | 1        |
| 29  | 000-051-4629-00 | COUPLING:MECHANICAL LOCK:      | 1        |
| 30  | 000-054-9352-09 | COUPLING:SLIP RING:            | 1        |
| 31  | 000-096-9188-05 | V RING::                       | 4        |
| 32  | 000-110-4797-12 | SWITCH AS::                    | 1        |
| 33  | 000-094-9184-06 | BEARING:BALL BUSH:             | 28       |
| 34  | 000-069-9110-00 | SCRAPER:BALL BUSH:             | 40       |
| 35  | 000-069-9332-00 | SPRING SCREW::                 | 1        |



|           |                                |          |          |
|-----------|--------------------------------|----------|----------|
| UNIT NAME | COMPRESSCONTROL UNIT:END SEAL: | DRAW NO. | 4D-51668 |
|-----------|--------------------------------|----------|----------|

| NO. | PART CODE       | PART NAME                      | QUANTITY |
|-----|-----------------|--------------------------------|----------|
| ●   | 000-137-1862-21 | COMPRESSCONTROL UNIT:END SEAL: |          |
| 36  | 000-121-3989-03 | TIMING BELT:UP8M:              | 1        |
| 37  | 000-074-7532-03 | TIMING PULLEY:P8M:BF           | 1        |
| 38  | 000-074-7533-07 | TIMING PULLEY:P8M:A            | 1        |
| 39  | 000-094-6623-03 | BASE:MOTOR:                    | 1        |
| 40  | 000-077-2477-05 | BLOCK B:SENSOR:2               | 3        |
| 41  | 000-137-3668-01 | BLOCK B:SENSOR:1               | 1        |
| 42  | 000-092-9722-05 | BRACKET:HARNESS:               | 1        |
| 43  | 000-094-2187-01 | BASE:CARRIER:FRONT             | 1        |
| 44  | 000-109-6472-06 | BASE:CARRIER:REAR              | 1        |
| 45  | 000-093-6590-07 | COLLAR:SPACER:                 | 2        |
| 46  | 000-093-6585-17 | HOUSING:PUSHER:                | 2        |
| 47  | 000-063-9910-18 | JOINT:HALF UNION:              | 2        |
| 48  | 000-093-6591-01 | BRACKET:SENSOR:M2              | 1        |
| 49  | 000-093-6638-11 | STOPPER PLATE:SLIP RING:       | 1        |
| 50  | 000-093-6593-08 | BLOCK B:SENSOR:                | 1        |
| 51  | 000-094-9186-03 | PLATE B:FRAME:REAR             | 1        |
| 52  | 000-104-4179-10 | GUIDE:SHUTTER:                 | 2        |
| 53  | 000-105-3741-08 | CAM:FRONT L:30                 | 1        |
| 54  | 000-105-3742-01 | CAM:REAR L:30                  | 1        |
| 55  | 000-093-6734-06 | PIN:PARALLEL:                  | 2        |
| 56  | 000-101-4974-03 | COVER:SIDE:ML                  | 2        |
| 57  | 000-101-4973-00 | COVER:SIDE:MR                  | 2        |
| 58  | 000-101-4972-06 | SPACER:COVER:ML                | 2        |
| 59  | 000-104-6625-02 | COUPLING:SLIP RING:            | 1        |
| 60  | 000-104-6742-14 | HOLDER:SLIP RING:              | 1        |
| 61  | 000-102-0859-01 | STOPPER PLATE:SLIP RING:       | 1        |
| 62  | 100-006-4005-00 | HOLDER:SLIP RING:STOPPER       | 1        |
| 63  | 100-003-8896-00 | COVER:SLIP RING:               | 1        |
| 64  | 100-003-8897-00 | COVER:SLIP RING:               | 1        |
| 65  | 100-003-8898-00 | THREADED ROD:ROUND:MF          | 4        |
| 66  | 100-003-9444-00 | COVER:SLIP RING:               | 1        |
| 67  | 100-006-4007-00 | COVER:SLIP RING:               | 1        |
| 68  | 100-006-4008-00 | COVER:SLIP RING:               | 1        |
| 69  | 100-006-4009-00 | COVER:SLIP RING:               | 1        |
|     |                 |                                |          |


FRONT SIDE




|           |                    |          |          |
|-----------|--------------------|----------|----------|
| UNIT NAME | ARM UNIT:END SEAL: | DRAW NO. | 4D-42278 |
|-----------|--------------------|----------|----------|

| NO. | PART CODE       | PART NAME                      | QUANTITY |
|-----|-----------------|--------------------------------|----------|
| ●   | 000-137-1888-15 | ARM UNIT:END SEAL:             |          |
| 1   | 000-104-2173-01 | HANGER:SPRING:                 | 8        |
| 2   | 000-000-3727-05 | BEARING:RADIAL:                | 16       |
| 3   | 000-109-6379-02 | SPRING:COIL:TENSION            | 4        |
| 4   | 000-103-8718-05 | PIN:THREADED:                  | 8        |
| 5   | 000-103-8714-10 | BRACKET:SPRING:                | 2        |
| 6   | 000-103-8715-13 | BRACKET:SPRING:                | 2        |
| 7   | 000-004-3347-02 | GROMMET:W/DIAPHRAGM:           | 2        |
| 8   | 000-000-2179-01 | ACCESSORY:CLAMP:CKN CLAMP      | 6        |
| 9   | 000-017-0001-04 | TAPE:SPONGE:ONE SIDE           | 6        |
| 10  | 000-094-9285-09 | HEX SOCKET BOLT:HIGH STRENGTH: | 28       |
| 11  | 000-094-9196-01 | COVER:CAM FOLLOWER:            | 2        |
| 12  | 000-094-9324-10 | LINK:CAM FOLLOWER:             | 2        |
| 13  | 000-095-0040-17 | LINK:ADJUST:F                  | 1        |
| 14  | 000-095-0043-18 | LINK:ADJUST:R                  | 1        |
| 15  | 000-095-0034-14 | LINK:SPRING:F                  | 1        |
| 16  | 000-095-0037-15 | LINK:SPRING:R                  | 1        |
| 17  | 000-137-5426-03 | ARM:END:SEAL                   | 2        |
| 18  | 000-137-5427-07 | ARM:END:SEAL                   | 2        |
| 19  | 000-101-8642-01 | FRAME:ARM:                     | 4        |
| 20  | 000-105-8716-11 | BLOCK B:ARM:                   | 2        |
| 21  | 000-115-9799-04 | COVER:JUNCTION:                | 2        |
| 22  | 000-101-8548-04 | COVER:JUNCTION:                | 2        |
| 23  | 000-102-8147-01 | THREADED ROD:ROUND:FF          | 4        |
| 24  | 000-101-8622-07 | GASKET::                       | 1        |
| 25  | 000-096-9120-02 | SHAFT:SUPPORT:                 | 4        |
| 26  | 000-097-2046-01 | COLLAR:STEP:                   | 4        |
| 27  | 000-095-0025-01 | KEY:PARALLEL:ONE END ROUND     | 4        |
| 28  | 000-092-2197-04 | WASHER:THRUST:                 | 4        |
| 29  | 000-093-6711-29 | COVER:CAM:                     | 2        |
| 30  | 000-092-2310-09 | BEARING:THRUST:                | 4        |
| 31  | 000-092-2311-02 | BEARING:NEEDLE:                | 4        |
| 32  | 000-092-2312-06 | POWER LOCK::                   | 4        |
| 33  | 000-057-9445-03 | GREASE NIPPLE::                | 4        |
| 34  | 000-097-2324-07 | CAM FOLLOWER:SPHERICAL:        | 2        |
| 35  | 000-097-2325-01 | GREASE NIPPLE::                | 2        |

REAR SIDE









|           |                          |          |          |
|-----------|--------------------------|----------|----------|
| UNIT NAME | STRIPPING UNIT:END SEAL: | DRAW NO. | 4D-52064 |
|-----------|--------------------------|----------|----------|

| NO. | PART CODE       | PART NAME                | QUANTITY |
|-----|-----------------|--------------------------|----------|
| ●   | 000-145-7934-01 | STRIPPING UNIT:END SEAL: |          |
| 1   | 000-108-2578-05 | STOPPER:STRIPPING:       | 4        |
| 2   | 000-091-8221-05 | PIN:THREADED:            | 4        |
| 3   | 000-110-4948-08 | PIN:THREADED:            | 4        |
| 4   | 000-110-4964-17 | BRACKET:STRIPPER:        | 2        |
| 5   | 000-110-4963-13 | BRACKET:STRIPPER:        | 2        |
| 6   | 000-096-9077-05 | HANGER:SPRING:           | 8        |
| 7   | 000-095-0163-02 | SPRING:COIL:TENSION      | 4        |
| 8   | 000-052-3359-08 | HANGER:SPRING:           | 16       |
| 9   | 000-065-2432-05 | SPRING:COIL:TENSION      | 8        |
| 10  | 000-110-4753-09 | SHEET:STRIPPER:          | 2        |
| 11  | 000-097-6096-02 | LINK AS::                | 8        |
| 12  | 000-065-0677-30 | WASHER:THRUST:           | 32       |
| 13  | 000-063-1259-17 | PIN:THREADED:            | 8        |
| 14  | 000-050-2328-04 | BEARING::                | 16       |
| 15  | 000-110-4752-05 | LINK:STRIPPER:           | 2        |
| 16  | 000-096-9187-11 | DAMPER::                 | 2        |
| 17  | 000-102-8367-04 | STRIPPER:PLATE:F         | 1        |
| 18  | 000-102-8368-08 | STRIPPER:PLATE:R         | 1        |
| 19  | 000-059-7215-01 | HEX SOCKET BOLT::        | 8        |
| 20  | 000-037-8246-07 | HEX SOCKET FLAT BOLT::   | 8        |
| 21  | 000-096-9158-12 | BLOCK B:STOPPER:1        | 2        |
| 22  | 000-096-9159-07 | BLOCK B:STOPPER:2        | 2        |
| 23  | 000-098-6288-08 | STRIPPER:PLATE:          | 1        |
| 24  | 000-108-2878-02 | PIN:THREADED:            | 8        |
| 25  | 000-110-4751-11 | ADJUST PLATE:VOLUME:     | 2        |
| 26  | 000-086-6220-01 | PLATE B:SPRING:          | 4        |
| 27  | 000-086-6221-05 | PIN:STEP:                | 8        |
| 28  | 000-134-3249-01 | SPACER::                 | 2        |
|     |                 |                          |          |
|     |                 |                          |          |
|     |                 |                          |          |
|     |                 |                          |          |
|     |                 |                          |          |
|     |                 |                          |          |
|     |                 |                          |          |




|           |                      |          |          |
|-----------|----------------------|----------|----------|
| UNIT NAME | KNIFE UNIT:END SEAL: | DRAW NO. | 4D-42416 |
|-----------|----------------------|----------|----------|

[illegible]









|           |                       |          |          |
|-----------|-----------------------|----------|----------|
| UNIT NAME | HEATER UNIT:END SEAL: | DRAW NO. | 4D-54118 |
|-----------|-----------------------|----------|----------|

| NO. | PART CODE       | PART NAME                      | QUANTITY |
|-----|-----------------|--------------------------------|----------|
| ●   | 100-017-0365-00 | HEATER UNIT:END SEAL:          |          |
| 1   | 000-137-9289-04 | BASE:SEAL JAW:U                | 1        |
| 2   | 000-108-3895-46 | BLOCK B:SEAL JAW:              | 1        |
| 3   | 000-108-3894-33 | BLOCK B:SEAL JAW:              | 1        |
| 4   | 000-105-8926-26 | HEATER:CARTRIDGE:              | 2        |
| 5   | 000-139-5801-01 | PLATE A:INSULATER:             | 4        |
| 6   | 000-102-0825-04 | PLATE A:INSULATER:             | 4        |
| 7   | 000-102-0826-17 | BLOCK B:SEAL JAW:              | 2        |
| 8   | 000-066-2336-07 | TUBE:SILICON:                  | 0.2      |
| 9   | 000-103-0021-04 | ACCESSORY:CLAMP:HEATPROOF      | 4        |
| 10  | 000-105-8942-08 | BLOCK B:SEAL JAW:              | 1        |
| 11  | 000-103-0023-01 | BRACKET:HARNESS:               | 1        |
| 12  | 000-103-0024-05 | BRACKET:HARNESS:               | 1        |
| 13  | 100-008-4553-00 | SENSOR::                       | 2        |
| 14  | 000-051-4647-07 | SPRING PLUNGERS::              | 8        |
| 15  | 000-105-8941-04 | PLATE A:INSULATER:             | 2        |
| 16  | 000-105-8948-00 | BASE:SEAL JAW:U                | 1        |
| 17  | 000-105-8949-03 | BASE:SEAL JAW:L                | 1        |
| 18  | 000-140-8792-06 | HEATER:BURN THROUGH:           | 1        |
| 19  | 000-140-8893-09 | BLOCK B::                      | 1        |
| 20  | 000-140-8891-01 | PLATE A:INSULATER:             | 1        |
| 21  | 000-140-8892-05 | SPACER:INSULATER:              | 1        |
| 22  | 000-105-8953-09 | BRACKET:CONNECTOR:             | 1        |
| 23  | 000-105-8958-07 | BRACKET:CONNECTOR:             | 1        |
| 24  | 000-137-1883-08 | HARNESS:C3:BURN THROUGH        | 1        |
| 25  | 000-062-4985-02 | PLANGER:BALL SCREW:            | 2        |
| 26  | 000-094-2478-05 | HEX SOCKET BOLT:HIGH STRENGTH: | 6        |
| 27  | 000-115-0363-01 | COLLAR::                       | 1        |
| 28  | 000-134-2561-01 | PIN::                          | 1        |
| 29  | 000-119-5897-01 | HEX SOCKET BOLT::              | 1        |
| 30  | 000-151-3301-09 | U NUT:FLAT:                    | 8        |
|     |                 |                                |          |
|     |                 |                                |          |
|     |                 |                                |          |
|     |                 |                                |          |
|     |                 |                                |          |






No. 4D-42801



|           |               |          |          |
|-----------|---------------|----------|----------|
| UNIT NAME | SHAKER UNIT:: | DRAW NO. | 4D-42801 |
|-----------|---------------|----------|----------|

| NO. | PART CODE       | PART NAME                      | QUANTITY |
|-----|-----------------|--------------------------------|----------|
| ●   | 000-137-5463-13 | SHAKER UNIT::                  |          |
| 1   | 000-094-6960-18 | BASE:SHAKER:                   | 1        |
| 2   | 000-092-2096-01 | BLOCK B:SHAKER:                | 1        |
| 3   | 000-092-2097-05 | BLOCK B:SHAKER:                | 1        |
| 4   | 000-112-5785-06 | BRACKET:MOTOR:                 | 1        |
| 5   | 000-094-6951-23 | COVER:GEAR:SHAKER              | 1        |
| 6   | 000-094-6953-21 | COVER:GEAR:SHAKER              | 1        |
| 7   | 000-133-1040-06 | MOTOR:AC SERVO:                | 1        |
| 8   | 000-052-6464-16 | SENSOR PLATE:PROXIMITY SWITCH: | 1        |
| 9   | 000-094-6954-06 | GEAR:SPIRAL:                   | 1        |
| 10  | 000-052-6408-17 | GEAR:SPIRAL:                   | 1        |
| 11  | 000-062-6320-03 | KEY:PARALLEL:BOTH ENDS ROUND   | 1        |
| 12  | 000-091-8449-07 | SHAFT:EXCENTRIC:               | 1        |
| 13  | 000-062-1261-09 | BEARING:RADIAL:ANGULAR         | 1        |
| 14  | 000-052-6467-08 | BEARING:RADIAL:DEEP GROOVE     | 1        |
| 15  | 000-061-8568-00 | BLOCK B:EXCENTRIC:             | 1        |
| 16  | 000-052-6468-01 | MINI UNIT:SPHERICAL:           | 2        |
| 17  | 000-062-1083-11 | PLATE A:SQ:                    | 2        |
| 18  | 000-052-6462-28 | SHAFT:FULCRUM:                 | 1        |
| 19  | 000-052-6418-41 | BALANCER:SHAKER:               | 1        |
| 20  | 000-066-2134-20 | ARM:SHAKER:                    | 2        |
| 21  | 000-062-1254-21 | DISTANCE:SHAKER:               | 1        |
| 22  | 000-052-6463-03 | U PLATE A::                    | 2        |
| 23  | 000-066-2339-08 | AIR CYLINDER::                 | 1        |
| 24  | 000-107-4903-02 | TUBE:POLYURETHANE:             | 1        |
| 25  | 000-006-6669-07 | SPEED CONTROL:ONE TOUCH:ELBOW  | 2        |
| 26  | 000-066-2233-07 | SUPPORT:CYLINDER:              | 1        |
| 27  | 000-091-8462-06 | GEAR:RACK:                     | 1        |
| 28  | 000-052-6471-03 | BUSH:DIE SLIDE:                | 2        |
| 29  | 000-052-6010-28 | HOUSING:SHAKER:                | 2        |
| 30  | 000-052-6472-07 | WASHER:THRUST:                 | 2        |
| 31  | 000-052-6422-01 | SHAFT:SHAKER:                  | 1        |
| 32  | 000-000-8800-02 | BEARING:RADIAL:DEEP GROOVE     | 5        |
| 33  | 000-062-1286-01 | SLIDER:RACK:2                  | 1        |
| 34  | 000-062-1285-08 | SLIDER:RACK:1                  | 1        |
| 35  | 000-062-1248-19 | GEAR:FLAT:                     | 1        |

|      |          |
|------|----------|
| No . | 4D-42801 |
|------|----------|



|           |               |          |          |
|-----------|---------------|----------|----------|
| UNIT NAME | SHAKER UNIT:: | DRAW NO. | 4D-42801 |
|-----------|---------------|----------|----------|

| NO. | PART CODE       | PART NAME                | QUANTITY |
|-----|-----------------|--------------------------|----------|
| ●   | 000-137-5463-13 | SHAKER UNIT::            |          |
| 36  | 000-062-1345-08 | KEY: PARALLEL:           | 1        |
| 37  | 000-052-6473-01 | WASHER: THRUST:          | 2        |
| 38  | 000-052-6474-04 | WASHER: THRUST:          | 2        |
| 39  | 000-052-6394-00 | TIMING PULLEY: T10: A    | 2        |
| 40  | 000-062-1247-06 | TIMING PULLEY: T10: A    | 2        |
| 41  | 000-052-6403-19 | STEP SCREW::             | 2        |
| 42  | 000-091-8437-02 | COLLAR::                 | 2        |
| 43  | 000-033-3192-02 | COUPLING: MECHA-LOCK:    | 2        |
| 44  | 000-052-6393-07 | TIMING BELT: T10:        | 2        |
| 45  | 000-052-6405-07 | SLIDER::                 | 4        |
| 46  | 000-052-6026-09 | PLATE A: SQ:             | 4        |
| 47  | 000-062-1252-05 | SLIDER: SHAKER:          | 4        |
| 48  | 000-062-1347-14 | HANGER: SHAKER:          | 1        |
| 49  | 000-062-1348-18 | HANGER: SHAKER:          | 1        |
| 50  | 000-062-1350-16 | HANGER: SHAKER:          | 1        |
| 51  | 000-062-1351-10 | HANGER: SHAKER:          | 1        |
| 52  | 000-062-1164-01 | PLATE A: SHAKER:         | 2        |
| 53  | 000-062-1251-01 | SHEET::                  | 2        |
| 54  | 000-052-6417-11 | PLATE A: SQ: SHAKER      | 2        |
| 55  | 000-052-6409-11 | COLLAR::                 | 1        |
| 56  | 000-090-5644-09 | COLLAR::                 | 1        |
| 57  | 000-057-9445-03 | GREASE NIPPLE::          | 1        |
| 58  | 000-052-6475-08 | BUSH: DIE SLIDE:         | 4        |
| 59  | 000-062-1080-20 | COVER: SHAKER:           | 1        |
| 60  | 000-062-1228-05 | GREASE NIPPLE::          | 2        |
| 61  | 000-063-5756-07 | GREASE NIPPLE::          | 1        |
| 62  | 000-092-2069-01 | COVER: SHAKER:           | 1        |
| 63  | 000-091-8436-09 | HOUSING: BEARING:        | 1        |
| 64  | 000-061-8971-08 | GROMMET::                | 1        |
| 65  | 000-052-3027-01 | CAP: RAIL:               | 4        |
| 66  | 000-108-7653-00 | SOLENOID VALVE:: VALVE   | 1        |
| 67  | 000-146-0774-03 | SILENCER::               | 2        |
| 68  | 000-067-3402-10 | JOINT: HALF UNION:       | 1        |
| 69  | 000-094-9035-04 | BRACKET: SOLENOID VALVE: | 1        |
| 70  | 000-067-3404-17 | JOINT: ELBOW UNION:      | 2        |

No. 4D-42801

