


Introduction

General System Description



Specifications

Model	Table Diameter	Accumulation Area	Table Height	Overall Height	Base Length	Base Width	Weight
TT36	36 in. 91.4 cm	7.07 ft ² 0.656 m ²	27.9 in. to 36 in. 70.9 cm to 91.5 cm	30.9 in. to 39 in. 78.5 cm to 99.1 cm	30.1 in. 76.5 cm	28 in. 71.1 cm	260 lbs. 118 kg
TT48	48 in. 122 cm	12.57 ft ² 1.168 m ²	27.9 in. to 36 in. 70.9 cm to 91.5 cm	30.9 in. to 39 in. 78.5 cm to 99.1 cm	30.1 in. 76.5 cm	28 in. 71.1 cm	340 lbs. 154 kg

Explanation of Model Numbers

- TT = Turn Table — The TT Series Accumulation Table provides a variable speed rotating circular accumulation area with 5-inch adjustable-height containment sidewall.
- __ = 36 or 48 — Digits indicate the nominal diameter of the accumulation table in inches: Accumulation tables are available with a 36-inch or 48-inch diameter accumulating table top.

Accumulation Table Specifications

Machinery Makeup	Industrial strength tubular steel frame with powder coated steel base and 7 gauge stainless steel turntable
Working Height	Adjustable 28 to 39 inch height
Variable Speed	Up to 13 revolutions per minute
Electrical Requirements	115V or 220V, 5A single phase with ground

Standard features

- Large 36 inch or 48 inch diameter turntable tub with adjustable 5 inch deep sidewall
- Easy to clean stainless steel tub
- Variable speed drive
- Dual direction drive for clockwise or counter-clockwise operation
- Smooth, consistent turntable speed
- Adjustable leveling feet or optional casters
- Single plug 115V power supply
- Heavy duty rugged design

Easteey Accumulation Table Optional Accessories

Casters	Lockable casters for easy movement throughout the plant
Stainless Base	All stainless steel for food applications
Divider Paddle	Overhead frame and divider paddle guides product to outer edge as needed
Custom Design	Custom design available for specific application requirements including pack-off tables and/or conveyors

Dimensions

Accumulation Table Overall Dimensions

