

Student 16 **MALAVIKAH V** 192419061RC

13 / 20 submitted

Q1. Union of Sets

Score: 5.00 TC: 1/1 passed

CODE

```
import re

def extract_numbers(s):
    return set(map(int, re.findall(r'\d+', s)))

setA = extract_numbers(input())
setB = extract_numbers(input())

union_list = sorted(list(setA.union(setB)))

formatted_output = "{" + ",".join(map(str, union_list)) + "}"
print(formatted_output)
```

INPUT

```
{1,2,3}
{3,4,5}
```

OUTPUT

```
{1,2,3,4,5}
```

Q2. Intersection

Score: 5.00 TC: 1/1 passed

CODE

```
import re

def extract_numbers(s):
    return set(map(int, re.findall(r'\d+', s)))

setA = extract_numbers(input())
setB = extract_numbers(input())

intersection_list = sorted(list(setA.intersection(setB)))

formatted_output = "{" + ",".join(map(str, intersection_list)) + "}"
print(formatted_output)
```

INPUT

```
A={1,2,3}
B={2,3,4}
```

OUTPUT

```
{2,3}
```

Q3. Difference

Score: 5.00 TC: 1/1 passed

CODE

```
import re

def extract_numbers(s):
    return set(map(int, re.findall(r'\d+', s)))

setA = extract_numbers(input())
setB = extract_numbers(input())

diff_list = sorted(list(setA.difference(setB)))

formatted_output = "{" + ",".join(map(str, diff_list)) + "}"
print(formatted_output)
```

INPUT

```
A={1,2,3}
B={2,3,4}
```

OUTPUT

{1}

Q4. Symmetric Difference

Score: 5.00 TC: 1/1 passed

CODE

```
import re

def extract_numbers(s):
    return set(map(int, re.findall(r'\d+', s)))

setA = extract_numbers(input())
setB = extract_numbers(input())

sym_diff_list = sorted(list(setA.symmetric_difference(setB)))

formatted_output = "{" + ",".join(map(str, sym_diff_list)) + "}"
print(formatted_output)
```

INPUT

```
A={1,2,3}
B={2,3,4}
```

OUTPUT

{1,4}

Q5. Subset

Score: 5.00 TC: 1/1 passed

CODE

```
import re

def extract_numbers(s):
    return set(map(int, re.findall(r'-?\d+', s)))

setA = extract_numbers(input())
setB = extract_numbers(input())

if setA.issubset(setB):
    print("Subset")
else:
    print("Not a subset")
```

INPUT

```
A={2,3}
B={1,2,3,4}
```

OUTPUT

Subset

SIMATS Engineering • CSE • CSA0802 — Python Programming • 05-08-2026 • Category: Class Work (4.8.26) • Student Submissions Report

Q6. Superset

Score: 5.00 TC: 1/1 passed

CODE

```
def parse_set(line):
    inside = line[line.find('{') + 1 : line.find('}')]
    if not inside.strip():
        return set()
    return set(map(int, inside.split(',')))

A = parse_set(input())
B = parse_set(input())

if A.issuperset(B):
    print("Superset")
else:
    print("Not a Superset")
```

INPUT

```
A={1,2,3,4}
B={2,3}
```

OUTPUT

Superset

Q7. Disjoint Sets

Score: 5.00 TC: 1/1 passed

CODE

```
def parse_set(line):
    inside_braces = line[line.find('{') + 1 : line.find('}')]
    if not inside_braces.strip():
        return set()
    return set(map(int, inside_braces.split(',')))

A = parse_set(input())
B = parse_set(input())

if A.isdisjoint(B):
    print("Disjoint")
else:
    print("Not Disjoint")
```

INPUT

```
A={1,2}
B={3,4}
```

OUTPUT

Disjoint

Q8. Remove Duplicates

Score: 5.00 TC: 1/1 passed

CODE

```
user_input = input()

if ':' in user_input:
    numbers_str = user_input.split(':')[1]
else:
    numbers_str = user_input

unique_set = set(map(int, numbers_str.split()))

print("{ " + ",".join(map(str, sorted(unique_set))) + " }")
```

INPUT

1 2 2 3 3 4

OUTPUT

{1,2,3,4}

SIMATS Engineering • CSE • CSA0802 — Python Programming • 05-08-2026 • Category: Class Work (4.8.26) • Student Submissions Report
Q9. Common Elements

Score: 5.00 TC: 1/1 passed

CODE

```
def parse_set(line):
    inside = line[line.find('{') + 1 : line.find('}')]
    if not inside.strip():
        return set()
    return set(map(int, inside.split(',')))

A = parse_set(input())
B = parse_set(input())
C = parse_set(input())

common = A.intersection(B, C)

print("{ " + ",".join(map(str, sorted(common))) + "}")
```

INPUT

```
A={1,2,3}
B={2,3,4}
C={2,5}
```

OUTPUT

{2}

Q10. Missing Numbers

Score: 5.00 TC: 1/1 passed

CODE

```
def parse_set(line):
    inside = line[line.find('{') + 1 : line.find('}')]
    if not inside.strip():
        return set()
    return set(map(int, inside.split(',')))

given_set = parse_set(input())

full_set = set(range(1, 11))

missing_set = full_set - given_set

print("{ " + ",".join(map(str, sorted(missing_set))) + "}")
```

INPUT

{1,2,4,5,7,10}

OUTPUT

{3,6,8,9}

Q11. First Repeated

Score: 5.00 TC: 1/1 passed

CODE

```
nums = list(map(int, input().split()))

seen = set()

for num in nums:
    if num in seen:
        print(num)
        break
    seen.add(num)
```

INPUT

10 20 30 20 40

OUTPUT

20

SIMATS Engineering • CSE • CSA0802 — Python Programming • 05-08-2026 • Category: Class Work (4.8.26) • Student Submissions Report

Q12. Duplicate Elements

Score: 5.00 TC: 1/1 passed

CODE

```
nums = list(map(int, input().split()))

seen = set()
duplicates = set()

for num in nums:
    if num in seen:
        duplicates.add(num)
    else:
        seen.add(num)

print "{" + ",".join(map(str, sorted(duplicates))) + "}"
```

INPUT

10 20 30 20 10

OUTPUT

{10,20}

Q13. Compare Lists

Score: 0.00 TC: 0/1 passed

CODE

```
def parse_list(line):
    if ':' in line:
        line = line.split(':')[1]
    return set(map(int, line.split()))

set1 = parse_list(input())
set2 = parse_list(input())

print(set1 == set2)
```

INPUT1 2 2 3
3 2 1**OUTPUT**

True

Q14. Duplicate Tuples

— Not Submitted —

Q15. Pair Sum

— Not Submitted —

Q16. Unique Characters

— Not Submitted —

Q17. Unique Words

— Not Submitted —

Q18. Exactly One Set

— Not Submitted —

Q19. Menu Driven

— Not Submitted —

Q20. Student Database

— Not Submitted —