

Student 16 **MALAVIKAH V** 192419061RC

4 / 4 submitted

Level 2 — 5 marks/question

L2-Q1. (M) Starting-Ending

P

CODE

```
import bisect
def searchrange(arr,t):
    left=bisect.bisect_left(arr,t)
    if left == len(arr) or arr[left]!=t:
        return [-1,-1]
    right = bisect.bisect_right(arr,t)-1
    return [left, right]
arr=[5,7,7,8,8,10]
t=8
print(searchrange(arr,t))
```

OUTPUT

```
File "C:\Windows\TEMP\sandbox_192419061RC_6a7d61253f4630.04519043\main.py", line 6
    right = bisect.bisect_right(arr,t)-1
                                ^
```

```
IndentationError: unindent does not match any outer indentation level
```

L2-Q2. (M) Search

P

CODE

```
s=input()
t=int(input())
n=list(map(int,s.replace('[','').replace(' ','').split(',')))
cols=5
mat=[n[i:i+cols] for i in range(0,len(n),cols)]
i=0
j=cols-1
while i<len(mat) and j>=0:
    if mat[i][j]==t:
        print("True")
        break
    elif mat[i][j]>t:
        j-=1
    else:
        i+=1
else:
    print("False")
```

INPUT

```
[[1,4,7,11,15],[2,5,8,12,19],[3,6,9,16,22],[10,13,14,17,24],[18,21,23,26,30]]
5
```

OUTPUT

```
True
```

CODE

False

CODE

3