HTML head & body elements

Prof. Rachana Modi

Faculty of Engineering & Technology

HTML Head Elements

- HTML <head> element is a container tag
- Placed before the <body> tag
- Contains general information about the page, meta-information, style sheet and document type information
- Elements place in <head> tag does not display in a body part of web browser
- <head> tag contains <title>, <meta>, <link>, <style>, <script>, <base> tags

HTML Head Elements: <title> Element

- <title> element defines title of the HTML document
- <title> element is displayed in a browser tab

```
    Program:

            html>
            title>Sample Page</title>
            head>
            body> <!-- Document body --> </body>
```

HTML Head Elements: <meta> Element

- <meta> element is used to provide structured meta-information about a web page.
- The <meta> tag contains page description, keywords and other important information.

Program:

```
<meta charset="UTF-8"/>
```

<meta name="description" content="HTML meta element"/>

<meta name="keywords" content="html, css, js"/>

<meta name="author" content="Ganpat university"/>

HTML Head Elements: link> Element

- element defines the relationship between the current HTML document and an external resource.
- element is used to load an external style sheet into HTML document.
- Attributes: rel, href, type
- Program:

k rel="stylesheet" type="text/css" href="style.css"/>

HTML Head Elements: <style> Element

- <style> element is used to write CSS style to an HTML document.
- It contains CSS properties.

```
    Program:

            style>
            p { font-size: 15px; color: red; }
            h2 { font-weight: normal; color: #196a8e; }

    </style>
```

HTML Head Elements: <script> Element

 <script> element used to defines client-side JavaScript which is specified within the document or embedded external JavaScript file through the SRC attribute.

```
<script type="text/javascript" src="script.js">
</script>
```

HTML Head Elements: <base> Element

<base> element specifies a base URL for all the links within a web page.

• Program:

<base href="https://www.ganpatuniversity.ac.in/" target="_blank"/>

HTML body Elements

- HTML <body> element defines the document's body.
- <body> element contains all the contents of an HTML document, such as headings, paragraphs, images, hyperlinks, tables, lists, etc.
- Content will be directly visible on your web page.

Attributes of <body> tag: bgcolor

bgcolor:

- It is used to specify the background color of web page.
- Default background color is white.
- Syntax:

bgcolor="color name" or bgcolor="# Hexadecimal number"

Program:

Attributes of <body> tag: background

background:

- It is used to specify the source of an image to tile as the document background.
- Syntax:

background="Path of Image or URL"

• Program:

<body background="C:\html\img.gif">/body>

Attributes of <body> tag: text

text:

- It is used to change the color of the text displayed in webpage.
- Default text color is black.
- Syntax:

Text="color name" or text= "#Hexadecimal number"

```
<body><br/>text="red"> .....</body></br>
```

Attributes of <body> tag: link

link:

- It is used to specify the color to be used while displaying the hyperlink.
- Default link color is blue.
- Syntax:

```
link="color name" or link= "#Hexadecimal number"
```

```
<body link="red"> .....</body>
```

Attributes of <body> tag: vlink

vlink:

- Visited link
- It is used to specify the color to be used while displaying hyperlinks that have already been visited.
- Default visited link color is maroon.
- Syntax:

```
vlink="color name" or vlink= "#Hexadecimal number"
```

```
<body vlink="green"> .....</body>
```

Attributes of <body> tag: alink

alink:

- Active link
- Active link is used to specify the color to be used while displaying hyperlinks as they are selected.
- Syntax:

```
alink="color name" or alink= "#Hexadecimal number"
```

```
<body> alink="yellow"> ......</body>
```

Thank you