

HTML Formatting Tags

Prof. Rachana Modi

Faculty of Engineering & Technology



FORMATTING TAGS

- Process of formatting text for better look and feel.
- HTML provides ability to format text without using CSS.
- Many formatting tags are available to make text bold, italic, small, big or underlined.
- Formatting tag always comes in pairs.
- Writes content between the opening and closing tags.



FORMATTING TAGS

Tags	Description	Syntax	Output
<code></code>	Bold Text	<code> Bold Text </code>	Bold Text
<code><i></code>	Italic Text	<code><i> Italic Text </i></code>	<i>Italic Text</i>
<code><u></code>	Underlined Text	<code><u> Underline </u></code>	<u>Underline</u>
<code><strike></code>	Strike Text	<code><strike> Strike Through</strike></code>	Strike Through
<code><small></code>	Smaller Text	<code><small> Small Text </small></code>	Small Text
<code><big></code>	Bigger Text	<code><big> Bigger Text</big></code>	Bigger Text



FORMATTING TAGS

Tags	Description	Syntax	Output
<sub>	Subscript Text	H₂SO₄	H ₂ SO ₄
<sup>	Superscript Text	n*n = n²	n*n = n ²
	Deleted Text	 Deleted Text	Deleted Text
<ins>	Inserted Text	<ins>Inserted Text</ins>	<u>Inserted Text</u>
<pre>	Preformatted Text		
<mark>	Marked Text	Welcome to <mark>MOOC</mark>	Welcome to MOOC



FORMATTING TAGS

Tags	Description	Syntax	Output
<dfn>	Definition	<dfn>HTML</dfn>is a standard Markup Language	<i>HTML</i> is a standard Markup Language
	Strong Text	Important Text	Important Text
	Emphasized Text	Emphasized Text	<i>Emphasized Text</i>
<tt>	Typewriter Text	<tt>Typewriter Text</tt>	Typewriter Text
<abbr>	Text Abbreviation	<p>An <abbr title = "Hypertext Markup language">HTML </abbr>language is used to create web pages. </p>	Hypertext Markup language <u>HTML</u> language is used to create web pages.

QUOTING TEXT : <BLOCKQUOTE> TAG

- <blockquote> tag is used to define long quotes inside the document.
- Specify the section that is quoted from other source.
- Browsers usually indent <blockquote> elements.
- This is a block-level element and can include tags for text formatting.
- **Attribute:** cite - url

- **Program:**

```
<body>
```

```
  <h2><blockquote> Tag</h2>
```

```
  <blockquote cite = "http://www.ganpat university.ac.in">
```

```
    Ganpat University: A socially responsible university
```

```
  </blockquote>
```

```
</body>
```



SHORT QUOTATION : <Q> TAG

- <q> tag is used to define short quotation.
- If you will put any content between <q> </q>, then it will enclose the text in double quotes.

- **Program:**

```
<body>
```

```
<p>Great Motivational quote</p>
```

```
<p>Steve Jobs said:
```

```
<q>If You Are Working On Something That You Really Care About, You  
Don't Have To Be Pushed. The Vision Pulls You.</q>
```

```
</p>
```

```
</body>
```



Thank you

